



# Select Specialty Hospital – Cleveland Fairhill

## Community Health Needs Assessment

2025

# Table of Contents

- Select Specialty Hospital- Cleveland Fairhill .....3**
- 2025 Community Health Needs Assessment .....3**
  - Introduction .....3
  - Long Term Acute Care Hospitals Community Definition .....4
  - Summary .....7
  - 2025 Prioritized Health Needs .....7
  - Prioritized Health Need #1: Access to Healthcare .....8
  - Prioritized Health Need #2: Adult Health .....9
  - Prioritized Health Need #3: Community Safety .....11
  - Prioritized Health Needs in Context .....12
  - Secondary Data Overview .....13
  - Primary Data Overview .....25
  - Prioritization Methodology .....27
  - Collaborating Organizations .....28
  - Community Partners and Resources .....28
  - Comments Received on Previous CHNA .....29
  - Request for Public Comment .....29
  - Appendices Summary .....29
  - Appendix A: Community Definition .....30
  - Appendix B: Secondary Data Methodology and Secondary Data .....32
  - Appendix C: Environmental Scan and Key Findings .....196
  - Appendix D: Community Input Assessment Tools and Key Findings .....198
  - Appendix E: Impact Evaluation .....204
  - Appendix F: Acknowledgements .....206
- Select Speciality Hopstial: Cleveland Fairhill Implementation Strategy Report .. 207**

# Select Specialty Hospital- Cleveland Fairhill 2025 Community Health Needs Assessment

## Introduction

This Community Health Needs Assessment (CHNA) was conducted by Select Specialty Hospital – Cleveland Fairhill (“Fairhill” or “the hospital”) to identify significant community health needs and to inform development of an Implementation Strategy to address current needs. This 2025 CHNA is a joint report of Select Specialty Hospitals: Select Specialty Hospital – Cleveland Fairhill, Regency Hospital of Cleveland East, and Regency Hospital of Cleveland West.

Cleveland Fairhill is a Long Term Acute Care hospital (LTACH), designed to provide comprehensive, specialized care for high-acuity patients who need more time to recover, typically after critical care. Additional information on the hospital and its services is available at [regencyhospital.com/cleveland-fairhill/](https://regencyhospital.com/cleveland-fairhill/)

The hospital is a joint venture between Cleveland Clinic health system and Select Medical. As part of the broader Cleveland Clinic health system, Fairhill upholds the tripartite mission of clinical care, research, and education. Cleveland Clinic is a nonprofit, multispecialty academic medical center that integrates hospital-based services with innovative research and the training of future healthcare professionals. Currently, with more than 82,000 caregivers, 23 hospitals, and 280 outpatient facilities around the world, Cleveland Clinic is recognized as one of the world’s leading healthcare systems. Its collaborative, patient-centered model of care promotes improved outcomes and enhances quality of life for patients both locally and internationally.

The Cleveland Clinic health system includes its flagship academic medical center near downtown Cleveland, fifteen regional hospitals in Northeast Ohio, a children’s hospital and children’s rehabilitation hospital, and additional hospitals and facilities in Florida and Nevada. Each hospital, including Fairhill, contributes to the system-wide advancement of clinical research and medical innovation. Patients at Fairhill benefit from access to novel treatments, clinical trials, and evidence-based practices developed and shared across the Cleveland Clinic network.

Select Medical is one of the largest providers of post-acute care encompassing three areas of expertise: critical illness recovery, inpatient medical rehabilitation, and outpatient physical therapy, all of which are delivered and supported by talented healthcare professionals across the U.S. Additional information about Select Medical is available at [selectmedical.com/](https://selectmedical.com/).


## CHNA Background

As part of its mission to improve health and well-being in the communities it serves, Cleveland Fairhill led a Community Health Needs Assessment (CHNA) process to better understand the most important health issues facing residents. The Patient Protection and Affordable Care Act, enacted on March 23, 2010, requires not-for profit hospital organizations to conduct a CHNA once every three taxable years that meets the requirements of the Internal Revenue Code 501(r). Cleveland Clinic engaged Conduent Healthy Communities Institute (HCI) to guide the 2025 CHNA process using national, state, and local secondary data as well as qualitative community feedback.

## Long Term Acute Care Hospitals Community Definition

The community definition describes the zip codes where approximately 75% of discharges from Long Term Acute Care hospital (LTACH) facilities originated in 2024. Figure 1 shows the specific geography for this community that served as a guide for data collection and analysis for this CHNA. Table 1 lists zip codes and associated neighborhoods that comprise the community definition.

Figure 1: LTACH Community Definition



**Table 1: LTACH Community Definition**

Zip Code	Municipality	Zip Code	Municipality	Zip Code	Municipality
44001	Amherst	44104	Cleveland (Kinsman)	44131	Independence
44011	Avon	44105	Garfield Heights	44132	Euclid
44012	Avon Lake	44106	Cleveland Heights	44133	North Royalton
44017	Berea	44107	Lakewood	44134	Parma
44022	Chagrin Falls	44108	Bratenahl	44135	Cleveland
44028	Columbia Station	44109	Brooklyn Heights	44136	Strongsville
44035	Elyria	44110	Bratenahl	44137	Maple Heights
44039	North Ridgeville	44111	Cleveland (Jefferson)	44138	Olmsted Falls
44044	Grafton	44112	East Cleveland	44139	Solon
44050	Lagrange	44113	Cleveland (Tremont)	44140	Bay Village
44052	Lorain	44114	Cleveland (Downtown)	44141	Brecksville
44053	Lorain	44115	Cleveland (Industrial Valley)	44142	Brookpark
44054	Sheffield Lake	44116	Rocky River	44143	Euclid
44055	Lorain	44117	Euclid	44144	Brooklyn
44057	Madison	44118	Shaker Heights	44145	Westlake
44060	Mentor	44119	Euclid	44146	Bedford
44070	North Olmsted	44120	Shaker Heights	44147	Broadview Heights
44074	Oberlin	44121	South Euclid	44149	Strongsville
44077	Painesville	44122	Beachwood	44212	Brunswick
44081	Perry	44123	Euclid	44253	Litchfield
44090	Wellington	44124	Lyndhurst	44256	Medina
44092	Wickliffe	44125	Garfield Heights	44273	Seville
44094	Willoughby	44126	Fairview Park	44275	Spencer
44095	Eastlake	44127	Cuyahoga Heights	44280	Valley City
44101	Cleveland (Downtown)	44128	Bedford Heights	44281	Wadsworth
44102	Cleveland (Detroit-Shoreway)	44129	Parma		
44103	Cleveland (Hough)	44130	Middleburg Heights		

## Secondary Data Methodology and Key Findings

### Secondary Data Scoring

Secondary data used for this assessment were collected and analyzed from Conduent Healthy Communities Institute's (HCI) community indicator database. The database, maintained by researchers and analysts at HCI, includes 300 community indicators covering at least 28 topics in the areas of health, health-related social needs, and quality of life. The data are primarily derived from state and national public secondary data sources such as the U.S. Census American Community Survey (ACS Survey), Centers for Disease Control & Prevention (CDC), Centers for Medicare & Medicaid Services (CMS), County Health Rankings, Feeding America, and the National Cancer Institute. These indicators were analyzed at both the county level and within a defined zip-code LTACH community area. Data were compared to national benchmarks, state averages, and historical trends to identify areas of concern. The analysis reinforced three key health priorities – Access to Healthcare, Adult Health, and Community Safety, highlighting differences in outcomes by group.

### Other Community Assessment and Improvement Plans

An environmental scan was conducted to supplement quantitative data and further contextualize health needs across the hospital's defined community. This scan involved a review of recent community health assessments, needs reports, and partner studies across healthcare, public health, and social service sectors. Findings from local efforts, including reports from the United Way, hospital systems, and regional health collaboratives, corroborated the relevance of the three prioritized needs prioritized in this 2025 CHNA process.

Across communities, consistent themes emerged: cost barriers and provider shortages limit healthcare access; chronic disease management is challenged by food insecurity and inadequate recreational infrastructure; and topics related to community safety, particularly poverty, housing insecurity, and gun violence, impact all other areas of health.

## Primary Data Methodology and Key Findings

To ensure community priorities and lived experience were centered in this assessment, conversations with community stakeholders were conducted across the Cleveland Fairhill community. These conversations included individuals from 15 organizations who spoke directly to the needs within the community. Participants represented sectors including public health, mental health, housing, food access, and other community organizations.

Conversations with stakeholders across the Cleveland Fairhill community highlighted pressing needs related to Access to Healthcare, Adult Health, and Community Safety. Stakeholders emphasized that residents often delay care because of affordability, insurance gaps, and difficulty navigating the healthcare system, with transportation and language barriers creating additional obstacles. Concerns about adult health centered on the growing burden of chronic disease, limited access to preventive care, and the risks of isolation among older adults, particularly those living alone without sufficient supports. Community safety was described as a daily challenge in some neighborhoods, where gun

violence, overdoses, and crime contribute to chronic stress, limit outdoor activity, and undermine community trust. Stakeholders called for greater investment in prevention efforts and coordinated community partnerships that address both clinical services and the broader conditions shaping health outcomes.

## Summary

### 2025 Prioritized Health Needs

Cleveland Fairhill’s 2025 Community Health Needs Assessment reaffirms its commitment to addressing the three core health priorities based on a rigorous synthesis of primary data in the form of community stakeholder interviews, secondary indicators from national and state data sources, and a regional environmental scan. The following three prioritized health needs will help shape the hospital’s Implementation Strategy Reports (ISR) for the subsequent three years:



These priorities reflect persistent and deeply interconnected challenges, such as provider shortages, care affordability, chronic disease burden, and the health impacts of poverty, neighborhood conditions, and safety. Community input, coupled with data showing that Cuyahoga, Lake, Lorain, and Medina counties continue to exceed state and national benchmarks in these areas, underscores the urgency of sustained, cross-sector efforts to address differences in health outcomes and improve health outcomes for all populations in the community served by Cleveland Fairhill.

The three prioritized community health needs identified in this 2025 Cleveland Fairhill CHNA are summarized below. Within each summary, pertinent information pertaining to secondary data findings, primary data findings and relevant demographics, social drivers of health, and differences in health outcomes are highlighted. Full data details are included in the appendices section at the end of this report.

## Prioritized Health Need #1: Access to Healthcare

### Access to Healthcare



#### Key Themes from Community Input



- Care affordability
- Culturally competent care
- Digital access
- Integrated services
- Insurance gaps
- Provider shortages
- Transportation barriers

#### Warning Indicators



- Preventable Hospital Stays: Medicare Population
- Adults with Health Insurance
- Adults who go to the Doctor Regularly for Checkups
- Adults who Visited a Dentist
- Primary Care Provider Rate

Access to Healthcare emerged as a consistent and pressing concern across stakeholder interviews, reflecting ongoing challenges with affordability, availability, and system navigation. Participants highlighted that while healthcare infrastructure is present, longstanding barriers continue to prevent equal access, particularly for low-income populations, immigrants, and older adults. Cost was identified as a major obstacle, with stakeholders pointing to the burden of co-pays, prescription expenses, and follow-up visits that often discourage residents from seeking needed care. Even insured individuals were described as struggling to afford regular services, leading to delayed treatment and reliance on emergency departments.

Geographic and transportation barriers were also repeatedly raised as limiting timely access to care. Residents in some neighborhoods face long or complicated commutes, which when combined with mobility challenges, further restrict utilization of routine and preventive services. Stakeholders emphasized that convenience and time strongly influence care-seeking behavior, with many residents opting out of care when appointments are too difficult to reach or when scheduling systems are perceived as complex. Gaps in culturally and linguistically appropriate care were described as compounding these barriers, particularly for immigrant communities and populations with limited trust in healthcare systems.

Stakeholders further underscored the need for integrated approaches that bring medical, behavioral, and social services together in accessible community settings. Co-located models of care were viewed as a way to reduce fragmentation and help residents navigate complex systems while addressing underlying social needs such as housing, food, and behavioral health. Building trust, diversifying the healthcare workforce, and investing in care that is culturally aware are opportunities that were highlighted as essential to strengthening engagement and improving outcomes. Overall, the interviews reflect a clear call for affordable, accessible, and coordinated care delivery that reduces systemic barriers and better meets the needs of the community.

Data collected through secondary sources demonstrate concerning trends across the Cleveland Fairhill community regarding healthcare access. Data on Medicare recipients

indicate especially high rates of hospital use for preventable issues in Cuyahoga, Lake, and Lorain counties. In all three counties, as well as Medina County, the Black/African American populations are substantially more likely to experience a preventable hospital stay than the general population. The prevalence of primary care providers has been significantly declining in both Lake and Lorain counties. Cuyahoga County has one of the highest rates of primary care providers across Ohio, but the county also has one of the lowest rates of adults who go to the doctor regularly for checkups. Low rates of health insurance in both Cuyahoga County may also be a barrier to regular, preventive care.

Geospatial data from Conduent HCI’s Community Health Index (CHI) can help to estimate health risk at a more granular level, based on health-related social needs. Across the entire LTACH community, the zip codes with the greatest health-related social needs are 44115 (Cleveland, Industrial Valley) and 44104 (Cleveland, Kinsman), with CHI values of 99.9 and 99.8, respectively. Additional details about the CHI, including charts, maps, and additional findings from primary and secondary data for this health need can be found in the appendices section of this report.

## Prioritized Health Need #2: Adult Health

### Adult Health



#### Key Themes from Community Input



- Community education
- Disease prevalence
- Food insecurity
- Medication costs
- Screening gaps
- Stress and poverty
- Unsafe neighborhoods

#### Warning Indicators



- Adults 20+ with Diabetes
- Adults with Cancer (Non-Skin) or Melanoma
- Adults who Frequently Cook Meals at Home
- All Cancer Incidence Rate
- Breast Cancer Incidence Rate
- Cancer: Medicare Population
- Cervical Cancer Incidence Rate
- Chronic Kidney Disease: Medicare Population
- Hyperlipidemia: Medicare Population
- Ischemic Heart Disease: Medicare Population
- Osteoporosis: Medicare Population
- People 65+ Living Alone
- People 65+ Living Below Poverty Level
- Prostate Cancer Incidence Rate
- Rheumatoid Arthritis or Osteoarthritis: Medicare Population
- Self-Reported General Health: Good or Better
- Stroke: Medicare Population

Adult Health outcomes were highlighted by stakeholders as a health concern shaped by a mix of chronic disease burdens, preventive care gaps, and social and cultural barriers to the healthcare system. Common concerns include high rates of hypertension, diabetes, heart disease, obesity, and infectious diseases. Respondents noted that preventive health practices such as screenings and wellness visits are often underutilized, in part because of low health literacy, cultural differences in approaches to care, and a lack of trust in

preventive medicine when individuals do not feel sick. Transportation, language barriers, and the availability of providers who are culturally aware were consistently cited as barriers to accessing routine care.

In addition, stakeholders identified factors among specific populations that result in reduced or delayed care. Isolation among older adults emerged as a pressing issue, contributing to depression, stress, and delayed management of health needs. Cultural preferences, such as women seeking female providers for reproductive and preventive services, were also identified as limiting timely access when options are unavailable. Stakeholders highlighted the importance of health education, early detection, and integrated care that addresses both physical and behavioral health needs. They also pointed to the role of strong family networks within some communities as protective factors, while cautioning that the lack of self-care and overwork in these populations often lead to poor long-term health outcomes.

Overall, Adult Health in the community is influenced not only by the prevalence of chronic and infectious conditions but also by systemic and cultural barriers that prevent consistent engagement in preventive and wellness practices. Addressing these issues will require targeted strategies such as expanding culturally competent services, improving access to female providers, reducing transportation barriers, and investing in community-based education and screenings. Respondents stressed that integrated and collaborative approaches, including partnerships with local hospitals, health departments, and social service providers, are essential to improving adult health outcomes in the region.

In reviewing data collected through secondary sources, food insecurity was repeatedly identified as a driver of poor Adult Health outcomes, limiting access to nutritious foods and increasing the risk of chronic conditions such as diabetes, heart disease, and certain cancers. Data on consumer behavior show that adults in Cuyahoga, Lake, and Medina counties are less likely to cook meals at home compared to most other Ohio counties, while fast-food use in Cuyahoga and Medina counties ranks among the highest in the state. Conduent HCl's Food Insecurity Index underscores the geographic concentration of these challenges, with the greatest barriers in zip codes 44104 (Cleveland, Kinsman), 44115 (Cleveland, Industrial Valley), and 44110 (Bratenahl). These food access barriers contribute directly to the development and progression of chronic disease.

Secondary data also highlight the growing burden of cancer and chronic conditions for the Cleveland Fairhill population. Breast cancer rates are especially high and rising in all four counties, with Cuyahoga and Lorain counties also reporting some of the highest breast cancer mortality rates in Ohio. Prostate cancer incidence is elevated in Cuyahoga, Medina, and Lorain counties, and Cuyahoga County additionally experiences an especially high death rate due to prostate cancer. Black/African American residents in Cuyahoga County face the greatest differences in health outcomes, with significantly higher mortality from both prostate and breast cancer. Diabetes prevalence is also higher in Cuyahoga, Lake, and Lorain counties than in most U.S. counties, and among Medicare recipients, Asian/Pacific Islander, Black/African American, and Hispanic residents face substantially greater risk. Chronic kidney disease, a common outcome of unmanaged diabetes, is especially prevalent in Lorain, Cuyahoga, and Medina counties, with Cuyahoga County experiencing elevated mortality due to kidney disease. Across all

four counties, Black/African American Medicare recipients are more likely to have chronic kidney disease compared to the general population, underscoring persistent inequities in chronic disease burden.

Older Adult Health presents significant challenges for the Cleveland Fairhill population, with secondary data showing especially high percentages of older adults living alone in Cuyahoga, Lake, and Lorain counties. Fall-related deaths, which disproportionately affect older adults, are elevated and rising in Lake, Lorain, and Medina counties. Financial strain further complicates older adult wellbeing, particularly in Cuyahoga County where the cost of adult day care consumes 12.7% of household income, a rate higher than nearly all other counties in Ohio. The burden is even greater for Hispanic/Latino residents, who experience the highest cost relative to income across all four counties. In Cuyahoga County, for instance, adult day care costs average 22.8% of household income for Hispanic/Latino households, underscoring the inequities older adults and their families face in accessing affordable supportive care.

### Prioritized Health Need #3: Community Safety

#### Community Safety



##### Key Themes from Community Input



- Gun violence
- Substance use
- Unsafe environments
- Fear and stress
- Poverty
- Barriers to care related to stigma
- Social isolation
- Impaired driving

##### Warning Indicators



- Age-Adjusted Death Rate due to Firearms
- Age-Adjusted Death Rate due to Unintentional Injuries
- Age-Adjusted Drug and Opioid-Involved
- Alcohol-Impaired Driving Deaths
- Overdose Death Rate
- Death Rate due to Drug Poisoning
- Severe Housing Problems
- Adults who Binge Drink
- Adults who Drink Excessively
- Age-Adjusted Death Rate due to Unintentional Poisonings
- Age-Adjusted Death Rate due to Falls
- Death Rate due to Injuries
- Severe Housing Problems
- Substantiated Child Abuse Rate

Community Safety was described by stakeholders as a persistent concern. Gun violence, crime, and exposure to unsafe environments were raised as daily realities in some neighborhoods, creating chronic stress and negatively impacting both physical and mental health. Several respondents noted that children and families in affected communities live with a heightened sense of fear, which limits outdoor activity, undermines community trust, and compounds issues already present due to poverty and underinvestment. Safety was also connected to broader environmental risks such as lead exposure, housing quality, and limited access to safe and healthy recreational spaces.

Substance use, particularly related to opioids, fentanyl, and alcohol, was also described as a major driver of safety concerns. Stakeholders identified overdoses and alcohol-impaired driving deaths as pressing public health issues that destabilize families and neighborhoods. Barriers to prevention include limited culturally competent services, stigma, and gaps in treatment and harm reduction approaches. Participants stressed the need for upstream prevention efforts, stronger school and community partnerships, and accessible recovery supports that reduce risk and encourage early intervention. They also called for coordinated strategies that address safety to prevent substance use across the lifespan, beginning with youth prevention programs and extending to older adults who may experience isolation and vulnerability.

Overall, stakeholders highlighted that Community Safety is inseparable from the social and economic context of residents' lives. Exposure to violence, substance misuse, and unsafe environments erodes trust and wellbeing while also straining healthcare and social services. Respondents emphasized the importance of investing in prevention, improving access to recovery resources, and fostering partnerships across public health, education, and community organizations to create safer, healthier neighborhoods.

Data from secondary sources illustrate concerning trends regarding substance use disorder across the community. In Lake, Cuyahoga, and Lorain counties, the percentage of driving deaths that involve alcohol is among the highest of all U.S. counties. Alcohol-involved driving deaths are relatively less common in Medina County, however, the county's rate of adults who binge drink is among the highest of all U.S. counties.

Drug and opioid overdose deaths are higher in Lorain, Lake, and Cuyahoga counties than most other U.S. counties. Notably, the state-wide Ohio rate of these overdose deaths is also much higher than the nation-wide rate (40.4 vs. 23.5 deaths per 100,000).

## **Prioritized Health Needs in Context**

Each of the three community health needs explored above reflect persistent and interconnected challenges shaped by broader social, economic, and environmental conditions. Together, these findings underscore the importance of place and needs-based approaches to improve health outcomes. The following sections provide an overview of the demographic and health-related social needs influencing health in the hospital community, offering additional context for understanding the differences and opportunities outlined in this report.

# Secondary Data Overview

## Demographics and Health-Related Social Needs

The demographics of a community significantly impact its health profile.<sup>1</sup> Different groups may have unique needs and require varied approaches to health improvement efforts. The following section explores the demographic profile of the community served by Cleveland Clinic's LTACH facilities including the economic, environmental, and social drivers of health. The social drivers of health are the non-medical factors that influence health outcomes. They are the conditions in which people are born, grow, work, live, and age, and the wider set of forces and systems shaping the conditions of daily life. These forces and systems include economic policies and systems, development agendas, social norms, social policies, and political systems.<sup>2</sup> In addition to these highlights, detailed findings from the secondary data analysis can be found in Appendix B.

## Geography and Data Sources

Data are presented at various geographic levels (zip code and/or county) depending on data availability. When available, comparisons to county, state, and/or national values are provided. It should be noted that county level data may mask issues at the zip code level in many communities. While indicators may be strong when examined at a higher level, zip code level analysis can reveal differences in health outcomes.

All data estimates are sourced from Claritas Pop-Facts® (2024 population estimates) and American Community Survey one-year (2023) or five-year (2019-2023) estimates unless otherwise indicated.

## Population Demographics of the Community Served by LTACH Facilities

According to the 2024 Claritas Pop-Facts® population estimates, the community served by Cleveland Clinic's LTACH facilities has an estimated population of 1,937,655 persons. The median age in the community is 42.5 years, which is older than that of Ohio (40.3 years). About a quarter of the population (25.9%) is between 55-74 years old.

Approximately two-thirds of the population are White (66.6%) and a fifth are Black/African American (20.7%). Additionally, 7.4% of the population is Hispanic/Latino of any race and 2.8% are Asian.


As seen in Figure 2, the majority of the LTACH facilities' population aged five and above speaks primarily English at home (90.4%) and only 3.9% speak Spanish at home. Understanding countries of origin and language spoken at home can help inform the cultural and linguistic context for the health and public health system. Primary language spoken in the home can also be a proxy for acculturation into the community.

---

<sup>1</sup> National Academies Press (US); 2002. 2, Understanding Population Health and Its Determinants. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK221225/>

<sup>2</sup> Centers for Medicare and Medicaid (CMS) (2025). Social Drivers of Health and Health-Related Social Needs. <https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

**Figure 2: Population 5+ by Language Spoken at Home: Hospital, State, and U.S. Comparisons**



Community and state values: Claritas Pop-Facts® (2024 population estimates)  
 U.S. value: American Community Survey five-year (2019-2023) estimates

## Income and Poverty

Income has been shown to be strongly associated with morbidity and mortality, influencing health through various clinical, behavioral, social, and environmental factors. Those with greater wealth are more likely to have higher life expectancy and reduced risk of a range of health conditions including heart disease, diabetes, obesity, and stroke. Poor health can also contribute to reduced income by limiting one’s ability to work.<sup>3</sup>


The median household income for the LTACH community is \$69,759, which is similar to that of Ohio overall (\$68,488).

Federal poverty thresholds are set every year by the Census Bureau and vary by size of family and ages of family members. Across the LTACH population, 10.0% of families live below the poverty level, which is somewhat higher than the state-wide and national poverty rates (9.4% and 8.8%, respectively). Poverty levels are especially high in Cuyahoga County (Figure 3), with the highest levels of poverty zip codes 44115 (Cleveland, Industrial Valley) and 44104 (Cleveland, Kinsman), where 58.5% and 48.8% of families live in poverty, respectively.

<sup>3</sup> Robert Wood Johnson Foundation. Health, Income, and Poverty. <https://www.rwjf.org/en/library/research/2018/10/health-income-and-poverty-where-we-are-and-what-could-help.html>

The map in Figure 3 offers greater detail by describing poverty rates by census tract, with darker green census tracts indicating a higher concentration of poverty. Examining neighborhood-level data is particularly valuable, especially in more densely populated zip codes, where broader data may obscure important local differences or trends.

Figure 3: Families Living Below Poverty




Community, census tract, zip code, and state values: Claritas Pop-Facts® (2024 population estimates)  
 U.S. value: American Community Survey five-year (2019-2023) estimates

## Education and Employment

The vast majority of the population within the LTACH facilities' community have a high school degree or higher (91.8%) and about one third have a bachelor's degree or higher (33.2%). These rates are higher than state-wide and nation-wide rates. As seen in Figure 4, the unemployment rate is 6.4%, somewhat higher than the Ohio unemployment rate (5.2%).

**Figure 4: Population 16+ Unemployed: Hospital, State, and U.S. Comparisons**



Community and state values: Claritas Pop-Facts® (2024 population estimates)  
U.S. value: American Community Survey five-year (2019-2023) estimates

Education is an important indicator of health and wellbeing. Education can lead to improved health by increasing health knowledge, providing better job opportunities and higher income, and improving social and psychological factors linked to health.<sup>4</sup> Higher levels of education may also lead to better job opportunities which, in turn, impact health. An individual's type and level of employment impacts Access to Healthcare, work environment, health behaviors, and health outcomes.<sup>5</sup>


## Housing and Built Environment

Safe, stable, and affordable housing provides a critical foundation for health and wellbeing. We examined how many households across the LTACH community have severe housing problems, such as overcrowding, high housing costs, lack of kitchen, or lack of plumbing facilities. These housing problems are most common in Cuyahoga County (15.7% of households), followed by Lorain County (12.9%), Lake County (9.5%), and Medina County (9.4%). Housing costs are also most burdensome in Cuyahoga County (Figure 5). Nearly half of renters in Cuyahoga County (47.5%) spend at least 30% of their income on rent, followed by Lorain County (46.3%), Lake County (46.0%), and Medina County (43.7%).

<sup>4</sup> Robert Wood Johnson Foundation, Education and Health.  
<https://www.rwjf.org/en/library/research/2011/05/education-matters-for-health.html>

<sup>5</sup> U.S. Department of Health and Human Services, Healthy People 2030.  
<https://health.gov/healthypeople/objectives-and-data/social-determinants-health/literature-summaries/employment>

Figure 5: Renters Spending 30% Or More Of Household Income on Rent



Census tract and zip code values: American Community Survey five-year (2019-2023) estimates

Home internet access is an essential home utility for accessing healthcare services, including making appointments with providers, getting test results, and accessing medical records. The majority of the Cuyahoga population has internet access (87.5% of households). However, at the zip code level, the lowest levels of internet access in the LTACH community are in the zip codes 44104 (Cleveland, Kinsman) and 44127 (Cuyahoga Heights), where only 69.3% and 70.3% of households have an internet subscription, respectively.

## Community Health Indices


A map index that visualizes social and economic drivers of health at a specific geographic level serves as a critical decision-making tool by highlighting localized differences in health outcomes that may be obscured in broader geographic analyses. The three indices below highlight differences in community health outcomes, mental health outcomes, and food insecurity for the LTACH community at the zip code level.

### Community Health Index

Conduent HCI's Community Health Index (CHI) can help to identify geographic differences in health outcomes across the county, down to the census tract level. The CHI uses health-related social needs data that is strongly associated with poor health outcomes, such as preventable hospitalization or premature death, to estimate which geographic areas have the greatest health needs. Each geographic area is given an index value between 0 and 100, based on how it compares to other areas across the country.

Figure 6 illustrates which census tracts experience the greatest relative health needs in the LTACH community, as indicated by the darkest shade of green. At the zip code level, 44115 (Cleveland, Industrial Valley) and 44104 (Cleveland, Kinsman) have the highest index values, at 99.9 and 99.8, respectively. See Appendix B for additional details about the CHI and a table of CHI values for each zip code in the community.

Figure 6: Community Health Index: LTACH Community by Census Tract




## Mental Health Index

Conduent HCI's Mental Health Index (MHI) can help to identify geographic differences in mental health outcomes across the county, down to the census tract level. The MHI uses health-related social needs data that is strongly associated with self-reported poor mental health to estimate which geographic regions have the greatest mental health needs. Each geographic area is given an index value between 0 and 100, based on how it compares to other areas across the country.

Figure 7 illustrates which census tracts experience the greatest relative need related to mental health in the LTACH community, as indicated by the darkest shade of green. At the zip code level, the highest levels of need are in 44104 (Cleveland, Kinsman), with an MHI value of 100, followed by 44103 (Cleveland, Hough), 44108 (Bratenahl), and 44112 (East Cleveland), with MHI values of 99.9. See Appendix B for additional details about the MHI and a table of MHI values for each zip code in the LTACH community.

**Figure 7: Mental Health Index: LTACH Community by Census Tract**




### Food Insecurity Index

Conduent HCI’s Food Insecurity Index (FII) can help to identify geographic differences in food access across the county, down to the census tract level. The FII uses health-related social needs data that is strongly associated with poor food access to estimate which geographic regions have the greatest needs regarding food insecurity. Each geographic area is given an index value between 0 and 100, based on how it compares to other areas across the country.

Figure 8 illustrates which census tracts experience the greatest relative need related to food insecurity in the LTACH community, as indicated by the darkest shade of green. At the zip code level, the highest levels of need are in 44104 (Cleveland, Kinsman) and 44115 (Cleveland, Industrial Valley), with FII values of 100 and 99.9, respectively. See Appendix B for additional details about the FII and a table of FII values for each zip code and census tract in the hospital community.

Figure 8: Food Insecurity Index: LTACH Community by Census Tract



## Other Community Assessment and Improvement Plans

As part of the 2025 CHNA, we conducted an environmental scan of recent community health assessments, partner reports, and improvement plans relevant to the population served by LTACH facilities. Findings from this environmental scan reinforced the relevance of the three prioritized health needs identified in the 2025 CHNA. Highlights of each of the relevant documents are provided below. The methodology for conducting the environmental scan is described in Appendix C.

### 2023 Ohio State Health Assessment<sup>6</sup>

The following points summarize the key alignment between the 2023 Ohio State Health Assessment and Cleveland Fairhill's prioritized health needs:

- Access to Healthcare:
  - Widespread healthcare provider shortages, especially in primary care and mental health.
  - Many Ohioans face barriers such as limited insurance coverage, low health literacy, and lack of culturally and linguistically appropriate care.
- Adult Health:
  - Statewide increases in diabetes and continued high rates of heart disease and hypertension.
  - Obesity and poor nutrition are identified as key contributors to chronic conditions.
- Community Safety:
  - Ongoing challenges related to poverty, housing affordability and quality, food insecurity, and transportation.
  - Significant unmet mental health needs and elevated levels of substance use, including youth drug use and adult overdose deaths.

### 2023 City of Cleveland Parks and Recreation Community Needs Assessment<sup>7</sup>

- Nature and Green Space: Value placed on preserving and expanding natural areas
- Connectivity and Accessibility: Importance of walkability, ADA compliance, and transportation access
- Safety: Emphasis on secure, well-lit, and welcoming environments

---

<sup>6</sup> Ohio Department of Health. (2023). *Ohio State Health Assessment 2023*. Ohio University; Ohio Department of Health. Retrieved from Ohio Department of Health website.

<sup>7</sup> Cleveland Parks & Recreation Plan Team. (2024). *Community needs assessment report* [PDF]. City of Cleveland Department of Parks & Recreation. [https://cleparksrecplan.com/wp-content/uploads/240102\\_Community-Needs-Assessment-Report\\_web.pdf](https://cleparksrecplan.com/wp-content/uploads/240102_Community-Needs-Assessment-Report_web.pdf)

## 2024 Cuyahoga County ADAMHS Board Needs Assessment<sup>8</sup>

- Significant gap between those with substance use disorders and those receiving treatment in Cuyahoga County
- Large difference between individuals with mental health disorders and those accessing treatment or services
- High need for publicly funded behavioral health services
- Elevated rates of uninsured individuals limit access to necessary care

## 2023 Cuyahoga County Planning Commission Data Book<sup>9</sup>

- Population is declining, but the number of households is increasing
- Large labor force, but low participation rate
- Lower levels of post-secondary education attainment
- Household income is low; poverty rate is high
- Educational and health services are the most common employment sectors
- Housing costs are low, but affordability remains a challenge
- Minimal new housing development in recent years
- County has more multi-modal transportation options than others
- Commute times are shorter than in other areas
- The county is more urbanized compared to the surrounding regions

## 2022 Greater Cleveland LGBTQ+ Community Needs Assessment<sup>10</sup>

- Promote a culture of respect, empathy, and mutual support within and beyond the LGBTQ+ community
- Implement and enforce anti-discrimination laws related to healthcare, workplace rights, reproductive and family rights, identification, housing, and taxation
- Combat community helplessness by offering clear, actionable solutions and encouraging engagement
- Expand access to community education in health, civic matters, cultural awareness, and emergency preparedness

---

<sup>8</sup> Alcohol, Drug Addiction and Mental Health Services (ADAMHS) Board of Cuyahoga County (2024). *Community health needs assessment* [PDF]. <https://www.adamhsc.org/about-us/budgets-reports/needs-assessments>

<sup>9</sup> Cuyahoga County Planning Commission. (December 2023). *Our County: The 2023 data book* [PDF]. Cuyahoga County Planning Commission. <https://s3.countyplanning.us/wp-content/uploads/2023/12/Our-County-2023-reduced.pdf?>

<sup>10</sup> Kent State University College of Public Health. (2024). *Greater Cleveland LGBTQ+ community needs assessment* [PDF]. The Greater Cleveland LGBTQ+ Community Needs Assessment Research Team. [https://www.lgbtqohio.org/sites/default/files/docs/KSU-028\\_CommunityReport\\_102124\\_FA.pdf](https://www.lgbtqohio.org/sites/default/files/docs/KSU-028_CommunityReport_102124_FA.pdf)

## Joint 2022 Cuyahoga County CHNA (Collaborating Organizations: University Hospital, Cuyahoga County Board of Health, and the City of Cleveland Department of Health)<sup>11</sup>

### Priority Health Areas Identified:

- Behavioral Health (mental health challenges and substance use/misuse)
- Accessible and Affordable Healthcare
- Community Conditions (including access to healthy food and neighborhood safety)

### Prioritized Populations:

- Maternal, Fetal, and Infant Health
- Older Adults

## 2023 Livable Cuyahoga Needs Assessment<sup>12</sup>

### Community & Health Services

- Cleveland has the highest disability rates among older adults in the county
- Access to doctors and hospitals is high, but other barriers persist
- Black and low-income residents are more likely to report poor mental health

### Outdoor Spaces

- Sidewalks connect older adults to the community
- Parks are highly valued; safety remains a key concern

### Transportation

- Transportation access and cost vary by municipality
- Driving makes travel easy, but more medical transport options are needed

### Housing

- Older adults want to age in place in Cuyahoga County
- Renters face higher housing cost burdens than homeowners
- Support needed to find housing that meets mobility and accessibility needs

### Social Participation

- 30% of residents lack companionship
- Older adults prefer socializing at restaurants, museums, and libraries
- Adults aged 50–64 socialize less than those over 65

### Respect & Engagement

- Residents 75+ feel more respected than younger age groups
- Awareness of community events fosters connection
- Lower-income residents feel more disconnected

### Workforce & Civic Engagement

---

<sup>11</sup> Cuyahoga County CHNA Steering Committee. (2022). *2022 Cuyahoga County community health needs assessment* [PDF]. Conduent Healthy Communities Institute & Cuyahoga County Community Partners. <https://www.healthyneo.org/content/sites/cuyahoga/Resources/CHNA-Cuy-Cty-11.22.pdf>

<sup>12</sup> Cuyahoga County Department of Health and Human Services, Division of Senior & Adult Services. (2023). *Livable Cuyahoga needs assessment report*. Cuyahoga County. Retrieved June 2025, from [https://hhs.cuyahogacounty.gov/docs/default-source/default-document-library/reports/livable-cuyahoga-needs-assessment-report.pdf?sfvrsn=b1f65b31\\_1](https://hhs.cuyahogacounty.gov/docs/default-source/default-document-library/reports/livable-cuyahoga-needs-assessment-report.pdf?sfvrsn=b1f65b31_1)

- Older job seekers face ageism and tech-related challenges
- Most plan to stay in the county after retirement

## 2023 United Way of Greater Cleveland Community Needs Assessment<sup>13</sup>

### Economic Mobility

- Most children are unprepared for kindergarten and preschool enrollment is lower for some across communities
- Childcare access hindered by staffing shortages
- Cleveland ranks as the 2nd poorest large U.S. city
- Significant difference in income across populations

### Health Pathways

- Gaps in life expectancy across communities
- Elevated levels of food insecurity and poor air quality
- Poor mental health outcomes; need for trauma-informed approaches

### Housing Stability

- Rent affordability challenges, especially for older adults on fixed incomes
- High volume of homeless shelter information requests

## 2022 Lake County Community Health Needs Assessment<sup>14</sup>

### Priority Health Areas Identified:

- Access to Health Care
- Behavioral Health (mental health & substance use and misuse)
- Chronic Disease

## 2025 Lorain County Community Health Needs Assessment<sup>15</sup>

### Priority Health Areas Identified:

- Financial stability
- Housing
- Food and nutrition
- Health
- Families and children
- Employment

## 2023 Medina County Community Development Needs Assessment<sup>16</sup>

### Health Areas Identified:

<sup>13</sup> United Way of Greater Cleveland. (2023). *Cuyahoga County community needs assessment* [PDF]. <https://www.unitedwaycleveland.org/our-work/publications/community-needs-assessment/#cc-assessment>

<sup>14</sup> Lake County General Health District. (2022). *2022 Lake County, Ohio Community Health Needs Assessment*. Lake County General Health District. [https://www.lcghd.org/wp-content/uploads/2022/10/FINAL-2022-Lake-County-Ohio-CHNA-Report\\_09\\_30\\_22.pdf](https://www.lcghd.org/wp-content/uploads/2022/10/FINAL-2022-Lake-County-Ohio-CHNA-Report_09_30_22.pdf)

<sup>15</sup> Lorain County Public Health. (2025). *Community Health Assessment* [PDF]. Lorain County. <https://www.loraincountyhealth.com/cha>

<sup>16</sup> Ohio State University Extension Medina County. (2023). *Community Development Needs Assessment Report*. The Ohio State University. Retrieved from <https://medina.osu.edu/program-areas/community-development/community-initiatives>

- **Strengths in Community Amenities:** Stakeholders recognized that healthcare services, along with parks, shopping, and restaurants, are among the above-average community amenities available to residents. These resources were viewed as valuable supports to overall quality of life and community well-being.
- **Opportunities for Improvement:** Despite the presence of healthcare services, participants emphasized the need for enhanced access points for some populations. Specifically, they called out the importance of expanding low- or no-cost clinic services, particularly for working residents who may not qualify for public assistance but struggle to afford regular care.
- **Nutrition and Preventive Health:** Suggestions to increase the number of farmers markets that accept EBT cards reflect a broader emphasis on improving access to affordable, healthy foods, which are critical for chronic disease prevention and long-term community health.
- **Wellness Infrastructure:** Calls for more biking, walking, and hiking trails highlight the community's interest in expanding opportunities for physical activity. These infrastructure investments were viewed as important for supporting wellness, preventing chronic disease, and encouraging healthy lifestyles.

## 2024 Medina County Community Health Assessment<sup>17</sup>

### Priority Areas Identified:

- Mental Health and Addiction including:
  - Adverse Childhood Experiences (ACEs)
  - Mental Health and Access to Mental Healthcare
  - Housing and Homelessness
  - Substance Use / Drug Use
- Chronic Disease Prevention including:
  - Preventive Care and Practices
  - Access to Healthcare
  - Food Insecurity
  - Tobacco and Nicotine Use
  - Maternal, Infant, and Child Health

## Primary Data Overview

### Community Stakeholder Conversations

A total of 15 organizations provided feedback regarding the population served by LTACH facilities. Interviews with each stakeholder varied by individual and the amount of feedback they provided. They generally ranged from thirty to sixty minutes. A full write up of qualitative data findings and the community stakeholder facilitation guide can be found in Appendix D.

---

<sup>17</sup> Medina County Health Department. (2024). *Community Health Assessment*. Medina County Health Department. Retrieved from <https://medinahealth.org/community/data-reports/community-health-assessment/>

Individuals from the following organizations participated as key informants:

- ADAHMS Board
- ASIA (Asian Services In Action)
- Benjamin Rose Institute on Aging
- Cleveland Department of Public Health
- Cleveland Metropolitan Housing Authority
- Cuyahoga County Board of Health
- Esparanza
- Greater Cleveland Food Bank
- NAMI Greater Cleveland
- LGBTQ+ Assessment Greater Cleveland / Cleveland Clinic
- Neighborhood Family Practice
- City of Cleveland Division of Fire
- Towards Employment
- Positive Education Program
- Lead Safe

Across stakeholder interviews conducted for the 2025 Community Health Needs Assessment, Access to Healthcare, Adult Health, and Community Safety consistently emerged as urgent challenges. These areas were described as deeply interconnected, with affordability and community-level conditions shaping outcomes across the lifespan. Participants emphasized that without coordinated strategies that address both clinical care and the broader environments in which people live, work, and age, differences in health outcomes will continue to persist.

Access to Healthcare was described as a critical and enduring concern. Stakeholders pointed to affordability, insurance gaps, long wait times, and provider shortages as persistent barriers, even for those with coverage. Transportation challenges, geographic isolation, and digital access issues further limited utilization. Mistrust in providers and the lack of culturally and linguistically responsive care discouraged regular engagement with the healthcare system, resulting in greater reliance on emergency services. Participants emphasized the importance of expanding integrated and community-based care models that co-locate health, behavioral, and social services in accessible settings.

Adult Health concerns were closely tied to the burden of chronic disease, differences in cancer outcomes, and the challenges of aging. Diabetes and hypertension rates were identified as high across the region. Food insecurity and dietary behaviors, including limited home cooking and high fast-food use, were linked to these outcomes and concentrated in neighborhoods with the greatest barriers to healthy food access. For older adults, social isolation and increasing cost of living were highlighted as barriers to maintaining health and safety.

Community Safety also emerged as a pressing theme, with stakeholders connecting violence, substance use, and unsafe environments to overall health and wellbeing. Gun violence, daily exposure to crime, and unsafe housing conditions were described as drivers of chronic stress and mistrust. Alcohol-impaired driving and opioid overdoses were noted as major concerns, contributing to preventable deaths and instability for

families and neighborhoods. Stakeholders called for stronger prevention efforts, culturally relevant harm reduction strategies, and expanded recovery supports, while also emphasizing the need for coordinated community partnerships that promote safer environments and address risks across the lifespan.

Priority Area	Key Quote	Additional Context
Access to Healthcare	“People avoid going to the doctor because they cannot afford the co-pays or the prescriptions, even when they have insurance.”	This reflects a widespread concern among stakeholders that affordability remains a barrier even for insured residents. Limited resources, coupled with transportation challenges and long wait times, result in delayed care and greater reliance on emergency departments. The need for more affordable, culturally relevant, and integrated services was repeatedly emphasized.
Adult Health	“Our older adults are often isolated, and when they live alone it becomes a safety issue, especially with falls and no one there to help.”	Stakeholders connected social isolation and aging to increased risks of injury, depression, and unmanaged chronic conditions. In Lake County, deaths due to falls are especially high, while in Cuyahoga County the cost of adult day care further limits access to supportive services.
Community Safety	“Gun violence and overdoses are what we see most, and they create constant fear for families in these neighborhoods.”	Safety concerns were closely tied to both violence and substance use. Stakeholders described how exposure to crime, shootings, and opioid overdoses destabilizes communities, heightens stress, and undermines trust. Alcohol-impaired driving and unsafe environments were also noted as major contributors to preventable harm, underscoring the call for prevention, harm reduction, and stronger community partnerships.

## Prioritization Methodology

The Cleveland Fairhill 2025 Community Health Needs Assessment (CHNA) reaffirmed its focus on the same three core health priorities identified in the previous assessment through a comprehensive and data-driven prioritization process. This decision was guided by a rigorous review of primary data, including stakeholder interviews with community leaders and subject matter experts, alongside secondary data analysis from

national, state, and regional sources. An environmental scan further contextualized the findings, providing insight into persistent systemic and community-level challenges. The convergence of qualitative and quantitative findings demonstrated continued challenges in areas such as access to care, chronic disease, and Community Safety. Consistent community feedback, coupled with county-level data showing outcomes that continue to exceed state and national benchmarks in these domains, reinforced the need for ongoing, coordinated efforts. As a result, the same three health needs were prioritized for the 2026–2028 Implementation Strategy Report, ensuring continuity in addressing longstanding health challenges and advancing improved outcomes for the populations it serves.

## Collaborating Organizations

Hospitals within the Cleveland Clinic health system in Northeast Ohio collaborate to share community health data and resources throughout the CHNA and implementation strategy processes.

## Community Partners and Resources

This section identifies other facilities and resources available in the community that are available to address community health needs.

### Federally Qualified Health Centers and Health Departments

Federally Qualified Health Centers (FQHCs)<sup>18</sup> are community-based clinics that provide comprehensive primary care, behavioral health, and dental services. In Ohio, the Ohio Association of Community Health Centers (OACHC) represents 57 Community Health Centers operating at over 400 locations, including mobile units, and supports access to care through federal funding and enhanced Medicaid and Medicare reimbursement. Within the geography served by the LTACH facilities, community health services are further supported by other local public health agencies as well.

### Other Community Resources

A network of agencies, coalitions, and organizations provides a broad array of health and social services within the region. United Way 2-1-1 Ohio offers a comprehensive, statewide online resource directory that connects individuals to essential health and human services. This service, supported by the Ohio Department of Social Services in partnership with the Council of Community Services, The Planning Council, and local United Way chapters serve as a vital referral tool. Additional information is available at [www.211oh.org](http://www.211oh.org).

---

<sup>18</sup> Ohio Association of Community Health Centers, <https://www.ohiochc.org/page/178>

## Comments Received on Previous CHNA

Community Health Needs Assessment reports from 2022 were published on the Fairhill, Regency West, and Regency East Hospitals website. No community feedback has been received as of the drafting of this report. For more information regarding Cleveland Clinic Community Health Needs Assessments and Implementation Strategy reports, please visit [clevelandclinic.org/CHNAreports](https://clevelandclinic.org/CHNAreports) or contact [CHNA@ccf.org](mailto:CHNA@ccf.org).

## Request for Public Comment

Comments and feedback about this report are welcome. Please contact: [chna@clevelandclinic.org](mailto:chna@clevelandclinic.org).

## Appendices Summary

### A. Hospital Community Definition

### B. Secondary Data Methodology and Secondary Data

A detailed overview of the Conduent HCI data scoring methodology and indicator scoring results from the secondary data analysis.

### C. Environmental Scan Methodology and Key Findings

Environmental scan findings from the region comparing significant and prioritized health needs as well as identifying other relevant contextual data and associated programs and interventions.

### D. Community Input Assessment Tools and Key Findings

Quantitative and qualitative community feedback data collection tools, stakeholders and organizations that were vital in capturing community feedback during this collaborative CHNA:

- Key Stakeholder Interview Questions
- Summary Qualitative Findings

### E. Impact Evaluation


An overview of progress made on the 2022 Implementation Strategies.

### F. Acknowledgements

# Appendix A: Community Definition

The community definition describes the zip codes where approximately 75% of discharges from Long Term Acute Care hospital (LTACH) facilities originated in 2024. Figure 9 shows the specific geography for this community that served as a guide for data collection and analysis for this CHNA. Table 2 lists zip codes and associated neighborhoods that comprise the community definition.

Figure 9: LTACH Community Definition



**Table 2: LTACH Community Definition**

Zip Code	Municipality	Zip Code	Municipality	Zip Code	Municipality
44001	Amherst	44104	Cleveland (Kinsman)	44131	Independence
44011	Avon	44105	Garfield Heights	44132	Euclid
44012	Avon Lake	44106	Cleveland Heights	44133	North Royalton
44017	Berea	44107	Lakewood	44134	Parma
44022	Chagrin Falls	44108	Bratenahl	44135	Cleveland
44028	Columbia Station	44109	Brooklyn Heights	44136	Strongsville
44035	Elyria	44110	Bratenahl	44137	Maple Heights
44039	North Ridgeville	44111	Cleveland (Jefferson)	44138	Olmsted Falls
44044	Grafton	44112	East Cleveland	44139	Solon
44050	Lagrange	44113	Cleveland (Tremont)	44140	Bay Village
44052	Lorain	44114	Cleveland (Downtown)	44141	Brecksville
44053	Lorain	44115	Cleveland (Industrial Valley)	44142	Brookpark
44054	Sheffield Lake	44116	Rocky River	44143	Euclid
44055	Lorain	44117	Euclid	44144	Brooklyn
44057	Madison	44118	Shaker Heights	44145	Westlake
44060	Mentor	44119	Euclid	44146	Bedford
44070	North Olmsted	44120	Shaker Heights	44147	Broadview Heights
44074	Oberlin	44121	South Euclid	44149	Strongsville
44077	Painesville	44122	Beachwood	44212	Brunswick
44081	Perry	44123	Euclid	44253	Litchfield
44090	Wellington	44124	Lyndhurst	44256	Medina
44092	Wickliffe	44125	Garfield Heights	44273	Seville
44094	Willoughby	44126	Fairview Park	44275	Spencer
44095	Eastlake	44127	Cuyahoga Heights	44280	Valley City
44101	Cleveland (Downtown)	44128	Bedford Heights	44281	Wadsworth
44102	Cleveland (Detroit-Shoreway)	44129	Parma		
44103	Cleveland (Hough)	44130	Middleburg Heights		

# Appendix B: Secondary Data Methodology and Secondary Data

## Secondary Data Sources & Analysis

The main source for the secondary data, or data that have been previously collected, is the community indicator database maintained by Conduent Healthy Communities Institute (HCI). This database includes more than 300 community indicators from at least 25 state and national data sources. HCI carefully evaluates sources based on the following three criteria: the source has a validated methodology for data collection and analysis; the source has scheduled, regular publication of findings; and the source has data values for small geographic areas or populations.

The following is a list of both local and national sources used in this Community Health Needs Assessment:


- American Community Survey
- American Lung Association
- Annie E. Casey Foundation
- CDC - PLACES
- Centers for Disease Control and Prevention
- Centers for Medicare & Medicaid Services
- Claritas Consumer Profiles
- Claritas Consumer Spending Dynamix
- County Health Rankings
- Early Ages Healthy Stages
- Feeding America
- National Cancer Institute
- National Center for Education Statistics
- National Environmental Public Health Tracking Network
- Ohio Department of Education
- Ohio Department of Health, Infectious Diseases
- Ohio Department of Health, Vital Statistics
- Ohio Department of Health's Ohio Healthy Homes Lead Poisoning Prevention Program
- Ohio Department of Public Safety, Office of Criminal Justice Services
- Ohio Public Health Information Warehouse
- Ohio Secretary of State
- Prevention Research Center for Healthy Neighborhoods
- Purdue Center for Regional Development
- The Ohio Pregnancy Assessment Survey (OPAS) Dashboard
- U.S. Bureau of Labor Statistics

- U.S. Census - County Business Patterns
- U.S. Census Bureau - Small Area Health Insurance Estimates
- U.S. Environmental Protection Agency
- United For ALICE

## Secondary Data Scoring

HCI’s Data Scoring Tool was used to systematically summarize multiple comparisons in order to rank indicators based on highest need. Due to restrictions regarding data availability, analysis was completed at the county level. For each indicator, the county value was compared to a distribution of other Ohio and U.S. counties, state and national values, targets defined by Healthy People 2030, and significant trends over time (see Figure 9). Based on these comparisons, each indicator is scored on a standardized scale ranging from 0 to 3, where 0 indicates least concern and 3 indicates greatest concern. Availability of each type of comparison depends on the indicator’s data source, comparability with other communities, and changes in methodology over time. After scoring all available indicators, we grouped indicators into topic areas to assign summary scores for topic areas. Indicators may be categorized into more than one topic area, and topic areas with fewer than three indicators were not scored.

**Figure 10: Summary of Topic Scoring Analysis**



For the purposes of the LTACH community, this analysis was completed for Cuyahoga, Lake, Lorain, and Medina counties. A complete breakdown of topic and indicator scores can be found below.

## Comparison to a Distribution of County Values: State and Nation

For ease of interpretation and analysis, distribution data for each indicator is visually represented as a green-yellow-red gauge illustrating how the county fares against a distribution of counties across either the state or across the nation. A distribution is created by taking all county values within the state or nation, ordering them from low to high, and dividing them into three groups (green, yellow, and red) based on their order.

Counties with the most concerning scores are “in the red” and those with the least concerning scores are “in the green.”

## **Comparison to Values: State, National, and Targets**

Each county is compared to the state value, the national value, and the target value. Target values are defined by nation-wide Healthy People 2030 (HP2030) goals. HP2030 goals are national objectives for improving the health of the nation set by the Department of Health and Human Services’ Healthy People Initiative. For all value comparisons, the scoring depends on whether the county value is more or less concerning than the comparison value, as well as how close the county value is to the target value.

## **Trend Over Time**

The Mann-Kendall statistical test for trend was used to assess whether the county value is increasing over time or decreasing over time, and whether the trend is statistically significant. The trend comparison uses the four most recent comparable values for the county, and statistical significance is determined at 90% confidence level. For each indicator with values available for four time periods, scoring was determined by direction of the trend and statistical significance.

## **Missing Values**

Indicator scores are calculated using the comparison scores, availability of which depends on the data source. If the comparison type is possible for an adequate proportion of indicators, it will be included in the indicator score. After exclusion of comparison types with inadequate availability, all missing comparisons are substituted with a neutral score for the purposes of calculating the indicator’s weighted average. When information is unknown due to lack of comparable data, the neutral value assumes that the missing comparison score is neither good nor bad.

## **Indicator Scoring**

Indicator scores are calculated as a weighted average of all included comparison scores. If none of the included comparison types are possible for an indicator, no score is calculated, and the indicator is excluded from the data scoring results. A full list of indicators and their scores can be found below.

## **Topic Scoring**

Indicator scores are averaged by topic area to calculate topic scores. Each indicator may be included in up to three topic areas if appropriate. Resulting scores range from 0 to 3, where a higher score indicates more concerning outcomes. A topic score is only calculated if it includes at least three indicators. See Figure 11 for a complete list of the potential health and quality of life topic areas examined in this analysis.

Figure 11: Health and Quality of Life Topic Areas

**Health Behaviors, Outcomes and Access**

- Chronic Diseases
- Cancer
- Hospitalizations and ER rates
- Maternal and Infant Health
- Mental Health and Substance Abuse
- Health Behaviors
- Health Insurance and Access



**Socioeconomic Drivers of Health**

- Education
- Economy
- Housing
- Transportation
- Income
- Public Safety
- Environment

**Topic Scores for Cuyahoga, Lake, Lorain, and Medina Counties:**

CUYAHOGA COUNTY

Results from the secondary data topic scoring can be seen in Tables 3 and 4 below. The highest scoring health need in Cuyahoga County was Sexually Transmitted Infections with a score of 2.04.

**Table 3: Health Topic Scores: Cuyahoga County**

Health Topic	Score
Sexually Transmitted Infections	2.04
Other Chronic Conditions	1.85
Children's Health	1.65
Older Adults	1.60
Family Planning	1.56
Wellness & Lifestyle	1.55
Weight Status	1.52
Maternal, Fetal & Infant Health	1.51
Nutrition & Healthy Eating	1.47
Diabetes	1.46
Prevention & Safety	1.40
Alcohol & Drug Use	1.38
Cancer	1.37
Adolescent Health	1.33
Health Care Access & Quality	1.30
Mental Health & Mental Disorders	1.29
Immunizations & Infectious Diseases	1.27
Heart Disease & Stroke	1.24
Respiratory Diseases	1.23
Women's Health	1.17
Oral Health	1.16
Tobacco Use	1.05
Physical Activity	0.96



**Table 4: Quality of Life Topic Scores: Cuyahoga County**

<b>Quality of Life Topic</b>	<b>Score</b>
Economy	1.90
Education	1.72
Community	1.56
Environmental Health	1.56

LAKE COUNTY

Results from the secondary data topic scoring can be seen in Tables 5 and 6 below. The highest scoring health need in Lake County was Other Chronic Conditions with a score of 1.72.

**Table 5: Health Topic Scores: Lake County**

<b>Health Topic</b>	<b>Score</b>
Other Chronic Conditions	1.72
Alcohol & Drug Use	1.56
Older Adults	1.51
Weight Status	1.46
Heart Disease & Stroke	1.45
Cancer	1.43
Women's Health	1.42
Physical Activity	1.35
Diabetes	1.34
Nutrition & Healthy Eating	1.32
Wellness & Lifestyle	1.30
Mortality Data	1.27
Mental Health & Mental Disorders	1.23
Prevention & Safety	1.23
Respiratory Diseases	1.13
Health Care Access & Quality	1.12
Oral Health	1.11
Immunizations & Infectious Diseases	1.07
Maternal, Fetal & Infant Health	1.07
Tobacco Use	1.01
Sexually Transmitted Infections	0.95
Children's Health	0.79

**Table 6: Quality of Life Topic Scores: Lake County**

<b>Quality of Life Topic</b>	<b>Score</b>
Community	1.16
Environmental Health	1.14
Economy	1.02
Education	0.99

LORAIN COUNTY

Results from the secondary data topic scoring can be seen in Tables 7 and 8 below. The highest scoring health need in Lorain County was Other Chronic Conditions with a score of 2.07.

**Table 7: Health Topic Scores: Lorain County**

<b>Health Topic</b>	<b>Score</b>
Other Chronic Conditions	2.07
Weight Status	1.89
Older Adults	1.76
Alcohol & Drug Use	1.76
Maternal, Fetal & Infant Health	1.73
Prevention & Safety	1.68
Heart Disease & Stroke	1.65
Women's Health	1.51
Mental Health & Mental Disorders	1.50
Wellness & Lifestyle	1.49
Nutrition & Healthy Eating	1.49
Oral Health	1.42
Respiratory Diseases	1.40
Health Care Access & Quality	1.35
Mortality Data	1.35
Physical Activity	1.33
Cancer	1.31
Diabetes	1.27
Tobacco Use	1.17
Children's Health	1.17
Sexually Transmitted Infections	1.07
Immunizations & Infectious Diseases	0.91

**Table 8: Quality of Life Topic Scores: Lorain County**

<b>Quality of Life Topic</b>	<b>Score</b>
Community	1.45
Education	1.42
Economy	1.36
Environmental Health	1.28

## MEDINA COUNTY

Results from the secondary data topic scoring can be seen in Tables 9 and 10 below. The highest scoring health need in Medina County was Other Chronic Conditions with a score of 1.75.

**Table 9: Health Topic Scores: Medina County**

<b>Health Topic</b>	<b>Score</b>
Other Chronic Conditions	1.75
Weight Status	1.62
Physical Activity	1.56
Older Adults	1.32
Mental Health & Mental Disorders	1.24
Oral Health	1.22
Heart Disease & Stroke	1.21
Alcohol & Drug Use	1.17
Maternal, Fetal & Infant Health	1.13
Cancer	1.12
Children's Health	1.06
Women's Health	1.05
Health Care Access & Quality	1.03
Respiratory Diseases	1.01
Diabetes	0.97
Nutrition & Healthy Eating	0.96
Wellness & Lifestyle	0.96
Tobacco Use	0.90
Prevention & Safety	0.87
Immunizations & Infectious Diseases	0.77
Sexually Transmitted Infections	0.46

**Table 10: Quality of Life Topic Scores: Medina County**

<b>Quality of Life Topic</b>	<b>Score</b>
Environmental Health	1.02
Community	1.02
Economy	0.84
Education	0.83

## Conduent’s SocioNeeds Index Suite®

Conduent HCI’s SocioNeeds Index Suite® provides analytics around non-medical drivers of health to better understand how health outcomes differ by geography and identify areas for action. The suite includes the Community Health Index, Food Insecurity Index, and Mental Health Index. See Table 11 for a full list of index values for each zip code in the LTACH community. Figures 12 to 22 illustrate the census tracts included for each portion of the community served by the hospital. Tables 12 to 22 list the census tracts of each portion of the community.

**Table 11: Community Health Index, Food Insecurity Index, and Mental Health Index Values for LTACH Community Zip Codes**


Zip Code	CHI Value	FII Value	MHI Value	Zip Code	CHI Value	FII Value	MHI Value	Zip Code	CHI Value	FII Value	MHI Value	Zip Code	CHI Value	FII Value	MHI Value
44001	36.5	22.6	71.3	44090	37.4	19.6	49.0	44118	31.9	62.9	88.6	44138	12.7	5.4	50.9
44011	8.9	15.9	38.9	44092	21.7	50.7	76.3	44119	78.8	92.5	97.2	44139	4.7	12.4	34.5
44012	8.0	17.1	30.4	44094	11.0	32.3	71.3	44120	57.1	87.9	98.7	44140	8.5	10.2	19.4
44017	43.3	50.0	72.1	44095	40.0	36.5	82.6	44121	22.1	79.4	90.9	44141	28.2	2.9	40.5
44022	6.8	14.5	66.4	44102	95.9	96.4	98.5	44122	13.3	35.0	90.6	44142	72.6	48.3	84.7
44028	31.9	7.4	24.1	44103	98.4	98.6	99.9	44123	55.6	91.9	97.1	44143	19.6	33.0	93.7
44035	75.1	87.1	94.7	44104	99.8	100	100	44124	14.7	29.0	77.7	44144	77.3	83.6	93.2
44039	30.3	37.1	67.5	44105	96.5	97.7	99.7	44125	72.3	91.2	94.8	44145	14.8	15.8	64.4
44044	31.2	25.9	61.7	44106	83.7	82.6	97.6	44126	33.8	42.7	66.6	44146	25.3	71.7	97.2
44050	53.6	28.9	45.7	44107	41.2	49.4	77.2	44127	99.1	98.4	98.3	44147	3.6	19.6	25.5
44052	94.1	97.5	97.6	44108	96.6	98.0	99.9	44128	86.9	97.2	99.7	44149	13.8	10.0	35.8
44053	45.8	80.3	87.5	44109	94.5	93.8	97.9	44129	46.1	55.7	80.8	44212	15.5	30.5	38.8
44054	33.3	48.7	69.8	44110	95.0	99.0	99.7	44130	50.5	54.0	82.6	44253	23.9	18.6	8.4
44055	92.2	96.8	95.7	44111	86.9	90.5	94.6	44131	23.6	13.2	42.0	44256	13.3	32.3	50.6
44057	49.3	53.4	79.2	44112	93.9	97.0	99.9	44132	66.2	95.6	97.1	44273	17.2	13.9	22.4
44060	23.0	21.9	61.5	44113	82.0	84.1	91.7	44133	13.1	33.5	58.5	44275	19.2	11.0	2.1
44070	38.2	40.6	62.9	44114	91.2	62.1	96.3	44134	58.6	52.0	86.1	44280	13.8	5.0	8.9
44074	46.0	32.3	73.4	44115	99.9	99.9	99.6	44135	90.7	92.0	97.4	44281	12.8	34.5	46.7
44077	18.4	55.5	81.2	44116	7.8	12.9	55.2	44136	20.0	14.4	59.4				
44081	39.2	21.7	38.6	44117	23.4	89.1	99.5	44137	72.9	91.2	97.4				



**Table 12: Census Tracts by Zip Code (Lake County)**

<b>44057</b>	<b>44060</b>	<b>44077</b>	<b>44081</b>	<b>44092</b>	<b>44094</b>	<b>44095</b>
205200	202400	204000	205200	200600	201101	200100
205300	202500	204200	205300	200700	201102	200200
205701	202600	204303	205400	200800	201200	200300
205702	202700	204304	206300	200900	201300	200400
206100	202800	204400		201000	201400	200500
206300	202901	204500			201500	201800
206700	202902	204700			201600	201900
310100	203000	204800			201700	202000
	203200	204900			206400	202100
	203400	205002				206600
	203500	205100				
	203700	205200				
	205001	205300				
	206500	206200				
		206300				


Figure 13: Census Tract Key, LTACH Facilities (Cuyahoga County, North)



**Table 13: Census Tracts by Zip Code (Cuyahoga County, North)**

44108	44110	44112	44117	44119	44123	44132	44143
111202	116900	116900	117800	152101	152101	152202	152605
111401	117101	117900	152502	152102	152102	152301	152703
116300	117102	118800	152605	152400	152201	152302	155101
116400	117201	126100	152701	152501	152202	152303	155102
116500	117203	140100	152702	152502	152301	152502	172102
116600	117300	140301	152703	117600	152303	152605	172104
116700	117400	140302	180103	117700	152501	196200	172105
116800	117500	150100	196200	980900	152502		180102
118101	117600	150300					180103
118200	117800	150400					180104
150300	192800	151200					185104
151500	199300	151300					194300
151800	980900	151500					196200
192800		151600					201000
199000		151700					
199100		151800					
199200		196000					
		196800					
		199100					
		199300					


Figure 14: Census Tract Key, LTACH Facilities (Cuyahoga County, East)



**Table 14: Census Tracts by Zip Code (Cuyahoga County, East)**

44118	44121	44122	44124
140302	117900	121800	131103
140600	126100	122100	155102
140701	140100	131103	170101
140702	140301	131104	170102
140800	140302	131105	170201
140900	140400	170201	170202
141000	140500	179101	172101
141100	140800	183200	172102
141200	151200	183300	172104
141300	170201	183501	172105
141400	185101	183502	172201
141500	185102	183604	172202
141601	185103	183605	179101
141602	185104	183606	179102
141700	185201	185203	185104
151300	185202	187106	194300
151600	185203	188103	196300
183200	187105	197100	197100
183300	187106	198300	
185201		981000	
185202			
187103			
187104			
187105			
187106			
196000			

Figure 15: Census Tract Key, LTACH Facilities (Cuyahoga County, Southeast)



**Table 15: Census Tracts by Zip Code (Cuyahoga County, Southeast)**

<b>44022</b>	<b>44125</b>	<b>44128</b>	<b>44137</b>	<b>44139</b>	<b>44146</b>
179102	115900	120702	132100	184103	132100
195800	154100	120801	132302	184104	132200
195900	154200	120802	154502	184105	132301
196300	154400	121200	154604	184106	133103
197100	154501	121401	171102	184108	133104
310600	154502	121403	171103	195700	141206
311500	154601	121500	171104	195800	171206
311600	154603	121700	171203		194100
311700	154604	121800	171204		195600
	156101	121900	171205		195700
	171103	122100	171206		197000
	171203	122200			
	192900	122300			
	194100	133103			
	196100	133104			
	198200	171103			
		183603			
		183604			
		188103			
		188106			
		188107			
		197000			
		197100			
		198200			
		198300			

Figure 16: Census Tract Key, LTACH Facilities (Cuyahoga County, South)





Table 16: Census Tracts by Zip Code (Cuyahoga County, South)

44129	44131	44133	44134	44136	44141	44147	44149
106500	107000	175105	105900	186103	135103	136101	186103
106600	136103	175106	106600	186104	135104	136103	186104
137103	156101	175107	177201	186106	135105	136104	186105
177103	156102	175108	177202	186107	135106	136105	186205
177104	182103	175109	177302	186201	156102		186206
177201	182104	175110	177303	186202	532501		
177202	182105	175201	177304	186203	532600		
177403	182106	175202	177406	186205			
177404	192300		177501	186206			
177405	192900		177503	415100			
177406			177504				
177606			177505				
177607			177608				
177608							
177609							
178201							
178204							


Figure 17: Census Tract Key, LTACH Facilities (Cuyahoga County, West)



**Table 17: Census Tracts by Zip Code (Cuyahoga County, West)**

44017	44070	44116	44126	44130	44135	44138	44140	44142	44145
134100	174103	153105	153103	124600	123601	176100	130103	138105	189105
134203	174104	160900	153104	137101	123602	176200	130104	138106	189107
134204	174105	181100	153105	137103	123603	190502	130105	138107	189108
134205	174106	181201	153106	173103	123700	190503	130106	138108	189109
134206	174107	181203	153107	173104	123800	190505		138109	189110
134300	174203	181204		173105	124201	190506		138110	189111
173107	174204			173106	124202			177101	189112
	174205			173107	124300			980500	
	174206			177101	124500			981100	
	174207			177103	124600				
	189112			177403	138107				
				177404	138109				
				177604	153103				
				177605	196400				
				177606	980500				
				177607	981100				
				178101					
				178102					
				178201					
				178204					
				178205					
				178206					


Figure 18: Census Tract Key, LTACH Facilities (Cuyahoga County, Cleveland East)



**Table 18: Census Tracts by Zip Code (Cuyahoga County, Cleveland East)**

44101	44103	44104	44105	44106	44114	44115	44120	44127
109701	101101	108701	110901	112200	105100	107701	119401	114501
980100	101102	109701	114501	118101	106100	107802	119402	114600
	101201	109801	115400	118200	106200	108301	119501	197900
	101300	114501	115700	118301	106500	108701	119502	198000
	101400	114600	115800	118602	137101	109301	119600	980100
	101501	114800	115900	118800	137102	109701	119701	
	101603	119401	120400	118900	137103	109801	119702	
	101700	119600	120500	141000	197400	132302	119800	
	101800	120200	120600	141100		197900	119900	
	101901	120400	120701	141200		980100	120600	
	102200	120500	120702	141300			120701	
	102300	120600	121100	141400			120702	
	102401	197200	121200	151700			120801	
	102402	198400	121300	196800			120802	
	102700	198500	121401	197200			121100	
	102800	198600	121403	198400			121200	
	103500		127501	198500			121700	
	103602		154200	198600			183100	
	105100		154400	198800			183200	
	105300		196100	199000			183401	
	137101		198000	199100			183402	
	177403		198100				183502	
	197500		198200				183603	
	980200		980100				183604	
							183605	
							198600	


Figure 19: Census Tract Key, LTACH Facilities (Cuyahoga County, Cleveland West)



**Table 19: Census Tracts by Zip Code (Cuyahoga County, Cleveland West)**

44102	44107	44109	44111	44113	44144
101101	101102	102700	101400	102700	105100
101102	101300	102800	101501	103300	106100
101201	123100	102900	101603	103500	106200
101300	123200	103800	102101	103602	106500
101400	123400	104400	102102	103800	137101
101501	160100	104800	102200	104400	137102
101603	160200	105300	102300	104800	137103
101700	160300	105400	123100	107101	197400
101800	160400	105500	123200	107701	
101901	160500	105602	123400	197700	
102200	160602	105700	123501	197800	
102300	160603	105900	123502	980100	
102401	160604	106200	123601		
102402	160900	106500	123602		
102700	161000	106600	123603		
102800	161100	106800	123900		
103500	161200	106900	124100		
103602	161300	107000	124201		
105100	161400	177303	124300		
105300	161500	192300	196400		
137101	161600	196100	197300		
177403	161900	197400			
197500	197300	197600			
980200		197700			


Figure 20: Census Tract Key, LTACH Facilities (Lorain County, North)



**Table 20: Census Tracts by Zip Code (Lorain County, North)**

44001	44011	44012	44035	44039	44052	44053	44054	44055
030102	013101	010200	028100	080101	022100	022601	021100	023100
050100	013102	010300	050100	080103	022200	023200	021200	023200
050200	013201	010400	050301	080104	022400	023400	028100	023300
050301	013202	097401	057100	080500	022500	097201		023500
050302		097402	060100	080600	023000	097202		023600
092100			070101	080701	023100			023700
097201			070102	080702	023200			024000
			070200	091100	023300			097500
			070300		023500			
			070400		024000			
			070500		024100			
			070600		097300			
			070700					
			070901					
			070902					
			071100					
			071201					
			071202					
			071300					
			071500					
			077100					
			091100					
			097600					


Figure 21: Census Tract Key, LTACH Facilities (Lorain County, South)



**Table 21: Census Tracts by Zip Code (Lorain County, South)**

44028	44044	44050	44074	44090
090100	077100	077100	057100	093100
090200	091100	094101	060100	094101
091100	091200	094102	060200	096100
091200	094101		092100	097100
	094102		093100	410000
	095100			

Figure 22: Census Tract Key, LTACH Facilities (Medina County)



**Table 22: Census Tracts by Zip Code (Medina County)**

44212	44215	44253	44256	44273	44275	44280	44281
402000	409002	094101	095100	407000	094101	402000	405000
415100	412000	095100	402000	712000	097100	416200	406000
415200		403001	403001	413000	409001		407000
415300		403002	403002		410000		413000
415400		409001	404000				417001
415801		910000	405000				417002
415802			406000				417100
416000			407000				417200
416100			408001				417300
416200			408002				
416300			408003				
416400			408101				
			408102				
			408201				
			408202				
			408301				
			408303				
			408304				
			408305				
			409002				
			412000				
			413000				

## Community Health Index (CHI)

Every community can be described by various demographic and economic factors that can contribute to differences in health outcomes. Conduent HCl's Community Health Index considers validated indicators related to income, employment, education, and household environment to identify areas at highest risk for experiencing concerning health outcomes.

---

### HOW IS THE INDEX VALUE CALCULATED?

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the nation. Communities with the highest index values are estimated to have the highest health-related social needs correlated with preventable hospitalizations and premature death.

---

### WHAT DO THE RANKS AND COLORS MEAN?

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the CHI, with darker coloring associated with higher relative need.

## Food Insecurity Index (FII)

Every community can be described by various demographic and economic factors that can contribute to differences in health outcomes. Conduent HCl's Food Insecurity Index considers validated indicators related to income, household environment, and well-being to identify areas at highest risk for experiencing food insecurity.

---

### HOW IS THE INDEX VALUE CALCULATED?

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the nation. Communities with the highest index values are estimated to have the highest risk of food insecurity, which is correlated with correlated with household and community measures of food-related stress such as Medicaid and SNAP enrollment.

---

### WHAT DO THE RANKS AND COLORS MEAN?

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the FII, with darker coloring associated with higher relative need.

## Mental Health Index (MHI)

Every community can be described by various demographic and economic factors that can contribute to differences in health outcomes. Conduent HCl's Mental Health Index considers validated indicators related to access to care, physical health status, transportation, employment, and household environment to identify areas at highest risk for experiencing mental health challenges.

## HOW IS THE INDEX VALUE CALCULATED?

---

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the nation. Communities with the highest index values are estimated to have the highest risk of self-reported poor mental health.

## WHAT DO THE RANKS AND COLORS MEAN?

---

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the MHI, with darker coloring associated with higher relative need.

## Data Considerations

Several data limitations should be considered when reviewing the findings presented in this report. Although the topics by which data are organized cover a wide range of health and health-related areas, data viability varies by health topic. Some topics contain a robust set of secondary data indicators, while others may have a limited number of indicators or limited subpopulations covered by those specific indicators.

Data scores represent the relative community health need according to the secondary data for each topic and should be considered a comprehensive result on their own. In addition, these scores reflect the secondary data results for the population as a whole and do not represent the health or health-related social needs that are much greater for some subpopulations. Moreover, many of the secondary data indicators included in the findings are collected by survey, and though specific methods are used to represent the population at large, these measures are subject to instability, especially for smaller populations.

## Special Population Groupings

The secondary data presented in this report derive from multiple sources, which may present data using dissimilar naming conventions. For consistency with data sources throughout the report, subpopulation data may use different terms to describe the same or similar groups of community members.

## Zip Codes and Zip Code Tabulation Areas







This report presents both Zip Code and Zip Code Tabulation Area (ZCTA) data. Zip Codes, which were created by the U.S. Postal Service to improve mail delivery service, are not reported in this assessment as they may change, include P.O. boxes, or cover large unpopulated areas. This assessment covers ZCTAs which were created by the U.S. Census Bureau and are generalized representations of Zip Codes that have been assigned to census blocks.

Demographics for this report are sourced from the U.S. Census Bureau, which presents ZCTA estimates. Tables and figures in the Demographics section of this report reference Zip Codes in title (for purposes of familiarity) but show values of ZCTAs. Data from other sources are labeled as such.

## Indicators of Concern for Prioritized Health Needs















Below are details regarding indicators of concern for all prioritized health needs discussed in this report. Each indicator includes a county-level value and standardized score, as well as the following comparison data, where available: state value, national value, state county distribution, national county distribution, and over-time trend. Table 23 describes how to interpret the icons used to describe county distributions and trend data.

Table 23: Icon Legend

Icon(s)	Definition
	If the needle is in the green, the county value is among the least concerning 50% of counties in the state or nation.
	If the needle is in the red, the county value is in the most concerning 25% (or worst quartile) of counties in the state or nation.
	The county value is significantly trending in a concerning direction.
	The county value is trending in a concerning direction, but not significantly.
	The county value is significantly trending in the ideal direction.
	The county value is trending in the ideal direction, but not significantly.

## Cuyahoga County Indicators of Concern: Access to Healthcare

As shown below, the topic *Health Care Access and Quality* was ranked as the fifteenth highest scoring health need, with a score of 1.30 out of 3. Those indicators scoring at or above 1.50 were categorized as indicators of concern and are listed in the table below.

SCORE	INDICATOR	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.38	Preventable Hospital Stays: Medicare Population	<i>discharges/100,000 Medicare enrollees</i>	3,677.0	..	3,269.0	2,769.0			..
2.35	Adults with Health Insurance: 18+	<i>percent</i>	72.1	..	74.7	75.2			
2.21	Adults who go to the Doctor Regularly for Checkups	<i>percent</i>	63.3	..	65.2	65.1			..
2.00	Adults who Visited a Dentist	<i>percent</i>	43.3	..	44.3	45.3			
1.85	Health Insurance Spending-to-Income Ratio	<i>percent</i>	7.1	..	6.8	6.1			..
1.68	Adults With Group Health Insurance	<i>percent</i>	36.0	..	37.4	39.8			..
1.65	High School Students who had a Dental Check-up, Exam, Cleaning or Other Dental Work	<i>percent</i>	69.6	..	..	..	..	..	..

## Cuyahoga County Indicators of Concern: Adult Health

The prioritized health topic *Adult Health* includes indicators related to the following sub-topics: *Nutrition and Healthy Eating*, *Wellness and Lifestyle*, *Cancer*, *Diabetes*, *Heart Disease and Stroke*, *Other Chronic Conditions*, and *Older Adults*. As seen below, the most concerning of these topics was *Other Chronic Conditions* (Score: 1.85), followed by *Older Adults* (1.60), *Wellness and Lifestyle* (1.55), *Nutrition and Healthy Eating* (1.47), *Diabetes* (1.46), *Cancer* (1.37), and the least concerning topic was *Heart Disease and Stroke* (1.24). Indicators from these seven sub-topic areas, which scored at or above 1.70 were categorized as indicators of concern and are listed in the table below.

SCORE	INDICATOR	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
3.00	Prostate Cancer Incidence Rate	<i>cases/100,000 males</i>	139.3	..	118.1	113.2			
3.00	People 65+ Living Alone	<i>percent</i>	36.1	..	30.2	26.5			
2.82	People 65+ Living Below Poverty Level	<i>percent</i>	12.3	..	9.5	10.4			
2.47	Age-Adjusted Death Rate due to Kidney Disease	<i>deaths/100,000 population</i>	18.0	..	15.1	..		..	
2.38	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	13.4	..	11.3	12.3			..
2.29	Self-Reported General Health Assessment: Good or Better	<i>percent</i>	84.2	..	85.4	86.0			
2.24	Age-Adjusted Death Rate due to Prostate Cancer	<i>deaths/100,000 males</i>	23.2	16.9	19.3	19.0	..		
2.21	Adults who Frequently Cook Meals at Home	<i>Percent</i>	66.2	..	67.6	67.7			..
2.21	Cancer: Medicare Population	<i>percent</i>	13.0	..	12.0	12.0			..
2.03	Chronic Kidney Disease: Medicare Population	<i>percent</i>	20.0	..	19.0	18.0			..

2.00	Breast Cancer Incidence Rate	<i>cases/ 100,000 females</i>	136.1	..	132.3	129.8			
2.00	Adults 20+ with Diabetes	<i>percent</i>	9.9	..	..	..			
1.85	Stroke: Medicare Population	<i>percent</i>	6.0	..	5.0	6.0			..
1.85	Osteoporosis: Medicare Population	<i>percent</i>	12.0	..	11.0	12.0			..
1.76	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	<i>Percent</i>	39.6	..	38.1	38.2			
1.76	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	<i>deaths/ 100,000 population</i>	40.8	33.4	46.0	..		..	
1.76	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	21.9	15.3	20.2	19.3			
1.71	All Cancer Incidence Rate	<i>cases/ 100,000 population</i>	476.4	..	470.0	444.4			

## Cuyahoga County Indicators of Concern: Community Safety

The prioritized health topic *Community Safety* includes indicators related to the following sub-topics: *Prevention and Safety*, with a score of 1.40, and *Alcohol and Drug Use*, with a score of 1.38. Indicators from these two sub-topic areas, which scored at or above 1.50 were categorized as indicators of concern and are listed in the table below.

SCORE	INDICATOR	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.44	Age-Adjusted Death Rate due to Firearms	deaths/ 100,000 population	20.2	10.7	13.5	12.0			..
2.44	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	42.5	..	32.1	..			
2.03	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	Deaths per 100,000 population	39.2	..	40.4	23.5			..
1.94	Death Rate due to Drug Poisoning	deaths/ 100,000 population	45.5	20.7	44.7	..			..
1.85	Severe Housing Problems	percent	15.7	..	12.7	..			
1.76	Adults who Binge Drink	percent	18.1	..	..	16.6			..
1.74	Adults who Drink Excessively	percent	21.0	..	21.2	..			
1.65	Age-Adjusted Death Rate due to Unintentional Poisonings	deaths/ 100,000 population	45.2	..	46.5	..		..	

## Cuyahoga County All Indicator Scores by Topic Area

Below is a complete list of all indicators that were scored as part of the secondary data analysis. Indicators are grouped under their respective health and quality of life topic areas and include information about both the indicator data source and measurement period. Please refer to Table 24 below as a reference key for indicator data sources.

**Table 24: Indicator Scoring Data Source Key**

Key	Data Source
1	American Community Survey 1-Year
2	American Community Survey 5-Year
3	American Lung Association
4	Annie E. Casey Foundation
5	CDC – PLACES
6	Centers for Disease Control and Prevention
7	Centers for Medicare & Medicaid Services
8	Claritas Consumer Profiles
9	Claritas Consumer Spending Dynamix
10	County Health Rankings
11	Early Ages Healthy Stages
12	Feeding America
13	National Cancer Institute
14	National Center for Education Statistics
15	National Environmental Public Health Tracking Network
16	Ohio Department of Education
17	Ohio Department of Health, Infectious Diseases
18	Ohio Department of Health, Vital Statistics
19	Ohio Department of Health's Ohio Healthy Homes Lead Poisoning Prevention Program

- 20** Ohio Department of Public Safety, Office of Criminal Justice Services
- 21** Ohio Public Health Information Warehouse
- 22** Ohio Secretary of State
- 23** Prevention Research Center for Healthy Neighborhoods
- 24** Purdue Center for Regional Development
- 25** The Ohio Pregnancy Assessment Survey (OPAS) Dashboard
- 26** U.S. Bureau of Labor Statistics
- 27** U.S. Census - County Business Patterns
- 28** U.S. Census Bureau - Small Area Health Insurance Estimates
- 29** U.S. Environmental Protection Agency
- 30** United For ALICE

Table 25: All Cuyahoga County Secondary Data Indicators

SCORE	ADOLESCENT HEALTH	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	SOURCE
2.26	Teen Birth Rate: 15-17	<i>live births/ 1,000 females aged 15-17</i>	7.3		6.1	5.6	2022	18
1.94	High School Students who Did Not Eat Any Fruit in the Past 7 Days	<i>Percent</i>	6.7				2023	23
1.94	High School Students who have Ever Been Taught About AIDS or HIV Infection in School	<i>Percent</i>	64.4				2023	23
1.94	High School Students who were Ever Tested for HIV	<i>Percent</i>	6.2				2023	23
1.65	High School Students who are Obese	<i>Percent</i>	17.3				2023	23
1.65	High School Students who had a Dental Check-up, Exam, Cleaning or Other Dental Work	<i>Percent</i>	69.6				2023	23
1.35	High School Students who are Overweight	<i>percent</i>	15.7				2023	23
1.35	High School Students who Carried a Weapon on School Property	<i>percent</i>	2.0				2023	23
1.35	High School Students who Described Health as Excellent or Very Good	<i>percent</i>	47.9				2023	23
1.35	High School Students who Did Not Eat Breakfast Every Day	<i>percent</i>	74.7				2023	23
1.35	High School Students who Did Not Go to School Because They Felt Unsafe at School or on Their Way To or From School	<i>percent</i>	9.1				2023	23

<b>1.35</b>	High School Students who Did Something to Purposefully Hurt Themselves Without Wanting to Die	<i>percent</i>	16.3	2023	23
<b>1.35</b>	High School Students who Drove After Drinking Alcohol	<i>percent</i>	3.2	2023	23
<b>1.35</b>	High School Students who Engage in Regular Physical Activity	<i>percent</i>	42.8	2023	23
<b>1.35</b>	High School Students who Ever Misused Prescription Pain Medication	<i>percent</i>	9.5	2023	23
<b>1.35</b>	High School Students who Feel Like They Matter to People in Their Community	<i>percent</i>	48.4	2023	23
<b>1.35</b>	High School Students who had a Check-up or Physical Exam	<i>percent</i>	73.4	2023	23
<b>1.35</b>	High School Students who had Been Stopped, Questioned, or Searched by Police	<i>percent</i>	15.3	2021	23
<b>1.35</b>	High School Students who had Mostly Negative or Negative Encounters With Police	<i>percent</i>	20.4	2021	23
<b>1.35</b>	High School Students Who Have Attempted Suicide: Past Year	<i>percent</i>	7.6	2023	23
<b>1.35</b>	High School Students who Obtained 8+ Hours of Sleep	<i>percent</i>	23.5	2023	23
<b>1.35</b>	High School Students who Used Birth Control to Prevent Pregnancy at Last Intercourse with Opposite-Sex Partner	<i>percent</i>	26.4	2023	23

<b>1.35</b>	High School Students who Usually Used Marijuana by Smoking it as a Blunt	<i>percent</i>	54.8	2023	23
<b>1.35</b>	High School Students who Went Hungry Because There Was Not Enough Food in the Home	<i>percent</i>	3.5	2023	23
<b>1.35</b>	High School Students who were Bullied on School Property	<i>percent</i>	13.6	2023	23
<b>1.35</b>	High School Students who were Ever Physically Forced to have Sexual Intercourse	<i>percent</i>	5.3	2023	23
<b>1.35</b>	High School Students who were in a Physical Fight	<i>percent</i>	23.3	2023	23
<b>1.35</b>	High School Students who were Physically Forced to Do Sexual Things by Someone They were Dating or Going Out With	<i>percent</i>	10.6	2023	23
<b>1.35</b>	High School Students who were Physically Injured by Someone They were Dating or Going Out With	<i>percent</i>	8.0	2023	23
<b>1.35</b>	High School Students who were Threatened or Injured with a Weapon on School Property	<i>percent</i>	7.4	2023	23
<b>1.06</b>	High School Students who Did Not Always Wear a Seatbelt	<i>percent</i>	50.7	2023	23
<b>1.06</b>	High School Students who Ever Drank Alcohol	<i>percent</i>	31.3	2023	23
<b>1.06</b>	High School Students who Ever Used an Illicit Drug	<i>percent</i>	2.1	2023	23
<b>1.06</b>	High School Students who Ever Used Marijuana	<i>percent</i>	24.7	2023	23

1.06	High School Students who have Been Pregnant or Gotten Someone Pregnant	percent	1.3				2023	23
1.06	High School Students who Rode with a Driver who had been Drinking Alcohol	percent	14.4				2023	23
1.06	High School Students who Seriously Considered Attempting Suicide	percent	13.3				2023	23
1.06	High School Students who Smoked Cigarettes: Past 30 Days	percent	1.3				2023	23
1.06	High School Students who Texted or E-mailed While Driving	percent	30.7				2023	23
1.06	High School Students who Use a Cigar Product	percent	3.1				2023	23
1.06	High School Students who Use Alcohol	percent	14.9				2023	23
1.06	High School Students who Use an Electronic Vapor Product	percent	7.0				2023	23
1.06	High School Students who Use Hookah or Waterpipe	percent	1.7				2023	23
1.06	High School Students who Use Marijuana	percent	15.4				2023	23
1.06	High School Students who were Electronically Bullied	percent	11.9				2023	23

SCORE	ALCOHOL & DRUG USE	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.44	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	42.5		32.1		2018-2022	10

<b>2.03</b>	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	<i>Deaths per 100,000 population</i>	39.2		40.4	23.5	2018-2020	6
<b>1.94</b>	Death Rate due to Drug Poisoning	<i>deaths/ 100,000 population</i>	45.5	20.7	44.7		2020-2022	10
<b>1.76</b>	Adults who Binge Drink	<i>percent</i>	18.1			16.6	2022	5
<b>1.74</b>	Adults who Drink Excessively	<i>percent</i>	21.0		21.2		2022	10
<b>1.35</b>	High School Students who Ever Misused Prescription Pain Medication	<i>percent</i>	9.5				2023	23
<b>1.35</b>	High School Students who Usually Used Marijuana by Smoking it as a Blunt	<i>percent</i>	54.8				2023	23
<b>1.06</b>	High School Students who Ever Drank Alcohol	<i>percent</i>	31.3				2023	23
<b>1.06</b>	High School Students who Ever Used an Illicit Drug	<i>percent</i>	2.1				2023	23
<b>1.06</b>	High School Students who Ever Used Marijuana	<i>percent</i>	24.7				2023	23
<b>1.06</b>	High School Students who Use Alcohol	<i>percent</i>	14.9				2023	23
<b>1.06</b>	High School Students who Use Marijuana	<i>percent</i>	15.4				2023	23
<b>0.82</b>	Liquor Store Density	<i>stores/ 100,000 population</i>	6.1		5.6	10.9	2022	27
<b>0.62</b>	Mothers who Smoked During Pregnancy	<i>percent</i>	3.8	4.3	7.9	3.7	2022	18

<b>SCORE</b>	<b>CANCER</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>3.00</b>	Prostate Cancer Incidence Rate	<i>cases/ 100,000 males</i>	139.3		118.1	113.2	2017-2021	13
<b>2.24</b>	Age-Adjusted Death Rate due to Prostate Cancer	<i>deaths/ 100,000 males</i>	23.2	16.9	19.3	19.0	2018-2022	13

<b>2.21</b>	Cancer: Medicare Population	<i>percent</i>	13.0		12.0	12.0	2023	7
<b>2.00</b>	Breast Cancer Incidence Rate	<i>cases/ 100,000 females</i>	136.1		132.3	129.8	2017-2021	13
<b>1.76</b>	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	21.9	15.3	20.2	19.3	2018-2022	13
<b>1.71</b>	All Cancer Incidence Rate	<i>cases/ 100,000 population</i>	476.4		470.0	444.4	2017-2021	13
<b>1.41</b>	Colon Cancer Screening: USPSTF Recommendation	<i>percent</i>	66.2			66.3	2022	5
<b>1.41</b>	Colorectal Cancer Incidence Rate	<i>cases/ 100,000 population</i>	40.2		38.9	36.4	2017-2021	13
<b>1.24</b>	Adults with Cancer (Non-Skin) or Melanoma	<i>percent</i>	8.3			8.2	2022	5
<b>1.06</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	61.7		64.3	53.1	2017-2021	13
<b>0.88</b>	Age-Adjusted Death Rate due to Cancer	<i>deaths/ 100,000 population</i>	159.5	122.7	161.1	146.0	2018-2022	13
<b>0.88</b>	Age-Adjusted Death Rate due to Colorectal Cancer	<i>deaths/ 100,000 population</i>	13.8	8.9	13.9	12.9	2018-2022	13
<b>0.88</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	36.6	25.1	39.8	32.4	2018-2022	13
<b>0.88</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	83.2			82.8	2020	5
<b>0.88</b>	Mammogram in Past 2 Years: 50-74	<i>percent</i>	78.7	80.3		76.5	2022	5
<b>0.85</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	6.5		7.8	7.5	2017-2021	13
<b>0.76</b>	Oral Cavity and Pharynx Cancer Incidence Rate	<i>cases/ 100,000 population</i>	11.5		12.8	12.0	2017-2021	13
<b>0.62</b>	Mammography Screening: Medicare Population	<i>percent</i>	52.0		51.0	39.0	2023	7

<b>SCORE</b>	<b>CHILDREN'S HEALTH</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
--------------	--------------------------	--------------	------------------------	---------------	-----------	-------------	---------------------------	---------------

<b>2.71</b>	Child Food Insecurity Rate	<i>percent</i>	26.7		19.8	18.5	2022	12
<b>2.38</b>	Child Mortality Rate: Under 20	<i>deaths/ 100,000 population under 20</i>	70.8		58.5	50.6	2018-2021	10
<b>2.21</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	3.8		3.3	3.4	2024	9
<b>1.65</b>	Children Served by Designated Ohio Healthy Programs (Count)	<i>children</i>	4,611				2021	11
<b>1.65</b>	Designated Ohio Healthy Programs (Count)	<i>programs</i>	73				2021	11
<b>1.65</b>	Families Served by Designated Ohio Healthy Programs (Count)	<i>families</i>	2,423				2021	11
<b>1.65</b>	Family Engagement Activities Supported by Designated Ohio Healthy Programs (Count)	<i>activities</i>	2,640				2021	11
<b>1.65</b>	Healthy Policies Adopted by Designated Ohio Healthy Programs (Count)	<i>policies</i>	264				2021	11
<b>1.62</b>	Blood Lead Levels in Children (>=10 micrograms per deciliter)	<i>percent</i>	1.6		0.6		2021	19
<b>1.41</b>	Substantiated Child Abuse Rate	<i>cases/ 1,000 children</i>	9.3	8.7	6.9		2021	4
<b>1.38</b>	Children with Health Insurance	<i>percent</i>	96.4		95.1	94.6	2023	1
<b>1.35</b>	Blood Lead Levels in Children (>=10 micrograms per deciliter; Count)	<i>children</i>	312				2021	19
<b>1.35</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter; Count)	<i>children</i>	1,056				2021	19
<b>1.32</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>percent</i>	5.5		2.0		2021	19

<b>0.71</b>	Child Care Centers	<i>per 1,000 population under age 5</i>	10.3		8.0	7.0	2022	10
-------------	--------------------	---	------	--	-----	-----	------	----

<b>SCORE</b>	<b>COMMUNITY</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>3.00</b>	People 65+ Living Alone	<i>percent</i>	36.1		30.2	26.5	2019-2023	2
<b>2.82</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>dollars</i>	654		570	612	2019-2023	2
<b>2.56</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	8.7		7.5	7.4	2024	9
<b>2.44</b>	Age-Adjusted Death Rate due to Firearms	<i>deaths/ 100,000 population</i>	20.2	10.7	13.5	12.0	2018-2020	6
<b>2.44</b>	Alcohol-Impaired Driving Deaths	<i>percent of driving deaths with alcohol involvement</i>	42.5		32.1		2018-2022	10
<b>2.41</b>	Children in Single-Parent Households	<i>percent</i>	37.3		26.1	24.8	2019-2023	2
<b>2.41</b>	Youth not in School or Working	<i>percent</i>	2.7		1.7	1.7	2019-2023	2
<b>2.38</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	13.4		11.3	12.3	2024	9
<b>2.35</b>	Adults with Internet Access	<i>percent</i>	78.6		80.9	81.3	2024	8
<b>2.26</b>	Residential Segregation - Black/White	<i>Score</i>	71.5		69.6		2025	10
<b>2.26</b>	Social Associations	<i>membership associations/ 10,000 population</i>	8.9		10.8		2022	10
<b>2.21</b>	Adults Who Vote in Presidential Elections: Always or Sometimes	<i>percent</i>	83.4		84.9	85.1	2024	8

<b>2.21</b>	Age-Adjusted Death Rate due to Homicide	<i>deaths/ 100,000 population</i>	20.7	5.5	9.0		2020-2022	21
<b>2.18</b>	Linguistic Isolation	<i>percent</i>	2.7		1.5	4.2	2019-2023	2
<b>2.12</b>	Median Household Gross Rent	<i>dollars</i>	1,005		988	1,348	2019-2023	2
<b>2.12</b>	Mortgaged Owners Median Monthly Household Costs	<i>dollars</i>	1,529		1,472	1,902	2019-2023	2
<b>2.00</b>	Voter Turnout: Presidential Election	<i>percent</i>	65.7	58.4	71.7		2024	22
<b>1.94</b>	Children Living Below Poverty Level	<i>percent</i>	23.2		18.0	16.3	2019-2023	2
<b>1.94</b>	People 65+ Living Alone (Count)	<i>people</i>	85,788				2019-2023	2
<b>1.94</b>	People Living Below Poverty Level	<i>percent</i>	16.2	8.0	13.2	12.4	2019-2023	2
<b>1.88</b>	Violent Crime Rate	<i>crimes/ 100,000 population</i>	856.5		359.0		2023	20
<b>1.85</b>	Households with a Computer	<i>percent</i>	83.3		85.2	86.0	2024	8
<b>1.76</b>	Young Children Living Below Poverty Level	<i>percent</i>	24.9		20.0	17.6	2019-2023	2
<b>1.74</b>	Grandparents Who Are Responsible for Their Grandchildren	<i>percent</i>	38.9		41.3	32.0	2019-2023	2
<b>1.68</b>	Adults With Group Health Insurance	<i>percent</i>	36.0		37.4	39.8	2024	8
<b>1.68</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	3.5		3.4	3.2	2024	9
<b>1.59</b>	Median Household Income	<i>dollars</i>	62,823		69,680	78,538	2019-2023	2
<b>1.41</b>	Substantiated Child Abuse Rate	<i>cases/ 1,000 children</i>	9.3	8.7	6.9		2021	4
<b>1.35</b>	High School Students who Did Not Go to School Because They Felt Unsafe at School or on Their Way To or From School	<i>percent</i>	9.1				2023	23

<b>1.35</b>	High School Students who were Threatened or Injured with a Weapon on School Property	<i>percent</i>	7.4				2023	23
<b>1.24</b>	Households with a Smartphone	<i>percent</i>	86.1		87.5	88.2	2024	8
<b>1.24</b>	Workers Commuting by Public Transportation	<i>percent</i>	3.3	5.3	1.1	3.5	2019-2023	2
<b>1.18</b>	Total Employment Change	<i>percent</i>	5.0		2.9	5.8	2021-2022	27
<b>1.09</b>	Persons with Health Insurance	<i>percent</i>	93.0	92.4	92.9		2022	28
<b>1.06</b>	Households with an Internet Subscription	<i>percent</i>	87.5		89.0	89.9	2019-2023	2
<b>1.06</b>	Households with One or More Types of Computing Devices	<i>percent</i>	93.1		93.6	94.8	2019-2023	2
<b>1.06</b>	People 25+ with a High School Diploma or Higher	<i>percent</i>	91.2		91.6	89.4	2019-2023	2
<b>1.06</b>	Persons with an Internet Subscription	<i>percent</i>	90.3		91.3	92.0	2019-2023	2
<b>1.06</b>	Population 16+ in Civilian Labor Force	<i>percent</i>	59.3		60.1	59.8	2019-2023	2
<b>0.97</b>	Digital Distress		1.0				2022	24
<b>0.79</b>	Adults With Individual Health Insurance	<i>percent</i>	21.8		20.5	20.2	2024	8
<b>0.79</b>	Digital Divide Index	<i>DDI Score</i>	19.4		40.1	50.0	2022	24
<b>0.79</b>	Solo Drivers with a Long Commute	<i>percent</i>	30.3		30.5		2019-2023	10
<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	<i>deaths/ 100,000 population</i>	8.6		11.1		2016-2022	10
<b>0.65</b>	Female Population 16+ in Civilian Labor Force	<i>percent</i>	60.5		59.2	58.7	2019-2023	2
<b>0.53</b>	Mean Travel Time to Work	<i>minutes</i>	23.6		23.6	26.6	2019-2023	2
<b>0.53</b>	Per Capita Income	<i>dollars</i>	41,559		39,455	43,289	2019-2023	2

<b>0.53</b>	Workers who Drive Alone to Work	<i>percent</i>	71.7	76.6	70.2	2019-2023	2
<b>0.47</b>	Workers who Walk to Work	<i>percent</i>	2.7	2.0	2.4	2019-2023	2
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	69.9	53.4	50.0	2022	24
<b>0.18</b>	People 25+ with a Bachelor's Degree or Higher	<i>percent</i>	35.9	30.9	35.0	2019-2023	2

<b>SCORE</b>	<b>DIABETES</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.00</b>	Adults 20+ with Diabetes	<i>percent</i>	9.9				2021	6
<b>1.41</b>	Age-Adjusted Death Rate due to Diabetes	<i>deaths/ 100,000 population</i>	24.3		28.4		2020-2022	21
<b>0.97</b>	Diabetes: Medicare Population	<i>percent</i>	23.0		25.0	24.0	2023	7

<b>SCORE</b>	<b>ECONOMY</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>dollars</i>	654		570	612	2019-2023	2
<b>2.82</b>	People 65+ Living Below Poverty Level	<i>percent</i>	12.3		9.5	10.4	2019-2023	2
<b>2.71</b>	Child Food Insecurity Rate	<i>percent</i>	26.7		19.8	18.5	2022	12
<b>2.56</b>	College Tuition Spending-to-Income Ratio	<i>percent</i>	14.7		12.9	12.4	2024	9
<b>2.56</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	8.7		7.5	7.4	2024	9
<b>2.56</b>	Homeowner Spending-to-Income Ratio	<i>percent</i>	16.7		14.6	14.0	2024	9
<b>2.53</b>	Veterans Living Below Poverty Level	<i>percent</i>	9.7		7.4	7.2	2019-2023	2
<b>2.41</b>	Youth not in School or Working	<i>percent</i>	2.7		1.7	1.7	2019-2023	2

<b>2.38</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	13.4		11.3	12.3	2024	9
<b>2.38</b>	Home Renter Spending-to-Income Ratio	<i>percent</i>	19.3		16.8	17.7	2024	9
<b>2.38</b>	Student Loan Spending-to-Income Ratio	<i>percent</i>	5.5		4.8	4.7	2024	9
<b>2.26</b>	People 65+ Living Below 200% of Poverty Level	<i>percent</i>	31.9		28.4	28.1	2023	1
<b>2.26</b>	Residential Segregation - Black/White	<i>Score</i>	71.5		69.6		2025	10
<b>2.21</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	3.8		3.3	3.4	2024	9
<b>2.21</b>	Income Inequality		0.5		0.5	0.5	2019-2023	2
<b>2.21</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	<i>percent</i>	1.8		1.6	1.6	2024	9
<b>2.18</b>	Food Insecurity Rate	<i>percent</i>	15.1		14.1	13.5	2022	12
<b>2.12</b>	Adults with Disability Living in Poverty	<i>percent</i>	33.1		28.2	24.6	2019-2023	2
<b>2.12</b>	Households that Used Check Cashing, Cash Advance, or Title Loan Shops	<i>percent</i>	2.3		2.0	2.0	2024	8
<b>2.12</b>	Median Household Gross Rent	<i>dollars</i>	1,005		988	1,348	2019-2023	2
<b>2.12</b>	Mortgaged Owners Median Monthly Household Costs	<i>dollars</i>	1,529		1,472	1,902	2019-2023	2
<b>2.03</b>	Households Living Below Poverty Level	<i>percent</i>	16.7		14.0		2022	30
<b>2.03</b>	Utilities Spending-to-Income Ratio	<i>percent</i>	6.7		6.2	5.8	2024	9
<b>2.00</b>	Renters Spending 30% or More of Household Income on Rent	<i>percent</i>	47.5	25.5	45.1	50.4	2019-2023	2

<b>1.97</b>	Children Living Below 200% of Poverty Level	<i>percent</i>	42.8		38.3	36.1	2023	1
<b>1.97</b>	Families Living Below 200% of Poverty Level	<i>Percent</i>	25.6		22.8	22.3	2023	1
<b>1.94</b>	Children Living Below Poverty Level	<i>percent</i>	23.2		18.0	16.3	2019-2023	2
<b>1.94</b>	Families Living Below Poverty Level	<i>percent</i>	11.5		9.2	8.7	2019-2023	2
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	28,068				2019-2023	2
<b>1.94</b>	People Living Below Poverty Level	<i>percent</i>	16.2	8.0	13.2	12.4	2019-2023	2
<b>1.88</b>	Homeowner Vacancy Rate	<i>percent</i>	1.1		0.9	1.0	2019-2023	2
<b>1.88</b>	Households with Cash Public Assistance Income	<i>percent</i>	2.8		2.5	2.7	2019-2023	2
<b>1.85</b>	Health Insurance Spending-to-Income Ratio	<i>percent</i>	7.1		6.8	6.1	2024	9
<b>1.85</b>	Mortgaged Owners Spending 30% or More of Household Income on Housing	<i>percent</i>	25.2	25.5	21.2	28.5	2023	1
<b>1.85</b>	Severe Housing Problems	<i>percent</i>	15.7		12.7		2017-2021	10
<b>1.82</b>	Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	<i>percent</i>	58.0		61.0		2022	30
<b>1.79</b>	People Living Below 200% of Poverty Level	<i>percent</i>	32.2		29.6	28.2	2023	1
<b>1.76</b>	Young Children Living Below Poverty Level	<i>percent</i>	24.9		20.0	17.6	2019-2023	2
<b>1.71</b>	Households with a Savings Account	<i>percent</i>	69.4		70.9	72.0	2024	8
<b>1.71</b>	Unemployed Veterans	<i>percent</i>	3.1		2.8	3.2	2019-2023	2
<b>1.68</b>	Cigarette Spending-to-Income Ratio	<i>percent</i>	2.2		2.2	1.9	2024	9

<b>1.68</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	3.5	3.4	3.2	2024	9
<b>1.65</b>	Households that are Asset Limited, Income Constrained, Employed (ALICE)	<i>percent</i>	25.3	25.0		2022	30
<b>1.65</b>	Size of Labor Force	<i>persons</i>	615,492			January 2025	26
<b>1.59</b>	Households with Student Loan Debt	<i>percent</i>	9.4	9.1	9.8	2024	8
<b>1.59</b>	Median Household Income	<i>dollars</i>	62,823	69,680	78,538	2019-2023	2
<b>1.50</b>	Adults who Feel Overwhelmed by Financial Burdens	<i>percent</i>	34.2	34.0	33.6	2024	8
<b>1.35</b>	Households with a 401k Plan	<i>percent</i>	37.4	38.4	40.8	2024	8
<b>1.29</b>	Unemployed Workers in Civilian Labor Force	<i>percent</i>	4.5	5.3	4.4	January 2025	26
<b>1.24</b>	Gender Pay Gap	<i>cents on the dollar</i>	0.8	0.7	0.8	2023	1
<b>1.24</b>	Median Household Income: Householders 65+	<i>dollars</i>	48,911	51,608	57,108	2019-2023	2
<b>1.18</b>	Total Employment Change	<i>percent</i>	5.0	2.9	5.8	2021-2022	27
<b>1.06</b>	Population 16+ in Civilian Labor Force	<i>percent</i>	59.3	60.1	59.8	2019-2023	2
<b>0.65</b>	Female Population 16+ in Civilian Labor Force	<i>percent</i>	60.5	59.2	58.7	2019-2023	2
<b>0.53</b>	Per Capita Income	<i>dollars</i>	41,559	39,455	43,289	2019-2023	2
<b>0.47</b>	Overcrowded Households	<i>percent</i>	1.1	1.4	3.4	2019-2023	2

<b>SCORE</b>	<b>EDUCATION</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.56</b>	College Tuition Spending-to-Income Ratio	<i>percent</i>	14.7		12.9	12.4	2024	9

<b>2.56</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	8.7	7.5	7.4	2024	9
<b>2.38</b>	Student Loan Spending-to-Income Ratio	<i>percent</i>	5.5	4.8	4.7	2024	9
<b>2.21</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	3.8	3.3	3.4	2024	9
<b>2.21</b>	Student-to-Teacher Ratio	<i>students/teacher</i>	16.9	16.6	15.2	2023-2024	14
<b>2.21</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	<i>percent</i>	1.8	1.6	1.6	2024	9
<b>1.85</b>	High School Graduation	<i>percent</i>	89.1	90.7	92.5	2022-2023	16
<b>1.71</b>	4th Grade Students Proficient in English/Language Arts	<i>percent</i>	60.2	64.1		2023-2024	16
<b>1.71</b>	8th Grade Students Proficient in English/Language Arts	<i>percent</i>	45.6	49.4		2023-2024	16
<b>1.71</b>	Veterans with a High School Diploma or Higher	<i>percent</i>	93.5	94.4	95.2	2019-2023	2
<b>1.65</b>	Children Served by Designated Ohio Healthy Programs (Count)	<i>children</i>	4,611			2021	11
<b>1.65</b>	Designated Ohio Healthy Programs (Count)	<i>programs</i>	73			2021	11
<b>1.65</b>	Families Served by Designated Ohio Healthy Programs (Count)	<i>families</i>	2,423			2021	11
<b>1.65</b>	Family Engagement Activities Supported by Designated Ohio Healthy Programs (Count)	<i>activities</i>	2,640			2021	11
<b>1.65</b>	Healthy Policies Adopted by Designated Ohio Healthy Programs (Count)	<i>policies</i>	264			2021	11

1.59	4th Grade Students Proficient in Math	percent	59.1	67.2		2023-2024	16
1.59	8th Grade Students Proficient in Math	percent	41.4	46.3		2023-2024	16
1.06	People 25+ with a High School Diploma or Higher	percent	91.2	91.6	89.4	2019-2023	2
0.71	Child Care Centers	per 1,000 population under age 5	10.3	8.0	7.0	2022	10
0.18	People 25+ with a Bachelor's Degree or Higher	percent	35.9	30.9	35.0	2019-2023	2

SCORE	ENVIRONMENTAL HEALTH	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.41	Houses Built Prior to 1950	percent	37.4		24.9	16.4	2019-2023	2
2.29	Adults with Current Asthma	percent	11.8			9.9	2022	5
2.29	Air Pollution due to Particulate Matter	micrograms per cubic meter	10.8		7.9		2020	10
2.29	Proximity to Highways	percent	12.5		7.2		2020	15
2.03	Utilities Spending-to-Income Ratio	percent	6.7		6.2	5.8	2024	9
2.00	Daily Dose of UV Irradiance	Joule per square meter	3,533.0		3,384.0		2020	15
1.85	Severe Housing Problems	percent	15.7		12.7		2017-2021	10
1.76	Annual Ozone Air Quality	grade	F				2020-2022	3
1.74	Annual Particle Pollution	grade	C				2020-2022	3
1.68	Gasoline and Other Fuels Spending-to-Income Ratio	percent	3.5		3.4	3.2	2024	9
1.65	Weeks of Moderate Drought or Worse	weeks per year	2				2021	15
1.62	Blood Lead Levels in Children (>=10 micrograms per deciliter)	percent	1.6		0.6		2021	19

<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7.0	7.0	7.0	2023	7
<b>1.35</b>	Blood Lead Levels in Children (>=10 micrograms per deciliter; Count)	<i>children</i>	312			2021	19
<b>1.35</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter; Count)	<i>children</i>	1,056			2021	19
<b>1.35</b>	Number of Extreme Heat Days	<i>days</i>	11			2023	15
<b>1.35</b>	Number of Extreme Heat Events	<i>events</i>	9			2023	15
<b>1.35</b>	Number of Extreme Precipitation Days	<i>days</i>	4			2023	15
<b>1.35</b>	PBT Released	<i>pounds</i>	216100.3			2023	29
<b>1.32</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>percent</i>	5.5	2.0		2021	19
<b>0.91</b>	Food Environment Index		7.8	7.0		2025	10
<b>0.82</b>	Liquor Store Density	<i>stores/ 100,000 population</i>	6.1	5.6	10.9	2022	27
<b>0.79</b>	Digital Divide Index	<i>DDI Score</i>	19.4	40.1	50.0	2022	24
<b>0.71</b>	Access to Exercise Opportunities	<i>percent</i>	97.9	84.2		2025	10
<b>0.71</b>	Access to Parks	<i>percent</i>	85.3	59.6		2020	15
<b>0.47</b>	Overcrowded Households	<i>percent</i>	1.1	1.4	3.4	2019-2023	2
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	69.9	53.4	50.0	2022	24

<b>SCORE</b>	<b>FAMILY PLANNING</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.26</b>	Teen Birth Rate: 15-17	<i>live births/ 1,000 females aged 15-17</i>	7.3		6.1	5.6	2022	18

<b>1.35</b>	High School Students who Used Birth Control to Prevent Pregnancy at Last Intercourse with Opposite-Sex Partner	<i>percent</i>	26.4				2023	23
<b>1.06</b>	High School Students who have Been Pregnant or Gotten Someone Pregnant	<i>percent</i>	1.3				2023	23

<b>SCORE</b>	<b>HEALTH CARE ACCESS &amp; QUALITY</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.38</b>	Preventable Hospital Stays: Medicare Population	<i>discharges/100,000 Medicare enrollees</i>	3,677.0		3,269.0	2,769.0	2023	7
<b>2.35</b>	Adults with Health Insurance: 18+	<i>percent</i>	72.1		74.7	75.2	2024	8
<b>2.21</b>	Adults who go to the Doctor Regularly for Checkups	<i>percent</i>	63.3		65.2	65.1	2024	8
<b>2.00</b>	Adults who Visited a Dentist	<i>percent</i>	43.3		44.3	45.3	2024	8
<b>1.85</b>	Health Insurance Spending-to-Income Ratio	<i>percent</i>	7.1		6.8	6.1	2024	9
<b>1.68</b>	Adults With Group Health Insurance	<i>percent</i>	36.0		37.4	39.8	2024	8
<b>1.65</b>	High School Students who had a Dental Check-up, Exam, Cleaning or Other Dental Work	<i>percent</i>	69.6				2023	23
<b>1.38</b>	Children with Health Insurance	<i>percent</i>	96.4		95.1	94.6	2023	1
<b>1.35</b>	High School Students who had a Check-up or Physical Exam	<i>percent</i>	73.4				2023	23
<b>1.29</b>	Persons without Health Insurance	<i>percent</i>	5.5		6.1	7.9	2023	1
<b>1.24</b>	Adults with Health Insurance	<i>percent</i>	92.2		91.6	89.0	2023	1

<b>1.24</b>	Adults without Health Insurance	<i>percent</i>	6.4			10.8	2022	5
<b>1.09</b>	Persons with Health Insurance	<i>percent</i>	93.0	92.4	92.9		2022	28
<b>0.88</b>	Adults who have had a Routine Checkup	<i>percent</i>	80.0			76.1	2022	5
<b>0.79</b>	Adults With Individual Health Insurance	<i>percent</i>	21.8		20.5	20.2	2024	8
<b>0.44</b>	Primary Care Provider Rate	<i>providers/100,000 population</i>	111.3		75.3	74.9	2021	10
<b>0.29</b>	Dentist Rate	<i>dentists/100,000 population</i>	112.8		65.2	73.5	2022	10
<b>0.26</b>	Mental Health Provider Rate	<i>providers/100,000 population</i>	510.3		349.4		2024	10
<b>0.26</b>	Non-Physician Primary Care Provider Rate	<i>providers/100,000 population</i>	251.3		148.7		2024	10

<b>SCORE</b>	<b>HEART DISEASE &amp; STROKE</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.85</b>	Stroke: Medicare Population	<i>percent</i>	6.0		5.0	6.0	2023	7
<b>1.76</b>	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	<i>deaths/100,000 population</i>	40.8	33.4	46.0		2020-2022	21
<b>1.59</b>	High Blood Pressure Prevalence	<i>percent</i>	36.7	41.9		32.7	2021	5
<b>1.41</b>	Adults who Experienced a Stroke	<i>percent</i>	3.9			3.6	2022	5
<b>1.41</b>	Adults who Experienced Coronary Heart Disease	<i>percent</i>	7.5			6.8	2022	5
<b>1.41</b>	Adults who Have Taken Medications for High Blood Pressure	<i>percent</i>	80.6			78.2	2021	5

<b>1.32</b>	Heart Failure: Medicare Population	<i>percent</i>	12.0		12.0	11.0	2023	7
<b>1.32</b>	Hyperlipidemia: Medicare Population	<i>percent</i>	66.0		67.0	66.0	2023	7
<b>1.15</b>	Hypertension: Medicare Population	<i>percent</i>	66.0		67.0	65.0	2023	7
<b>1.06</b>	Cholesterol Test History	<i>percent</i>	86.1			86.4	2021	5
<b>0.97</b>	Atrial Fibrillation: Medicare Population	<i>percent</i>	14.0		15.0	14.0	2023	7
<b>0.97</b>	Ischemic Heart Disease: Medicare Population	<i>percent</i>	21.0		22.0	21.0	2023	7
<b>0.88</b>	Age-Adjusted Death Rate due to Coronary Heart Disease	<i>deaths/ 100,000 population</i>	101.3	71.1	101.6		2020-2022	21
<b>0.88</b>	High Cholesterol Prevalence	<i>percent</i>	34.6			35.5	2021	5
<b>0.56</b>	Age-Adjusted Death Rate due to Heart Attack	<i>deaths/ 100,000 population 35+ years</i>	42.7		60.9		2021	15

<b>SCORE</b>	<b>IMMUNIZATIONS &amp; INFECTIOUS DISEASES</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.44</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	21.4		16.4	15.8	2023	17
<b>2.15</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	779.4		464.2	492.2	2023	17
<b>1.91</b>	Age-Adjusted Death Rate due to HIV	<i>deaths/ 100,000 population</i>	1.5		0.9		2020-2022	21
<b>1.91</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	1.9	1.4	1.6	2.9	2023	17
<b>1.85</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	334.3		168.8	179.5	2023	17
<b>0.97</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	60.4		59.8	60.4	2024	8
<b>0.97</b>	Salmonella Infection Incidence Rate	<i>cases/ 100,000 population</i>	10.4	11.5	13.8		2023	17

<b>0.85</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	6.5	7.8	7.5	2017-2021	13
<b>0.82</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	10.5	12.3		2020-2022	21
<b>0.47</b>	Overcrowded Households	<i>percent</i>	1.1	1.4	3.4	2019-2023	2
<b>0.44</b>	Flu Vaccinations: Medicare Population	<i>percent</i>	55.0	50.0	3.0	2023	7
<b>0.44</b>	Pneumonia Vaccinations: Medicare Population	<i>percent</i>	10.0	9.0	9.0	2023	7

<b>SCORE</b>	<b>MATERNAL, FETAL &amp; INFANT HEALTH</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.44</b>	Babies with Low Birthweight	<i>percent</i>	10.8		8.7	8.6	2022	18
<b>2.26</b>	Teen Birth Rate: 15-17	<i>live births/ 1,000 females aged 15-17</i>	7.3		6.1	5.6	2022	18
<b>2.18</b>	Preterm Births	<i>percent</i>	12.0	9.4	10.8		2022	18
<b>1.97</b>	Infant Mortality Rate	<i>deaths/ 1,000 live births</i>	7.7	5.0	6.7	5.4	2020	18
<b>1.91</b>	Gestational Hypertension	<i>percent</i>	22.3		18.3		2022	25
<b>1.91</b>	Pre-Pregnancy Diabetes	<i>percent</i>	4.8		4.2		2022	25
<b>1.91</b>	Stopped Breastfeeding Due to Resuming Work	<i>percent</i>	26.6		17.5		2022	25
<b>1.88</b>	Babies with Very Low Birthweight	<i>percent</i>	1.9		1.5		2022	18
<b>1.85</b>	Ever Breastfed New Infant	<i>percent</i>	88.8		88.7		2022	25
<b>1.74</b>	Chronic Health Condition(s) During Pregnancy	<i>percent</i>	50.6		49.6		2022	25
<b>1.74</b>	Postpartum Depression	<i>percent</i>	16.4		16.3		2022	25
<b>1.74</b>	Pre-Pregnancy Hypertension	<i>percent</i>	7.6		7.0		2022	25
<b>1.56</b>	Gestational Diabetes	<i>percent</i>	10.3		10.6		2022	25
<b>1.44</b>	Prevalence of Unintended Pregnancy	<i>percent</i>	22.4		21.1		2022	25

<b>1.38</b>	Pre-Pregnancy Depression	<i>percent</i>	19.9		22.5		2022	25
<b>1.38</b>	Pre-Pregnancy E-Cigarette Use	<i>percent</i>	6.8		8.6		2022	25
<b>1.26</b>	Breastfeeding at 8 Weeks	<i>percent</i>	73.7		70.9		2022	25
<b>1.26</b>	Infant Sleeps on Back	<i>percent</i>	87.0		86.2		2022	25
<b>1.26</b>	Mothers who Received Early Prenatal Care	<i>percent</i>	73.0		68.6	75.3	2022	18
<b>1.15</b>	Infant Sleeps Alone	<i>percent</i>	69.1		69.7		2022	25
<b>1.15</b>	Prevalence of Intended Pregnancy	<i>percent</i>	60.7		61.0		2022	25
<b>1.09</b>	Gestational Depression	<i>percent</i>	18.9		21.7		2022	25
<b>0.97</b>	Infant Sleeps Alone on Recommended Surface	<i>percent</i>	51.5		51.4		2022	25
<b>0.97</b>	Infant Sleeps in Crib, Bassinet, or Play Yard	<i>percent</i>	93.9		93.9		2022	25
<b>0.97</b>	Infant Sleeps Without Objects in Bed	<i>percent</i>	70.1		68.7		2022	25
<b>0.79</b>	Pre-Pregnancy Smoking	<i>percent</i>	10.2		12.2		2022	25
<b>0.62</b>	Mothers who Smoked During Pregnancy	<i>percent</i>	3.8	4.3	7.9	3.7	2022	18

<b>SCORE</b>	<b>MENTAL HEALTH &amp; MENTAL DISORDERS</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.29</b>	Self-Reported General Health Assessment: Good or Better	<i>percent</i>	84.2		85.4	86.0	2024	8
<b>1.68</b>	Poor Mental Health: Average Number of Days	<i>days</i>	6.0		6.1		2022	10
<b>1.59</b>	Poor Mental Health: 14+ Days	<i>percent</i>	17.5			15.8	2022	5
<b>1.50</b>	Adults who Feel Life is Slipping Out of Control	<i>Percent</i>	24.1		24.1	23.9	2024	8
<b>1.41</b>	Adults Ever Diagnosed with Depression	<i>percent</i>	23.2			20.7	2022	5

1.35	High School Students who Did Something to Purposefully Hurt Themselves Without Wanting to Die	percent	16.3				2023	23
1.35	High School Students Who Have Attempted Suicide: Past Year	percent	7.6				2023	23
1.35	High School Students who were Bullied on School Property	percent	13.6				2023	23
1.32	Alzheimer's Disease or Dementia: Medicare Population	percent	6.0	6.0	6.0		2023	7
1.12	Age-Adjusted Death Rate due to Alzheimer's Disease	deaths/ 100,000 population	22.6	33.8			2020-2022	21
1.06	High School Students who Seriously Considered Attempting Suicide	percent	13.3				2023	23
1.06	High School Students who were Electronically Bullied	percent	11.9				2023	23
1.00	Age-Adjusted Death Rate due to Suicide	deaths/ 100,000 population	13.5	12.8	14.5		2020-2022	21
0.97	Depression: Medicare Population	percent	16.0	18.0	17.0		2023	7
0.26	Mental Health Provider Rate	providers/ 100,000 population	510.3	349.4			2024	10

SCORE	NUTRITION & HEALTHY EATING	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.21	Adults who Frequently Cook Meals at Home	Percent	66.2		67.6	67.7	2024	8
1.94	High School Students who Did Not Eat Any Fruit in the Past 7 Days	percent	6.7				2023	23

<b>1.76</b>	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	<i>Percent</i>	39.6	38.1	38.2	2024	8
<b>1.35</b>	High School Students who Did Not Eat Breakfast Every Day	<i>percent</i>	74.7			2023	23
<b>1.35</b>	High School Students who Went Hungry Because There Was Not Enough Food in the Home	<i>percent</i>	3.5			2023	23
<b>0.91</b>	Food Environment Index		7.8	7.0		2025	10
<b>0.79</b>	Adults who Drank Soft Drinks: Past 7 Days	<i>percent</i>	46.6	48.6	47.5	2024	8

<b>SCORE</b>	<b>OLDER ADULTS</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>3.00</b>	People 65+ Living Alone	<i>percent</i>	36.1		30.2	26.5	2019-2023	2
<b>3.00</b>	Prostate Cancer Incidence Rate	<i>cases/ 100,000 males</i>	139.3		118.1	113.2	2017-2021	13
<b>2.82</b>	People 65+ Living Below Poverty Level	<i>percent</i>	12.3		9.5	10.4	2019-2023	2
<b>2.38</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	13.4		11.3	12.3	2024	9
<b>2.21</b>	Cancer: Medicare Population	<i>percent</i>	13.0		12.0	12.0	2023	7
<b>2.03</b>	Chronic Kidney Disease: Medicare Population	<i>percent</i>	20.0		19.0	18.0	2023	7
<b>1.94</b>	People 65+ Living Alone (Count)	<i>people</i>	85,788				2019-2023	2
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	28,068				2019-2023	2
<b>1.85</b>	Osteoporosis: Medicare Population	<i>percent</i>	12.0		11.0	12.0	2023	7
<b>1.85</b>	Stroke: Medicare Population	<i>percent</i>	6.0		5.0	6.0	2023	7
<b>1.59</b>	Adults 65+ with Total Tooth Loss	<i>percent</i>	13.9			12.2	2022	5

1.50	Asthma: Medicare Population	percent	7.0	7.0	7.0	2023	7
1.50	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	percent	38.0	39.0	36.0	2023	7
1.32	Alzheimer's Disease or Dementia: Medicare Population	percent	6.0	6.0	6.0	2023	7
1.32	Heart Failure: Medicare Population	percent	12.0	12.0	11.0	2023	7
1.32	Hyperlipidemia: Medicare Population	percent	66.0	67.0	66.0	2023	7
1.24	Median Household Income: Householders 65+	dollars	48,911	51,608	57,108	2019-2023	2
1.18	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	10.9	12.1		2020-2022	21
1.15	Hypertension: Medicare Population	percent	66.0	67.0	65.0	2023	7
1.12	Age-Adjusted Death Rate due to Alzheimer's Disease	deaths/ 100,000 population	22.6	33.8		2020-2022	21
0.97	Atrial Fibrillation: Medicare Population	percent	14.0	15.0	14.0	2023	7
0.97	Depression: Medicare Population	percent	16.0	18.0	17.0	2023	7
0.97	Diabetes: Medicare Population	percent	23.0	25.0	24.0	2023	7
0.97	Ischemic Heart Disease: Medicare Population	percent	21.0	22.0	21.0	2023	7
0.79	COPD: Medicare Population	percent	11.0	13.0	11.0	2023	7
0.62	Mammography Screening: Medicare Population	percent	52.0	51.0	39.0	2023	7

SCORE	ORAL HEALTH	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.00	Adults who Visited a Dentist	percent	43.3		44.3	45.3	2024	8

<b>1.59</b>	Adults 65+ with Total Tooth Loss	<i>percent</i>	13.9		12.2		2022	5
<b>0.76</b>	Oral Cavity and Pharynx Cancer Incidence Rate	<i>cases/ 100,000 population</i>	11.5		12.8	12.0	2017-2021	13
<b>0.29</b>	Dentist Rate	<i>dentists/ 100,000 population</i>	112.8		65.2	73.5	2022	10

<b>SCORE</b>	<b>OTHER CHRONIC CONDITIONS</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.47</b>	Age-Adjusted Death Rate due to Kidney Disease	<i>deaths/ 100,000 population</i>	18.0		15.1		2020-2022	21
<b>2.03</b>	Chronic Kidney Disease: Medicare Population	<i>percent</i>	20.0		19.0	18.0	2023	7
<b>1.85</b>	Osteoporosis: Medicare Population	<i>percent</i>	12.0		11.0	12.0	2023	7
<b>1.50</b>	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	<i>percent</i>	38.0		39.0	36.0	2023	7
<b>1.41</b>	Adults with Arthritis	<i>percent</i>	30.4			26.6	2022	5

<b>SCORE</b>	<b>PHYSICAL ACTIVITY</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.35</b>	High School Students who Engage in Regular Physical Activity	<i>percent</i>	42.8				2023	23
<b>1.32</b>	Adults 20+ Who Are Obese	<i>percent</i>	32.5	36.0			2021	6
<b>1.18</b>	Adults 20+ who are Sedentary	<i>percent</i>	20.0				2021	6
<b>0.71</b>	Access to Exercise Opportunities	<i>percent</i>	97.9		84.2		2025	10
<b>0.71</b>	Access to Parks	<i>percent</i>	85.3		59.6		2020	15
<b>0.47</b>	Workers who Walk to Work	<i>percent</i>	2.7		2.0	2.4	2019-2023	2

<b>SCORE</b>	<b>PREVENTION &amp; SAFETY</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.44</b>	Age-Adjusted Death Rate due to Firearms	<i>deaths/ 100,000 population</i>	20.2	10.7	13.5	12.0	2018-2020	6
<b>1.94</b>	Death Rate due to Drug Poisoning	<i>deaths/ 100,000 population</i>	45.5	20.7	44.7		2020-2022	10
<b>1.94</b>	Death Rate due to Injuries	<i>deaths/ 100,000 population</i>	111.0		100.7		2018-2022	10
<b>1.85</b>	Severe Housing Problems	<i>percent</i>	15.7		12.7		2017-2021	10
<b>1.65</b>	Age-Adjusted Death Rate due to Unintentional Poisonings	<i>deaths/ 100,000 population</i>	45.2		46.5		2020-2022	21
<b>1.35</b>	High School Students who Carried a Weapon on School Property	<i>percent</i>	2.0				2023	23
<b>1.35</b>	High School Students who Did Not Go to School Because They Felt Unsafe at School or on Their Way To or From School	<i>percent</i>	9.1				2023	23
<b>1.35</b>	High School Students who Drove After Drinking Alcohol	<i>percent</i>	3.2				2023	23
<b>1.35</b>	High School Students who Feel Like They Matter to People in Their Community	<i>percent</i>	48.4				2023	23
<b>1.35</b>	High School Students who had Been Stopped, Questioned, or Searched by Police	<i>percent</i>	15.3				2021	23
<b>1.35</b>	High School Students who had Mostly Negative or Negative Encounters With Police	<i>percent</i>	20.4				2021	23
<b>1.35</b>	High School Students who were Bullied on School Property	<i>percent</i>	13.6				2023	23

1.35	High School Students who were Ever Physically Forced to have Sexual Intercourse	percent	5.3			2023	23
1.35	High School Students who were in a Physical Fight	percent	23.3			2023	23
1.35	High School Students who were Physically Forced to Do Sexual Things by Someone They were Dating or Going Out With	percent	10.6			2023	23
1.35	High School Students who were Physically Injured by Someone They were Dating or Going Out With	percent	8.0			2023	23
1.35	High School Students who were Threatened or Injured with a Weapon on School Property	percent	7.4			2023	23
1.18	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	10.9	12.1		2020-2022	21
1.06	High School Students who Did Not Always Wear a Seatbelt	percent	50.7			2023	23
1.06	High School Students who Rode with a Driver who had been Drinking Alcohol	percent	14.4			2023	23
1.06	High School Students who Texted or E-mailed While Driving	percent	30.7			2023	23
1.06	High School Students who were Electronically Bullied	percent	11.9			2023	23
0.71	Death Rate due to Motor Vehicle Collisions	deaths/ 100,000 population	8.6	11.1		2016-2022	10

SCORE	RESPIRATORY DISEASES	UNITS	CUYAHOGA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
-------	----------------------	-------	-----------------	--------	----	------	--------------------	--------

<b>2.29</b>	Adults with Current Asthma	<i>percent</i>	11.8			9.9	2022	5
<b>2.29</b>	Proximity to Highways	<i>percent</i>	12.5		7.2		2020	15
<b>1.91</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	1.9	1.4	1.6	2.9	2023	17
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7.0		7.0	7.0	2023	7
<b>1.41</b>	Adults who Smoke	<i>percent</i>	16.6	6.1		12.9	2022	5
<b>1.41</b>	Adults with COPD	<i>Percent of adults</i>	8.2			6.8	2022	5
<b>1.06</b>	High School Students who Smoked Cigarettes: Past 30 Days	<i>percent</i>	1.3				2023	23
<b>1.06</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	61.7		64.3	53.1	2017-2021	13
<b>0.97</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>percent</i>	6.6		6.9	6.8	2024	8
<b>0.88</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	36.6	25.1	39.8	32.4	2018-2022	13
<b>0.82</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	10.5		12.3		2020-2022	21
<b>0.79</b>	COPD: Medicare Population	<i>percent</i>	11.0		13.0	11.0	2023	7
<b>0.53</b>	Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	<i>deaths/ 100,000 population</i>	33.2		42.8		2020-2022	21
<b>0.29</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>percent</i>	1.0		1.7	1.6	2024	8

<b>SCORE</b>	<b>SEXUALLY TRANSMITTED INFECTIONS</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.44</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	21.4		16.4	15.8	2023	17
<b>2.15</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	779.4		464.2	492.2	2023	17

<b>1.94</b>	High School Students who have Ever Been Taught About AIDS or HIV Infection in School	<i>percent</i>	64.4			2023	23
<b>1.94</b>	High School Students who were Ever Tested for HIV	<i>percent</i>	6.2			2023	23
<b>1.91</b>	Age-Adjusted Death Rate due to HIV	<i>deaths/ 100,000 population</i>	1.5	0.9		2020-2022	21
<b>1.85</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	334.3	168.8	179.5	2023	17

<b>SCORE</b>	<b>TOBACCO USE</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.68</b>	Cigarette Spending-to-Income Ratio	<i>percent</i>	2.2		2.2	1.9	2024	9
<b>1.41</b>	Adults who Smoke	<i>percent</i>	16.6	6.1		12.9	2022	5
<b>1.06</b>	High School Students who Smoked Cigarettes: Past 30 Days	<i>percent</i>	1.3				2023	23
<b>1.06</b>	High School Students who Use a Cigar Product	<i>percent</i>	3.1				2023	23
<b>1.06</b>	High School Students who Use an Electronic Vapor Product	<i>percent</i>	7.0				2023	23
<b>1.06</b>	High School Students who Use Hookah or Waterpipe	<i>percent</i>	1.7				2023	23
<b>1.06</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	61.7		64.3	53.1	2017-2021	13
<b>0.97</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>percent</i>	6.6		6.9	6.8	2024	8
<b>0.88</b>	Tobacco Use: Medicare Population	<i>percent</i>	6.0		7.0	6.0	2023	7
<b>0.29</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>percent</i>	1.0		1.7	1.6	2024	8

<b>SCORE</b>	<b>WEIGHT STATUS</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
1.94	Obesity: Medicare Population	percent	26.0		25.0	20.0	2023	7
1.65	High School Students who are Obese	percent	17.3				2023	23
1.35	High School Students who are Overweight	percent	15.7				2023	23
1.32	Adults 20+ Who Are Obese	percent	32.5	36.0			2021	6
1.32	Adults Happy with Weight	Percent	42.2		42.1	42.6	2024	8

<b>SCORE</b>	<b>WELLNESS &amp; LIFESTYLE</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
2.29	Self-Reported General Health Assessment: Good or Better	percent	84.2		85.4	86.0	2024	8
2.21	Adults who Frequently Cook Meals at Home	Percent	66.2		67.6	67.7	2024	8
1.76	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	Percent	39.6		38.1	38.2	2024	8
1.59	High Blood Pressure Prevalence	percent	36.7	41.9		32.7	2021	5
1.59	Insufficient Sleep	percent	37.7	26.7		36.0	2022	5
1.59	Self-Reported General Health Assessment: Poor or Fair	percent	20.1			17.9	2022	5
1.56	Poor Physical Health: Average Number of Days	days	4.4		4.3		2022	10
1.50	Adults who Feel Life is Slipping Out of Control	Percent	24.1		24.1	23.9	2024	8
1.35	High School Students who Obtained 8+ Hours of Sleep	percent	23.5				2023	23
1.32	Adults Happy with Weight	Percent	42.2		42.1	42.6	2024	8
1.24	Life Expectancy	years	75.4		75.2		2020-2022	10
1.24	Poor Physical Health: 14+ Days	percent	13.1			12.7	2022	5

<b>0.97</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	60.4	59.8	60.4	2024	8
-------------	---	----------------	------	------	------	------	---

<b>SCORE</b>	<b>WOMEN'S HEALTH</b>	<b>UNITS</b>	<b>CUYAHOGA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.00</b>	Breast Cancer Incidence Rate	<i>cases/ 100,000 females</i>	136.1		132.3	129.8	2017-2021	13
<b>1.76</b>	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	21.9	15.3	20.2	19.3	2018-2022	13
<b>0.88</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	83.2			82.8	2020	5
<b>0.88</b>	Mammogram in Past 2 Years: 50-74	<i>percent</i>	78.7	80.3		76.5	2022	5
<b>0.85</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	6.5		7.8	7.5	2017-2021	13
<b>0.62</b>	Mammography Screening: Medicare Population	<i>percent</i>	52.0		51.0	39.0	2023	7

## Lake County Indicators of Concern: Access to Healthcare

The topic *Health Care Access and Quality* was ranked as the sixteenth highest scoring health need, with a score of 1.12 out of 3. Those indicators scoring at or above 1.00 were categorized as indicators of concern.

SCORE	INDICATOR	UNITS	LAKE COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.35	Primary Care Provider Rate	<i>providers/100,000 population</i>	41.4	..	75.3	74.9			
2.21	Preventable Hospital Stays: Medicare Population	<i>discharges/100,000 Medicare enrollees</i>	3544.0	..	3269.0	2769.0			..
1.35	Health Insurance Spending-to-Income Ratio	<i>percent</i>	6.5	..	6.6	5.9			
1.32	Non-Physician Primary Care Provider Rate	<i>providers/100,000 population</i>	93.2	..	148.7				
1.29	Adults with Health Insurance: 18+	<i>percent</i>	76.9	..	74.7	75.2			
1.12	Dentist Rate	<i>dentists/100,000 population</i>	67.3	..	65.2	73.5			
1.06	Adults who have had a Routine Checkup	<i>percent</i>	79.1	..		76.1			..

## Lake County Indicators of Concern: Adult Health













The prioritized health topic *Adult Health* was captured under the following health topics: *Nutrition and Healthy Eating*, *Wellness and Lifestyle*, *Cancer*, *Diabetes*, *Heart Disease and Stroke*, *Other Chronic Conditions*, and *Older Adults*. The most concerning of these topics was *Other Chronic Conditions* (Score: 1.72), followed by *Older Adults* (1.51), *Heart Disease and Stroke* (1.45), *Cancer* (1.43), *Diabetes* (1.34), *Nutrition and Healthy Eating* (1.32), and the least concerning topic was *Wellness and Lifestyle* (1.30). Indicators from these seven topic areas which scored at or above 1.70 were categorized as indicators of concern.

SCORE	INDICATOR	UNITS	LAKE COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.82	People 65+ Living Alone	percent	30.9	..	30.2	26.5			
2.74	Cervical Cancer Incidence Rate	cases/100,000 females	10.6	..	7.8	7.5	..		
2.47	Age-Adjusted Death Rate due to Falls	deaths/100,000 population	21.1	..	12.1	..			
2.38	Osteoporosis: Medicare Population	percent	13.0	..	11.0	12.0			..
2.38	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	percent	40.0	..	39.0	36.0			..
2.35	Breast Cancer Incidence Rate	cases/100,000 females	141.9	..	132.3	129.8			
2.21	Hyperlipidemia: Medicare Population	percent	70.0	..	67.0	66.0			..
2.12	Adults with Cancer (Non-Skin) or Melanoma	percent	9.8	..	..	8.2			..
2.12	Prostate Cancer Incidence Rate	cases/100,000 males	114.2	..	118.1	113.2			
2.00	All Cancer Incidence Rate	cases/100,000 population	488.5	..	470.0	444.4			
1.94	Adults with Arthritis	percent	33.4	..	..	26.6			..

<b>1.94</b>	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	<i>deaths/100,000 population</i>	43.9	33.4	46.0	..			
<b>1.94</b>	People 65+ Living Alone (Count)	<i>people</i>	15103	..	..	..	..	..	
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	3438	..	..	..	..	..	
<b>1.85</b>	Adults who Frequently Cook Meals at Home	<i>Percent</i>	67.7	..	67.6	67.7			..
<b>1.85</b>	Stroke: Medicare Population	<i>percent</i>	6.0	..	5.0	6.0			..
<b>1.82</b>	Age-Adjusted Death Rate due to Prostate Cancer	<i>deaths/100,000 males</i>	19.7	16.9	19.3	19.0	..		
<b>1.76</b>	Adults who Experienced Coronary Heart Disease	<i>percent</i>	8.7	..	..	6.8			..
<b>1.76</b>	Insufficient Sleep	<i>percent</i>	38.9	26.7	..	36.0			..

## Lake County Indicators of Concern: Community Safety

The prioritized health topic *Community Safety* was captured under the two health topics *Prevention and Safety*, with a score of 1.23, and *Alcohol and Drug Use*, with a score of 1.56. Indicators from these two health and quality of life topic areas which scored at or above 1.50 were categorized as indicators of concern.

SCORE	INDICATOR	UNITS	LAKE COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.47	Age-Adjusted Death Rate due to Falls	<i>deaths/100,000 population</i>	21.1	..	12.1	..			
2.44	Alcohol-Impaired Driving Deaths	<i>percent of driving deaths with alcohol involvement</i>	50.0	..	32.1	..			
2.03	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	<i>Deaths per 100,000 population</i>	39.4	..	40.4	23.5			..
1.76	Death Rate due to Injuries	<i>deaths/100,000 population</i>	102.2	..	100.7	..			..
1.59	Adults who Binge Drink	<i>percent</i>	17.1	..	..	16.6			..

## Lake County All Indicator Scores by Topic Area

Below is a complete list of all indicators that were scored as part of the secondary data analysis. Indicators are grouped under their respective health and quality of life topic areas and include information about both the indicator data source and measurement period. Please refer to Table 26 below as a reference key for indicator data sources.

**Table 26: Indicator Scoring Data Source Key**

Key	Data Source
1	American Community Survey 1-Year
2	American Community Survey 5-Year
3	American Lung Association
4	Annie E. Casey Foundation
5	CDC - PLACES
6	Centers for Disease Control and Prevention
7	Centers for Medicare & Medicaid Services
8	Claritas Consumer Profiles
9	Claritas Consumer Spending Dynamix
10	County Health Rankings
11	Feeding America
12	National Cancer Institute
13	National Center for Education Statistics
14	National Environmental Public Health Tracking Network
15	Ohio Department of Education
16	Ohio Department of Health, Infectious Diseases
17	Ohio Department of Health, Vital Statistics
18	Ohio Department of Public Safety, Office of Criminal Justice Services
19	Ohio Public Health Information Warehouse
20	Ohio Secretary of State
21	Purdue Center for Regional Development
22	U.S. Bureau of Labor Statistics
23	U.S. Census - County Business Patterns
24	U.S. Census Bureau - Small Area Health Insurance Estimates
25	U.S. Environmental Protection Agency
26	United For ALICE

Table 27: All Lake County Secondary Data Indicators

SCORE	ALCOHOL & DRUG USE	UNITS	LAKE COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.44	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	50.0		32.1		2018-2022	10
2.03	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	Deaths per 100,000 population	39.4		40.4	23.5	2018-2020	6
1.59	Adults who Binge Drink	Percent	17.1			16.6	2022	5
1.38	Adults who Drink Excessively	Percent	19.8		21.2		2022	10
1.24	Death Rate due to Drug Poisoning	deaths/ 100,000 population	38.2	20.7	44.7		2020-2022	10
1.15	Liquor Store Density	stores/ 100,000 population	6.5		5.6	10.9	2022	23
1.09	Mothers who Smoked During Pregnancy	Percent	5.8	4.3	7.9	3.7	2022	17
SCORE	CANCER	UNITS	LAKE COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.74	Cervical Cancer Incidence Rate	cases/ 100,000 females	10.6		7.8	7.5	2017-2021	12
2.35	Breast Cancer Incidence Rate	cases/ 100,000 females	141.9		132.3	129.8	2017-2021	12
2.12	Adults with Cancer (Non-Skin) or Melanoma	percent	9.8			8.2	2022	5
2.12	Prostate Cancer Incidence Rate	cases/ 100,000 males	114.2		118.1	113.2	2017-2021	12
2.00	All Cancer Incidence Rate	cases/ 100,000 population	488.5		470.0	444.4	2017-2021	12

<b>1.82</b>	Age-Adjusted Death Rate due to Prostate Cancer	<i>deaths/ 100,000 males</i>	19.7	16.9	19.3	19.0	2018-2022	12
<b>1.53</b>	Age-Adjusted Death Rate due to Colorectal Cancer	<i>deaths/ 100,000 population</i>	14.3	8.9	13.9	12.9	2018-2022	12
<b>1.53</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	63.8		64.3	53.1	2017-2021	12
<b>1.50</b>	Cancer: Medicare Population	<i>percent</i>	12.0		12.0	12.0	2023	7
<b>1.32</b>	Oral Cavity and Pharynx Cancer Incidence Rate	<i>cases/ 100,000 population</i>	12.3		12.8	12.0	2017-2021	12
<b>0.97</b>	Mammography Screening: Medicare Population	<i>percent</i>	51.0		51.0	39.0	2023	7
<b>0.88</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	37.4	25.1	39.8	32.4	2018-2022	12
<b>0.88</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	82.8			82.8	2020	5
<b>0.88</b>	Colon Cancer Screening: USPSTF Recommendation	<i>percent</i>	67.4			66.3	2022	5
<b>0.88</b>	Mammogram in Past 2 Years: 50-74	<i>percent</i>	78.2	80.3		76.5	2022	5
<b>0.82</b>	Colorectal Cancer Incidence Rate	<i>cases/ 100,000 population</i>	35.3		38.9	36.4	2017-2021	12
<b>0.71</b>	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	18.2	15.3	20.2	19.3	2018-2022	12
<b>0.71</b>	Age-Adjusted Death Rate due to Cancer	<i>deaths/ 100,000 population</i>	155.3	122.7	161.1	146.0	2018-2022	12

<b>SCORE</b>	<b>CHILDREN'S HEALTH</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.06</b>	Child Care Centers	<i>per 1,000 population under age 5</i>	8.2		8.0	7.0	2022	10
<b>0.94</b>	Child Food Insecurity Rate	<i>percent</i>	16.2		20.1	18.4	2023	11

<b>0.91</b>	Children with Health Insurance	<i>percent</i>	97.8		95.1	94.6	2023	1
<b>0.82</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>percent</i>	0.6		1.9		2022	19
<b>0.82</b>	Substantiated Child Abuse Rate	<i>cases/ 1,000 children</i>	3.8	8.7	6.9		2021	4
<b>0.71</b>	Child Mortality Rate: Under 20	<i>deaths/ 100,000 population under 20</i>	39.2		59.2		2019-2022	10
<b>0.29</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	2.7		3.2	3.3	2025	9

<b>SCORE</b>	<b>COMMUNITY</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	People 65+ Living Alone	<i>percent</i>	30.9		30.2	26.5	2019-2023	2
<b>2.71</b>	Workers who Walk to Work	<i>percent</i>	1.1		2.0	2.4	2019-2023	2
<b>2.65</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>dollars</i>	620		570	612	2019-2023	2
<b>2.53</b>	Total Employment Change	<i>percent</i>	0.9		2.9	5.8	2021-2022	23
<b>2.44</b>	Alcohol-Impaired Driving Deaths	<i>percent of driving deaths with alcohol involvement</i>	50.0		32.1		2018-2022	10
<b>2.38</b>	Grandparents Who Are Responsible for Their Grandchildren	<i>percent</i>	42.4		41.3	32.0	2019-2023	2
<b>2.29</b>	Median Household Gross Rent	<i>dollars</i>	1073		988	1348	2019-2023	2
<b>2.26</b>	Social Associations	<i>membership associations/ 10,000 population</i>	8.5		10.8		2022	10

<b>2.06</b>	Youth not in School or Working	<i>percent</i>	2.2		1.7	1.7	2019-2023	2
<b>1.94</b>	Mortgaged Owners Median Monthly Household Costs	<i>dollars</i>	1472		1472	1902	2019-2023	2
<b>1.94</b>	People 65+ Living Alone (Count)	<i>people</i>	15103				2019-2023	2
<b>1.68</b>	Linguistic Isolation	<i>percent</i>	1.6		1.5	4.2	2019-2023	2
<b>1.65</b>	Children in Single-Parent Households	<i>percent</i>	24.7		26.1	24.8	2019-2023	2
<b>1.65</b>	Workers Commuting by Public Transportation	<i>percent</i>	0.6	5.3	1.1	3.5	2019-2023	2
<b>1.29</b>	Adults with Internet Access	<i>percent</i>	82.0		80.9	81.3	2024	8
<b>1.18</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	6.6		7.4	7.1	2025	9
<b>1.09</b>	Residential Segregation - Black/White	<i>Score</i>	53.0		69.6		2025	10
<b>1.06</b>	Workers who Drive Alone to Work	<i>percent</i>	77.9		76.6	70.2	2019-2023	2
<b>1.00</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	10.2		11.1	11.9	2025	9
<b>1.00</b>	Violent Crime Rate	<i>crimes/ 100,000 population</i>	140.9		331.0		2024	18
<b>1.00</b>	Voter Turnout: Presidential Election	<i>percent</i>	78.6	58.4	71.7		2024	20
<b>0.97</b>	Adults Who Vote in Presidential Elections: Always or Sometimes	<i>percent</i>	86.8		84.9	85.1	2024	8
<b>0.97</b>	Adults With Group Health Insurance	<i>percent</i>	39.5		37.4	39.8	2024	8
<b>0.97</b>	Digital Distress		1.0				2022	21
<b>0.97</b>	Social Vulnerability Index	<i>Score</i>	0.1				2022	6

<b>0.97</b>	Solo Drivers with a Long Commute	<i>percent</i>	31.3		30.5		2019-2023	10
<b>0.88</b>	People 25+ with a Bachelor's Degree or Higher	<i>percent</i>	30.5		30.9	35.0	2019-2023	2
<b>0.85</b>	Age-Adjusted Death Rate due to Firearms	<i>deaths/ 100,000 population</i>	7.7	10.7	13.5	12.0	2018-2020	6
<b>0.82</b>	Mean Travel Time to Work	<i>minutes</i>	23.3		23.6	26.6	2019-2023	2
<b>0.82</b>	Substantiated Child Abuse Rate	<i>cases/ 1,000 children</i>	3.8	8.7	6.9		2021	4
<b>0.79</b>	Adults With Individual Health Insurance	<i>percent</i>	22.0		20.5	20.2	2024	8
<b>0.74</b>	Persons with Health Insurance	<i>percent</i>	93.8	92.4	92.9		2022	24
<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	<i>deaths/ 100,000 population</i>	6.9		11.1		2016-2022	10
<b>0.71</b>	Households with a Smartphone	<i>percent</i>	88.3		87.5	88.2	2024	8
<b>0.65</b>	Female Population 16+ in Civilian Labor Force	<i>percent</i>	61.3		59.2	58.7	2019-2023	2
<b>0.65</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	3.0		3.3	3.1	2025	9
<b>0.65</b>	Households with a Computer	<i>percent</i>	87.5		85.2	86.0	2024	8
<b>0.59</b>	People Living Below Poverty Level	<i>percent</i>	8.2	8.0	13.2	12.4	2019-2023	2
<b>0.53</b>	Households with One or More Types of Computing Devices	<i>percent</i>	94.6		93.6	94.8	2019-2023	2
<b>0.53</b>	Per Capita Income	<i>dollars</i>	43197		39455	43289	2019-2023	2
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	65.9		53.4	50.0	2022	21
<b>0.44</b>	Digital Divide Index	<i>DDI Score</i>	15.0		40.1	50.0	2022	21

<b>0.35</b>	Households with an Internet Subscription	<i>percent</i>	91.9	89.0	89.9	2019-2023	2
<b>0.35</b>	Median Household Income	<i>dollars</i>	77952	69680	78538	2019-2023	2
<b>0.35</b>	People 25+ with a High School Diploma or Higher	<i>percent</i>	93.9	91.6	89.4	2019-2023	2
<b>0.35</b>	Persons with an Internet Subscription	<i>percent</i>	94.0	91.3	92.0	2019-2023	2
<b>0.35</b>	Population 16+ in Civilian Labor Force	<i>percent</i>	62.7	60.1	59.8	2019-2023	2
<b>0.29</b>	Children Living Below Poverty Level	<i>percent</i>	11.5	18.0	16.3	2019-2023	2
<b>0.29</b>	Young Children Living Below Poverty Level	<i>percent</i>	9.7	20.0	17.6	2019-2023	2

<b>SCORE</b>	<b>DIABETES</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.65</b>	Adults 20+ with Diabetes	<i>percent</i>	8.8				2021	6
<b>1.41</b>	Age-Adjusted Death Rate due to Diabetes	<i>deaths/ 100,000 population</i>	22.2		28.4		2020-2022	19
<b>0.97</b>	Diabetes: Medicare Population	<i>percent</i>	24.0		25.0	24.0	2023	7

<b>SCORE</b>	<b>ECONOMY</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.65</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>dollars</i>	620		570	612	2019-2023	2
<b>2.53</b>	Total Employment Change	<i>percent</i>	0.9		2.9	5.8	2021-2022	23
<b>2.29</b>	Median Household Gross Rent	<i>dollars</i>	1073		988	1348	2019-2023	2
<b>2.12</b>	Renters Spending 30% or More of Household Income on Rent	<i>percent</i>	46.0	25.5	45.1	50.4	2019-2023	2
<b>2.06</b>	Homeowner Spending-to-Income Ratio	<i>percent</i>	14.5		14.3	13.5	2025	9

<b>2.06</b>	Youth not in School or Working	<i>percent</i>	2.2	1.7	1.7	2019-2023	2
<b>1.94</b>	Mortgaged Owners Median Monthly Household Costs	<i>dollars</i>	1472	1472	1902	2019-2023	2
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	3438			2019-2023	2
<b>1.50</b>	Households that are Asset Limited, Income Constrained, Employed (ALICE)	<i>percent</i>	24.7	25.0	29.4	2023	26
<b>1.47</b>	Unemployed Workers in Civilian Labor Force	<i>percent</i>	4.9	5.4	4.5	April 2025	22
<b>1.35</b>	Health Insurance Spending-to-Income Ratio	<i>percent</i>	6.5	6.6	5.9	2025	9
<b>1.35</b>	Home Renter Spending-to-Income Ratio	<i>percent</i>	15.5	16.3	17.0	2025	9
<b>1.35</b>	Size of Labor Force	<i>persons</i>	124299			Apr-25	22
<b>1.26</b>	Children Living Below 200% of Poverty Level	<i>percent</i>	35.8	38.3	36.1	2023	1
<b>1.24</b>	Households with Cash Public Assistance Income	<i>percent</i>	2.1	2.5	2.7	2019-2023	2
<b>1.21</b>	Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	<i>percent</i>	65.5	61.5	58.0	2023	26
<b>1.18</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	6.6	7.4	7.1	2025	9
<b>1.18</b>	Households with Student Loan Debt	<i>percent</i>	8.8	9.1	9.8	2024	8
<b>1.09</b>	Gender Pay Gap	<i>cents on the dollar</i>	0.8	0.7	0.8	2023	1
<b>1.09</b>	Residential Segregation - Black/White	<i>Score</i>	53.0	69.6		2025	10

<b>1.03</b>	Families Living Below 200% of Poverty Level	<i>Percent</i>	19.3		22.8	22.3	2023	1
<b>1.03</b>	People 65+ Living Below 200% of Poverty Level	<i>percent</i>	23.2		28.4	28.1	2023	1
<b>1.03</b>	People Living Below 200% of Poverty Level	<i>percent</i>	24.8		29.6	28.2	2023	1
<b>1.00</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	10.2		11.1	11.9	2025	9
<b>1.00</b>	Cigarette Spending-to-Income Ratio	<i>percent</i>	2.0		2.1	1.9	2025	9
<b>1.00</b>	College Tuition Spending-to-Income Ratio	<i>percent</i>	11.2		12.6	11.9	2025	9
<b>1.00</b>	Utilities Spending-to-Income Ratio	<i>percent</i>	5.7		6.1	5.6	2025	9
<b>0.97</b>	Income Inequality		0.4		0.5	0.5	2019-2023	2
<b>0.94</b>	Child Food Insecurity Rate	<i>percent</i>	16.2		20.1	18.4	2023	11
<b>0.94</b>	Food Insecurity Rate	<i>percent</i>	13.4		15.3	14.5	2023	11
<b>0.88</b>	Mortgaged Owners Spending 30% or More of Household Income on Housing	<i>percent</i>	20.1	25.5	21.2	28.5	2023	1
<b>0.88</b>	People 65+ Living Below Poverty Level	<i>percent</i>	7.2		9.5	10.4	2019-2023	2
<b>0.88</b>	Unemployed Veterans	<i>percent</i>	2.7		2.8	3.2	2019-2023	2
<b>0.85</b>	Households Living Below Poverty Level	<i>percent</i>	9.8		13.5	12.7	2023	26
<b>0.82</b>	Households with a 401k Plan	<i>percent</i>	40.7		38.4	40.8	2024	8
<b>0.82</b>	Students Eligible for the Free Lunch Program	<i>percent</i>	24.6		23.6	43.6	2023-2024	13

<b>0.82</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	<i>percent</i>	1.4		1.6	1.5	2025	9
<b>0.79</b>	Adults who Feel Overwhelmed by Financial Burdens	<i>percent</i>	31.8		34.0	33.6	2024	8
<b>0.76</b>	Adults with Disability Living in Poverty	<i>percent</i>	21.2		28.2	24.6	2019-2023	2
<b>0.76</b>	Overcrowded Households	<i>percent</i>	1.2		1.4	3.4	2019-2023	2
<b>0.71</b>	Median Household Income: Householders 65+	<i>dollars</i>	54575		51608	57108	2019-2023	2
<b>0.65</b>	Female Population 16+ in Civilian Labor Force	<i>percent</i>	61.3		59.2	58.7	2019-2023	2
<b>0.65</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	3.0		3.3	3.1	2025	9
<b>0.65</b>	Households with a Savings Account	<i>percent</i>	74.2		70.9	72.0	2024	8
<b>0.59</b>	Families Living Below Poverty Level	<i>percent</i>	5.2		9.2	8.7	2019-2023	2
<b>0.59</b>	People Living Below Poverty Level	<i>percent</i>	8.2	8.0	13.2	12.4	2019-2023	2
<b>0.53</b>	Per Capita Income	<i>dollars</i>	43197		39455	43289	2019-2023	2
<b>0.44</b>	Severe Housing Problems	<i>percent</i>	9.5		12.7		2017-2021	10
<b>0.35</b>	Median Household Income	<i>dollars</i>	77952		69680	78538	2019-2023	2
<b>0.35</b>	Population 16+ in Civilian Labor Force	<i>percent</i>	62.7		60.1	59.8	2019-2023	2
<b>0.29</b>	Children Living Below Poverty Level	<i>percent</i>	11.5		18.0	16.3	2019-2023	2
<b>0.29</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	2.7		3.2	3.3	2025	9
<b>0.29</b>	Student Loan Spending-to-Income Ratio	<i>percent</i>	4.0		4.6	4.5	2025	9

<b>0.29</b>	Veterans Living Below Poverty Level	<i>percent</i>	3.8		7.4	7.2	2019-2023	2
<b>0.29</b>	Young Children Living Below Poverty Level	<i>percent</i>	9.7		20.0	17.6	2019-2023	2
<b>0.00</b>	Homeowner Vacancy Rate	<i>percent</i>	0.4		0.9	1.0	2019-2023	2

<b>SCORE</b>	<b>EDUCATION</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.53</b>	Student-to-Teacher Ratio	<i>students/ teacher</i>	18.0		16.6	15.2	2023-2024	13
<b>1.50</b>	High School Graduation	<i>percent</i>	93.6	90.7	92.5		2022-2023	15
<b>1.18</b>	4th Grade Students Proficient in English/Language Arts	<i>percent</i>	69.7		64.1		2023-2024	15
<b>1.18</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	6.6		7.4	7.1	2025	9
<b>1.06</b>	Child Care Centers	<i>per 1,000 population under age 5</i>	8.2		8.0	7.0	2022	10
<b>1.00</b>	4th Grade Students Proficient in Math	<i>percent</i>	75.1		67.2		2023-2024	15
<b>1.00</b>	8th Grade Students Proficient in English/Language Arts	<i>percent</i>	56.5		49.4		2023-2024	15
<b>1.00</b>	8th Grade Students Proficient in Math	<i>percent</i>	53.0		46.3		2023-2024	15
<b>1.00</b>	College Tuition Spending-to-Income Ratio	<i>percent</i>	11.2		12.6	11.9	2025	9
<b>0.88</b>	People 25+ with a Bachelor's Degree or Higher	<i>percent</i>	30.5		30.9	35.0	2019-2023	2
<b>0.82</b>	Veterans with a High School Diploma or Higher	<i>percent</i>	96.1		94.4	95.2	2019-2023	2

<b>0.82</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	<i>percent</i>	1.4	1.6	1.5	2025	9
<b>0.35</b>	People 25+ with a High School Diploma or Higher	<i>percent</i>	93.9	91.6	89.4	2019-2023	2
<b>0.29</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	2.7	3.2	3.3	2025	9
<b>0.29</b>	Student Loan Spending-to-Income Ratio	<i>percent</i>	4.0	4.6	4.5	2025	9

<b>SCORE</b>	<b>ENVIRONMENTAL HEALTH</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.94</b>	Proximity to Highways	<i>percent</i>	6.6		7.2		2020	14
<b>1.94</b>	Recognized Carcinogens Released into Air	<i>pounds</i>	80245.7				2023	25
<b>1.76</b>	Adults with Current Asthma	<i>percent</i>	10.9			9.9	2022	5
<b>1.65</b>	PBT Released	<i>pounds</i>	5767.3				2023	25
<b>1.65</b>	Weeks of Moderate Drought or Worse	<i>weeks per year</i>	5				2021	14
<b>1.59</b>	Annual Ozone Air Quality	<i>grade</i>	F				2021-2023	3
<b>1.56</b>	Annual Particle Pollution	<i>grade</i>	C				2021-2023	3
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7.0		7.0	7.0	2023	7
<b>1.47</b>	Daily Dose of UV Irradiance	<i>Joule per square meter</i>	3379.0		3384.0		2020	14
<b>1.35</b>	Number of Extreme Heat Days	<i>days</i>	9				2023	14
<b>1.35</b>	Number of Extreme Heat Events	<i>events</i>	8				2023	14
<b>1.21</b>	Food Environment Index		7.9		7.0		2025	10

<b>1.15</b>	Liquor Store Density	<i>stores/ 100,000 population</i>	6.5	5.6	10.9	2022	23
<b>1.00</b>	Utilities Spending-to-Income Ratio	<i>percent</i>	5.7	6.1	5.6	2025	9
<b>0.97</b>	Social Vulnerability Index	<i>Score</i>	0.1			2022	6
<b>0.88</b>	Access to Exercise Opportunities	<i>percent</i>	87.8	84.2		2025	10
<b>0.82</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>percent</i>	0.6	1.9		2022	19
<b>0.76</b>	Overcrowded Households	<i>percent</i>	1.2	1.4	3.4	2019-2023	2
<b>0.71</b>	Access to Parks	<i>percent</i>	70.6	59.6		2020	14
<b>0.65</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	3.0	3.3	3.1	2025	9
<b>0.65</b>	Houses Built Prior to 1950	<i>percent</i>	14.8	24.9	16.4	2019-2023	2
<b>0.56</b>	Air Pollution due to Particulate Matter	<i>micrograms per cubic meter</i>	6.2	7.9		2020	10
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	65.9	53.4	50.0	2022	21
<b>0.44</b>	Digital Divide Index	<i>DDI Score</i>	15.0	40.1	50.0	2022	21
<b>0.44</b>	Severe Housing Problems	<i>percent</i>	9.5	12.7		2017-2021	10

<b>SCORE</b>	<b>HEALTH CARE ACCESS &amp; QUALITY</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.35</b>	Primary Care Provider Rate	<i>providers/ 100,000 population</i>	41.4		75.3	74.9	2021	10
<b>2.21</b>	Preventable Hospital Stays: Medicare Population	<i>discharges/ 100,000 Medicare enrollees</i>	3544.0		3269.0	2769.0	2023	7
<b>1.35</b>	Health Insurance Spending-to-Income Ratio	<i>percent</i>	6.5		6.6	5.9	2025	9

<b>1.32</b>	Non-Physician Primary Care Provider Rate	<i>providers/ 100,000 population</i>	93.2	148.7		2024	10
<b>1.29</b>	Adults with Health Insurance: 18+	<i>percent</i>	76.9	74.7	75.2	2024	8
<b>1.12</b>	Dentist Rate	<i>dentists/ 100,000 population</i>	67.3	65.2	73.5	2022	10
<b>1.06</b>	Adults who have had a Routine Checkup	<i>percent</i>	79.1		76.1	2022	5
<b>0.97</b>	Adults who go to the Doctor Regularly for Checkups	<i>percent</i>	67.8	65.2	65.1	2024	8
<b>0.97</b>	Adults With Group Health Insurance	<i>percent</i>	39.5	37.4	39.8	2024	8
<b>0.94</b>	Adults who Visited a Dentist	<i>percent</i>	47.5	44.3	45.3	2024	8
<b>0.91</b>	Adults with Health Insurance	<i>percent</i>	93.8	91.6	89.0	2023	1
<b>0.91</b>	Children with Health Insurance	<i>percent</i>	97.8	95.1	94.6	2023	1
<b>0.82</b>	Persons without Health Insurance	<i>percent</i>	4.1	6.1	7.9	2023	1
<b>0.79</b>	Adults With Individual Health Insurance	<i>percent</i>	22.0	20.5	20.2	2024	8
<b>0.74</b>	Persons with Health Insurance	<i>percent</i>	93.8	92.4	92.9	2022	24
<b>0.71</b>	Adults without Health Insurance	<i>percent</i>	4.7		10.8	2022	5
<b>0.62</b>	Mental Health Provider Rate	<i>providers/ 100,000 population</i>	316.0	349.4		2024	10

<b>SCORE</b>	<b>HEART DISEASE &amp; STROKE</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.21</b>	Hyperlipidemia: Medicare Population	<i>percent</i>	70.0		67.0	66.0	2023	7

<b>1.94</b>	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	<i>deaths/ 100,000 population</i>	43.9	33.4	46.0		2020-2022	19
<b>1.85</b>	Stroke: Medicare Population	<i>percent</i>	6.0		5.0	6.0	2023	7
<b>1.76</b>	Adults who Experienced Coronary Heart Disease	<i>percent</i>	8.7			6.8	2022	5
<b>1.68</b>	Ischemic Heart Disease: Medicare Population	<i>percent</i>	23.0		22.0	21.0	2023	7
<b>1.59</b>	High Blood Pressure Prevalence	<i>percent</i>	36.2	41.9		32.7	2021	5
<b>1.41</b>	Adults who Experienced a Stroke	<i>percent</i>	3.9			3.6	2022	5
<b>1.41</b>	Adults who Have Taken Medications for High Blood Pressure	<i>percent</i>	80.2			78.2	2021	5
<b>1.35</b>	Age-Adjusted Death Rate due to Coronary Heart Disease	<i>deaths/ 100,000 population</i>	108.6	71.1	101.6		2020-2022	19
<b>1.32</b>	Atrial Fibrillation: Medicare Population	<i>percent</i>	15.0		15.0	14.0	2023	7
<b>1.32</b>	Heart Failure: Medicare Population	<i>percent</i>	12.0		12.0	11.0	2023	7
<b>1.24</b>	High Cholesterol Prevalence	<i>percent</i>	35.1			35.5	2021	5
<b>1.15</b>	Hypertension: Medicare Population	<i>percent</i>	67.0		67.0	65.0	2023	7
<b>0.88</b>	Cholesterol Test History	<i>percent</i>	86.9			86.4	2021	5
<b>0.71</b>	Age-Adjusted Death Rate due to Heart Attack	<i>deaths/ 100,000 population 35+ years</i>	43.9		60.9		2021	14

<b>SCORE</b>	<b>IMMUNIZATIONS &amp; INFECTIOUS DISEASES</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.74</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	10.6		7.8	7.5	2017-2021	12

<b>1.50</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	6.9		16.4	15.8	2023	16
<b>1.47</b>	Salmonella Infection Incidence Rate	<i>cases/ 100,000 population</i>	13.4	11.5	13.8		2023	16
<b>1.00</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	10.9		12.3		2020-2022	19
<b>0.97</b>	Pneumonia Vaccinations: Medicare Population	<i>percent</i>	9.0		9.0	9.0	2023	7
<b>0.91</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	55.2		168.8	179.5	2023	16
<b>0.79</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	62.8		59.8	60.4	2024	8
<b>0.76</b>	Overcrowded Households	<i>percent</i>	1.2		1.4	3.4	2019-2023	2
<b>0.62</b>	Flu Vaccinations: Medicare Population	<i>percent</i>	51.0		50.0	3.0	2023	7
<b>0.56</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	0.0	1.4	1.6	2.9	2023	16
<b>0.44</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	204.4		464.2	492.2	2023	16

<b>SCORE</b>	<b>MATERNAL, FETAL &amp; INFANT HEALTH</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.65</b>	Preterm Births	<i>percent</i>	10.6	9.4	10.8		2022	17
<b>1.26</b>	Mothers who Received Early Prenatal Care	<i>percent</i>	70.2		68.6	75.3	2022	17
<b>1.09</b>	Mothers who Smoked During Pregnancy	<i>percent</i>	5.8	4.3	7.9	3.7	2022	17
<b>1.03</b>	Babies with Low Birthweight	<i>percent</i>	7.6		8.7	8.6	2022	17
<b>1.00</b>	Babies with Very Low Birthweight	<i>percent</i>	1.0		1.5		2022	17
<b>0.88</b>	Infant Mortality Rate	<i>deaths/ 1,000 live births</i>	4.0	5.0	6.7	5.4	2020	17

<b>0.56</b>	Teen Birth Rate: 15-17	<i>live births/ 1,000 females aged 15-17</i>	1.2	6.1	5.6	2022	17
-------------	------------------------	--	-----	-----	-----	------	----

<b>SCORE</b>	<b>MENTAL HEALTH &amp; MENTAL DISORDERS</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.00</b>	Age-Adjusted Death Rate due to Suicide	<i>deaths/ 100,000 population</i>	16.8	12.8	14.5		2020-2022	19
<b>1.74</b>	Poor Mental Health: Average Number of Days	<i>days</i>	6.1		6.1		2022	10
<b>1.59</b>	Adults Ever Diagnosed with Depression	<i>percent</i>	24.7			20.7	2022	5
<b>1.59</b>	Poor Mental Health: 14+ Days	<i>percent</i>	17.7			15.8	2022	5
<b>1.32</b>	Depression: Medicare Population	<i>percent</i>	17.0		18.0	17.0	2023	7
<b>1.12</b>	Age-Adjusted Death Rate due to Alzheimer's Disease	<i>deaths/ 100,000 population</i>	26.4		33.8		2020-2022	19
<b>0.94</b>	Self-Reported General Health Assessment: Good or Better	<i>percent</i>	86.5		85.4	86.0	2024	8
<b>0.79</b>	Adults who Feel Life is Slipping Out of Control	<i>Percent</i>	22.7		24.1	23.9	2024	8
<b>0.62</b>	Alzheimer's Disease or Dementia: Medicare Population	<i>percent</i>	5.0		6.0	6.0	2023	7
<b>0.62</b>	Mental Health Provider Rate	<i>providers/ 100,000 population</i>	316.0		349.4		2024	10

<b>SCORE</b>	<b>NUTRITION &amp; HEALTHY EATING</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.85</b>	Adults who Frequently Cook Meals at Home	<i>Percent</i>	67.7		67.6	67.7	2024	8

<b>1.41</b>	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	<i>Percent</i>	37.6	38.1	38.2	2024	8
<b>1.21</b>	Food Environment Index		7.9	7.0		2025	10
<b>0.79</b>	Adults who Drank Soft Drinks: Past 7 Days	<i>percent</i>	45.7	48.6	47.5	2024	8

<b>SCORE</b>	<b>OLDER ADULTS</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	People 65+ Living Alone	<i>percent</i>	30.9		30.2	26.5	2019-2023	2
<b>2.47</b>	Age-Adjusted Death Rate due to Falls	<i>deaths/ 100,000 population</i>	21.1		12.1		2020-2022	19
<b>2.38</b>	Osteoporosis: Medicare Population	<i>percent</i>	13.0		11.0	12.0	2023	7
<b>2.38</b>	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	<i>percent</i>	40.0		39.0	36.0	2023	7
<b>2.21</b>	Hyperlipidemia: Medicare Population	<i>percent</i>	70.0		67.0	66.0	2023	7
<b>2.12</b>	Prostate Cancer Incidence Rate	<i>cases/ 100,000 males</i>	114.2		118.1	113.2	2017-2021	12
<b>1.94</b>	People 65+ Living Alone (Count)	<i>people</i>	15103				2019-2023	2
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	3438				2019-2023	2
<b>1.85</b>	Stroke: Medicare Population	<i>percent</i>	6.0		5.0	6.0	2023	7
<b>1.68</b>	Ischemic Heart Disease: Medicare Population	<i>percent</i>	23.0		22.0	21.0	2023	7
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7.0		7.0	7.0	2023	7
<b>1.50</b>	Cancer: Medicare Population	<i>percent</i>	12.0		12.0	12.0	2023	7
<b>1.32</b>	Atrial Fibrillation: Medicare Population	<i>percent</i>	15.0		15.0	14.0	2023	7

<b>1.32</b>	Depression: Medicare Population	<i>percent</i>	17.0	18.0	17.0	2023	7
<b>1.32</b>	Heart Failure: Medicare Population	<i>percent</i>	12.0	12.0	11.0	2023	7
<b>1.15</b>	COPD: Medicare Population	<i>percent</i>	12.0	13.0	11.0	2023	7
<b>1.15</b>	Hypertension: Medicare Population	<i>percent</i>	67.0	67.0	65.0	2023	7
<b>1.12</b>	Age-Adjusted Death Rate due to Alzheimer's Disease	<i>deaths/ 100,000 population</i>	26.4	33.8		2020-2022	19
<b>1.06</b>	Adults 65+ with Total Tooth Loss	<i>percent</i>	12.2		12.2	2022	5
<b>1.00</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	10.2	11.1	11.9	2025	9
<b>0.97</b>	Diabetes: Medicare Population	<i>percent</i>	24.0	25.0	24.0	2023	7
<b>0.97</b>	Mammography Screening: Medicare Population	<i>percent</i>	51.0	51.0	39.0	2023	7
<b>0.88</b>	People 65+ Living Below Poverty Level	<i>percent</i>	7.2	9.5	10.4	2019-2023	2
<b>0.79</b>	Chronic Kidney Disease: Medicare Population	<i>percent</i>	17.0	19.0	18.0	2023	7
<b>0.71</b>	Median Household Income: Householders 65+	<i>dollars</i>	54575	51608	57108	2019-2023	2
<b>0.62</b>	Alzheimer's Disease or Dementia: Medicare Population	<i>percent</i>	5.0	6.0	6.0	2023	7

<b>SCORE</b>	<b>ORAL HEALTH</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.32</b>	Oral Cavity and Pharynx Cancer Incidence Rate	<i>cases/ 100,000 population</i>	12.3		12.8	12.0	2017-2021	12
<b>1.12</b>	Dentist Rate	<i>dentists/ 100,000 population</i>	67.3		65.2	73.5	2022	10

<b>1.06</b>	Adults 65+ with Total Tooth Loss	<i>percent</i>	12.2			12.2	2022	5
<b>0.94</b>	Adults who Visited a Dentist	<i>percent</i>	47.5		44.3	45.3	2024	8

<b>SCORE</b>	<b>OTHER CHRONIC CONDITIONS</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.38</b>	Osteoporosis: Medicare Population	<i>percent</i>	13.0		11.0	12.0	2023	7
<b>2.38</b>	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	<i>percent</i>	40.0		39.0	36.0	2023	7
<b>1.94</b>	Adults with Arthritis	<i>percent</i>	33.4			26.6	2022	5
<b>1.12</b>	Age-Adjusted Death Rate due to Kidney Disease	<i>deaths/ 100,000 population</i>	11.0		15.1		2020-2022	19
<b>0.79</b>	Chronic Kidney Disease: Medicare Population	<i>percent</i>	17.0		19.0	18.0	2023	7

<b>SCORE</b>	<b>PHYSICAL ACTIVITY</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.71</b>	Workers who Walk to Work	<i>percent</i>	1.1		2.0	2.4	2019-2023	2
<b>1.47</b>	Adults 20+ Who Are Obese	<i>percent</i>	31.5	36.0			2021	6
<b>1.00</b>	Adults 20+ who are Sedentary	<i>percent</i>	17.6				2021	6
<b>0.88</b>	Access to Exercise Opportunities	<i>percent</i>	87.8		84.2		2025	10
<b>0.71</b>	Access to Parks	<i>percent</i>	70.6		59.6		2020	14

<b>SCORE</b>	<b>PREVENTION &amp; SAFETY</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.47</b>	Age-Adjusted Death Rate due to Falls	<i>deaths/ 100,000 population</i>	21.1		12.1		2020-2022	19

<b>1.76</b>	Death Rate due to Injuries	<i>deaths/ 100,000 population</i>	102.2		100.7		2018-2022	10
<b>1.24</b>	Death Rate due to Drug Poisoning	<i>deaths/ 100,000 population</i>	38.2	20.7	44.7		2020-2022	10
<b>1.15</b>	Age-Adjusted Death Rate due to Unintentional Poisonings	<i>deaths/ 100,000 population</i>	40.1		46.5		2020-2022	19
<b>0.85</b>	Age-Adjusted Death Rate due to Firearms	<i>deaths/ 100,000 population</i>	7.7	10.7	13.5	12.0	2018-2020	6
<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	<i>deaths/ 100,000 population</i>	6.9		11.1		2016-2022	10
<b>0.44</b>	Severe Housing Problems	<i>percent</i>	9.5		12.7		2017-2021	10

<b>SCORE</b>	<b>RESPIRATORY DISEASES</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.94</b>	Proximity to Highways	<i>percent</i>	6.6		7.2		2020	14
<b>1.76</b>	Adults with COPD	<i>Percent of adults</i>	9.5			6.8	2022	5
<b>1.76</b>	Adults with Current Asthma	<i>percent</i>	10.9			9.9	2022	5
<b>1.53</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	63.8		64.3	53.1	2017-2021	12
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7.0		7.0	7.0	2023	7
<b>1.41</b>	Adults who Smoke	<i>percent</i>	16.6	6.1		12.9	2022	5
<b>1.15</b>	COPD: Medicare Population	<i>percent</i>	12.0		13.0	11.0	2023	7
<b>1.00</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	10.9		12.3		2020-2022	19
<b>0.88</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	37.4	25.1	39.8	32.4	2018-2022	12
<b>0.56</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	0.0	1.4	1.6	2.9	2023	16

<b>0.53</b>	Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	<i>deaths/ 100,000 population</i>	32.2		42.8		2020-2022	19
<b>0.44</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>percent</i>	6.1		6.9	6.8	2024	8
<b>0.29</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>percent</i>	1.3		1.7	1.6	2024	8

<b>SCORE</b>	<b>SEXUALLY TRANSMITTED INFECTIONS</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.50</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	6.9		16.4	15.8	2023	16
<b>0.91</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	55.2		168.8	179.5	2023	16
<b>0.44</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	204.4		464.2	492.2	2023	16

<b>SCORE</b>	<b>TOBACCO USE</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.53</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	63.8		64.3	53.1	2017-2021	12
<b>1.41</b>	Adults who Smoke	<i>percent</i>	16.6	6.1		12.9	2022	5
<b>1.41</b>	Tobacco Use: Medicare Population	<i>percent</i>	7.0		7.0	6.0	2023	7
<b>1.00</b>	Cigarette Spending-to-Income Ratio	<i>percent</i>	2.0		2.1	1.9	2025	9
<b>0.44</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>percent</i>	6.1		6.9	6.8	2024	8
<b>0.29</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>percent</i>	1.3		1.7	1.6	2024	8

<b>SCORE</b>	<b>WEIGHT STATUS</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
--------------	----------------------	--------------	--------------------	---------------	-----------	-------------	---------------------------	---------------

<b>1.59</b>	Obesity: Medicare Population	<i>percent</i>	24.0		25.0	20.0	2023	7
<b>1.47</b>	Adults 20+ Who Are Obese	<i>percent</i>	31.5	36.0			2021	6
<b>1.32</b>	Adults Happy with Weight	<i>Percent</i>	42.4		42.1	42.6	2024	8

<b>SCORE</b>	<b>WELLNESS &amp; LIFESTYLE</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.85</b>	Adults who Frequently Cook Meals at Home	<i>Percent</i>	67.7		67.6	67.7	2024	8
<b>1.76</b>	Insufficient Sleep	<i>percent</i>	38.9	26.7		36.0	2022	5
<b>1.59</b>	High Blood Pressure Prevalence	<i>percent</i>	36.2	41.9		32.7	2021	5
<b>1.59</b>	Poor Physical Health: 14+ Days	<i>percent</i>	14.1			12.7	2022	5
<b>1.41</b>	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	<i>Percent</i>	37.6		38.1	38.2	2024	8
<b>1.32</b>	Adults Happy with Weight	<i>Percent</i>	42.4		42.1	42.6	2024	8
<b>1.24</b>	Self-Reported General Health Assessment: Poor or Fair	<i>percent</i>	18.1			17.9	2022	5
<b>1.21</b>	Poor Physical Health: Average Number of Days	<i>days</i>	4.1		4.3		2022	10
<b>1.06</b>	Life Expectancy	<i>years</i>	77.0		75.2		2020-2022	10
<b>0.94</b>	Self-Reported General Health Assessment: Good or Better	<i>percent</i>	86.5		85.4	86.0	2024	8
<b>0.79</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	62.8		59.8	60.4	2024	8
<b>0.79</b>	Adults who Feel Life is Slipping Out of Control	<i>Percent</i>	22.7		24.1	23.9	2024	8

<b>SCORE</b>	<b>WOMEN'S HEALTH</b>	<b>UNITS</b>	<b>LAKE COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.74</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	10.6		7.8	7.5	2017-2021	12
<b>2.35</b>	Breast Cancer Incidence Rate	<i>cases/ 100,000 females</i>	141.9		132.3	129.8	2017-2021	12
<b>0.97</b>	Mammography Screening: Medicare Population	<i>percent</i>	51.0		51.0	39.0	2023	7
<b>0.88</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	82.8			82.8	2020	5
<b>0.88</b>	Mammogram in Past 2 Years: 50-74	<i>percent</i>	78.2	80.3		76.5	2022	5
<b>0.71</b>	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	18.2	15.3	20.2	19.3	2018-2022	12

## Lorain County Indicators of Concern: Access to Healthcare

As shown below, the topic *Health Care Access and Quality* was ranked as the fourteenth highest scoring health need, with a score of 1.35 out of 3. Those indicators scoring at or above 1.50 were categorized as indicators of concern and are listed in the table below.

SCORE INDICATOR	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
<b>2.29</b> Primary Care Provider Rate	<i>providers/ 100,000 population</i>	51.6		75.3	74.9			
<b>2.03</b> Preventable Hospital Stays: Medicare Population	<i>discharges/ 100,000 Medicare enrollees</i>	3494		3269	2769			..
<b>1.85</b> Dentist Rate	<i>dentists/ 100,000 population</i>	49		65.2	73.5			
<b>1.71</b> Health Insurance Spending-to-Income Ratio	<i>Percent</i>	6.8		6.6	5.9			
<b>1.50</b> Adults With Group Health Insurance	<i>Percent</i>	37.3		37.4	39.8			..

## Lorain County Indicators of Concern: Adult Health

The prioritized health topic *Adult Health* was captured under the following health topics: *Nutrition and Healthy Eating*, *Wellness and Lifestyle*, *Cancer*, *Diabetes*, *Heart Disease and Stroke*, *Other Chronic Conditions*, and *Older Adults*. As seen below, the most concerning of these topics were *Other Chronic Conditions* (Score: 2.07), followed by *Older Adults* (1.76), *Heart Disease and Stroke* (1.65), *Wellness and Lifestyle* (1.49), *Nutrition and Healthy Eating* (1.49), *Cancer* (1.31), and the least concerning topic was *Diabetes* (1.27). Indicators from these seven topic areas which scored at or above 1.50 were categorized as indicators of concern and are listed in the table below.

SCORE	INDICATOR	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.82	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	14.6		10.8	9.8			
2.56	Chronic Kidney Disease: Medicare Population	percent	23		19	18			..
2.56	Ischemic Heart Disease: Medicare Population	percent	25		22	21			..
2.56	Stroke: Medicare Population	percent	7		5	6			..
2.53	Breast Cancer Incidence Rate	cases/ 100,000 females	142.9		132.3	129.8			
2.38	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	percent	42		39	36			..
2.35	Prostate Cancer Incidence Rate	cases/ 100,000 males	124.7		118.1	113.2			
2.35	Age-Adjusted Death Rate due to Breast Cancer	deaths/ 100,000 females	22	15.3	20.2	19.3			
2.21	Atrial Fibrillation: Medicare Population	percent	16		15	14			..
2.21	COPD: Medicare Population	percent	15		13	11			..

2.21	Hyperlipidemia: Medicare Population	percent	71		67	66			..
2.12	People 65+ Living Below Poverty Level	percent	10.3		9.5	10.4			
2.03	Adults who Frequently Cook Meals at Home	Percent	67.3		67.6	67.7			..
2.00	All Cancer Incidence Rate	cases/ 100,000 population	487.6		470	444.4			
2.00	People 65+ Living Alone	percent	29.9		30.2	26.5			
1.94	People 65+ Living Alone (Count)	people	18231				..	..	
1.94	People 65+ Living Below Poverty Level (Count)	people	6116				..	..	
1.94	High Blood Pressure Prevalence	percent	38.2	41.9		32.7			..
1.94	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	deaths/ 100,000 population	40.5	33.4	43.4	37.6			
1.85	Hypertension: Medicare Population	percent	70		67	65			..
1.85	Osteoporosis: Medicare Population	percent	12		11	12			..
1.85	Adults Happy with Weight	Percent	41.9		42.1	42.6			..
1.82	Age-Adjusted Death Rate due to Kidney Disease	deaths/ 100,000 population	14.2		14.2	12.8			
1.82	Oral Cavity and Pharynx Cancer Incidence Rate	cases/ 100,000 population	13.3		12.8	12			

1.76	Adults with Arthritis	<i>percent</i>	31.7		26.6			..
1.76	Adults who Experienced Coronary Heart Disease	<i>percent</i>	8.5		6.8			..
1.76	Self-Reported General Health Assessment: Poor or Fair	<i>percent</i>	20.7		17.9			..
1.76	Poor Physical Health: 14+ Days	<i>percent</i>	14.7		12.7			..
1.68	Depression: Medicare Population	<i>percent</i>	18	18	17			..
1.59	Adults with Cancer (Non-Skin) or Melanoma	<i>percent</i>	9.2		8.2			..
1.56	Food Environment Index		7.6	7				
1.50	Asthma: Medicare Population	<i>percent</i>	7	7	7			..
1.50	Cancer: Medicare Population	<i>percent</i>	12	12	12			..

## Lorain County Indicators of Concern: Community Safety

The prioritized health topic *Community Safety* was captured under the two health topics *Prevention and Safety*, with a score of 1.68, and *Alcohol and Drug Use*, with a score of 1.76. Indicators from these two health topic areas which scored at or above 1.50 were categorized as indicators of concern and are listed in the table below.

SCORE	INDICATOR	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.82	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	14.6	--	10.8	9.8			
2.35	Age-Adjusted Death Rate due to Unintentional Poisonings	deaths/ 100,000 population	42.1	--	40.5	23.5			
2.21	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	Deaths per 100,000 population	42.1		40.4	23.5			--
2.15	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	37.3		32.1				
2.09	Severe Housing Problems	percent	12.9	--	12.7	--			
1.94	Death Rate due to Drug Poisoning	deaths/ 100,000 population	45.5	20.7	44.7				--
1.76	Adults who Binge Drink	percent	18.1			16.6			--
1.76	Death Rate due to Injuries	deaths/ 100,000 population	101.7	--	100.7				--
1.74	Adults who Drink Excessively	percent	20.9		21.2				
1.71	Age-Adjusted Death Rate due to Unintentional Injuries	deaths/ 100,000 population	69.9	43.2	69.9	51.6			

## Lorain County All Indicator Scores by Topic Area

Below is a complete list of all indicators that were scored as part of the secondary data analysis. Indicators are grouped under their respective health and quality of life topic areas and include information about both the indicator data source and measurement period. Please refer to Table 28 below as a reference key for indicator data sources.

**Table 28: Indicator Scoring Data Source Key**

Key	Data Source
1	American Community Survey 1-Year
2	American Community Survey 5-Year
3	American Lung Association
4	Annie E. Casey Foundation
5	CDC - PLACES
6	Centers for Disease Control and Prevention
7	Centers for Medicare & Medicaid Services
8	Claritas Consumer Profiles
9	Claritas Consumer Spending Dynamix
10	County Health Rankings
11	Feeding America
12	National Cancer Institute
13	National Center for Education Statistics
14	National Environmental Public Health Tracking Network
15	Ohio Department of Education
16	Ohio Department of Health, Infectious Diseases
17	Ohio Department of Health, Vital Statistics
18	Ohio Department of Public Safety, Office of Criminal Justice Services
19	Ohio Public Health Information Warehouse
20	Ohio Secretary of State
21	Purdue Center for Regional Development
22	U.S. Bureau of Labor Statistics
23	U.S. Census - County Business Patterns
24	U.S. Census Bureau - Small Area Health Insurance Estimates
25	U.S. Environmental Protection Agency
26	United For ALICE

Table 29: All Lorain County Secondary Data Indicators

SCORE	ALCOHOL & DRUG USE	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.21	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	Deaths per 100,000 population	42.1		40.4	23.5	2018-2020	6
2.15	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	37.3		32.1		2018-2022	10
1.94	Death Rate due to Drug Poisoning	deaths/ 100,000 population	45.5	20.7	44.7		2020-2022	10
1.76	Adults who Binge Drink	Percent	18.1			16.6	2022	5
1.74	Adults who Drink Excessively	Percent	20.9		21.2		2022	10
1.32	Mothers who Smoked During Pregnancy	Percent	8.1	4.3	7.9	3.7	2022	17
1.18	Liquor Store Density	stores/ 100,000 population	7		5.6	10.9	2022	23
SCORE	CANCER	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.53	Breast Cancer Incidence Rate	cases/ 100,000 females	142.9		132.3	129.8	2017-2021	12
2.35	Age-Adjusted Death Rate due to Breast Cancer	deaths/ 100,000 females	22	15.3	20.2	19.3	2018-2022	12
2.35	Prostate Cancer Incidence Rate	cases/ 100,000 males	124.7		118.1	113.2	2017-2021	12
2.00	All Cancer Incidence Rate	cases/ 100,000 population	487.6		470	444.4	2017-2021	12
1.82	Oral Cavity and Pharynx Cancer Incidence Rate	cases/ 100,000 population	13.3		12.8	12	2017-2021	12
1.59	Adults with Cancer (Non-Skin) or Melanoma	Percent	9.2			8.2	2022	5
1.50	Cancer: Medicare Population	Percent	12		12	12	2023	7
1.41	Colon Cancer Screening: USPSTF Recommendation	Percent	65.4			66.3	2022	5

1.41	Mammogram in Past 2 Years: 50-74	Percent	74.4	80.3	76.5	2022	5	
1.24	Cervical Cancer Screening: 21-65	Percent	82.4		82.8	2020	5	
1.06	Lung and Bronchus Cancer Incidence Rate	cases/ 100,000 population	61.6	64.3	53.1	2017-2021	12	
1.00	Colorectal Cancer Incidence Rate	cases/ 100,000 population	37.3	38.9	36.4	2017-2021	12	
0.91	Cervical Cancer Incidence Rate	cases/ 100,000 females	6.8	7.8	7.5	2017-2021	12	
0.71	Age-Adjusted Death Rate due to Cancer	deaths/ 100,000 population	158.4	122.7	161.1	146	2018-2022	12
0.71	Age-Adjusted Death Rate due to Lung Cancer	deaths/ 100,000 population	35.8	25.1	39.8	32.4	2018-2022	12
0.62	Mammography Screening: Medicare Population	Percent	53	51	39	2023	7	
0.29	Age-Adjusted Death Rate due to Prostate Cancer	deaths/ 100,000 males	16.3	16.9	19.3	19	2018-2022	12
0.00	Age-Adjusted Death Rate due to Colorectal Cancer	deaths/ 100,000 population	11.4	8.9	13.9	12.9	2018-2022	12

SCORE	CHILDREN'S HEALTH	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
1.47	Child Food Insecurity Rate	Percent	19.3		20.1	18.4	2023	11
1.47	Substantiated Child Abuse Rate	cases/ 1,000 children	6.6	8.7	6.9		2021	4
1.41	Child Care Centers	per 1,000 population under age 5	7.8		8	7	2022	10
1.06	Child Mortality Rate: Under 20	deaths/ 100,000 population under 20	51		59.2		2019-2022	10
1.00	Blood Lead Levels in Children (>=10 micrograms per deciliter)	Percent	0.1		0.5		2022	19
1.00	Blood Lead Levels in Children (>=5 micrograms per deciliter)	Percent	0.9		1.9		2022	19

<b>1.00</b>	Home Child Care Spending-to-Income Ratio	Percent	3.1		3.2	3.3	2025	9
<b>0.91</b>	Children with Health Insurance	Percent	98.1		95.1	94.6	2023	1
<b>SCORE</b>	<b>COMMUNITY</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.71</b>	Children in Single-Parent Households	Percent	29.2		26.1	24.8	2019-2023	2
<b>2.65</b>	Median Monthly Owner Costs for Households without a Mortgage	Dollars	615		570	612	2019-2023	2
<b>2.35</b>	Workers who Walk to Work	Percent	1.6		2	2.4	2019-2023	2
<b>2.15</b>	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	37.3		32.1		2018-2022	10
<b>2.12</b>	Mortgaged Owners Median Monthly Household Costs	Dollars	1495		1472	1902	2019-2023	2
<b>2.09</b>	Social Associations	membership associations/10,000 population	9.5		10.8		2022	10
<b>2.09</b>	Solo Drivers with a Long Commute	Percent	37.1		30.5		2019-2023	10
<b>2.06</b>	Young Children Living Below Poverty Level	Percent	23.3		20	17.6	2019-2023	2
<b>2.00</b>	Adults with Internet Access	Percent	80.8		80.9	81.3	2024	8
<b>2.00</b>	Linguistic Isolation	Percent	1.7		1.5	4.2	2019-2023	2
<b>2.00</b>	People 65+ Living Alone	Percent	29.9		30.2	26.5	2019-2023	2
<b>2.00</b>	Workers Commuting by Public Transportation	Percent	0.4	5.3	1.1	3.5	2019-2023	2
<b>1.94</b>	People 65+ Living Alone (Count)	People	18231				2019-2023	2
<b>1.88</b>	Children Living Below Poverty Level	Percent	18.8		18	16.3	2019-2023	2
<b>1.82</b>	Mean Travel Time to Work	Minutes	25.4		23.6	26.6	2019-2023	2
<b>1.76</b>	Median Household Gross Rent	Dollars	916		988	1348	2019-2023	2

1.74	Grandparents Who Are Responsible for Their Grandchildren	Percent	40.8		41.3	32	2019-2023	2
1.71	Day Care Center and Preschool Spending-to-Income Ratio	Percent	7.2		7.4	7.1	2025	9
1.68	Age-Adjusted Death Rate due to Homicide	deaths/ 100,000 population	6.9	5.5	9		2020-2022	19
1.50	Adults With Group Health Insurance	Percent	37.3		37.4	39.8	2024	8
1.50	Social Vulnerability Index	Score	0.4				2022	6
1.47	Substantiated Child Abuse Rate	cases/ 1,000 children	6.6	8.7	6.9		2021	4
1.44	Persons with Health Insurance	Percent	92.7	92.4	92.9		2022	24
1.41	Households with an Internet Subscription	Percent	86.9		89	89.9	2019-2023	2
1.41	Workers who Drive Alone to Work	Percent	78.6		76.6	70.2	2019-2023	2
1.38	Residential Segregation - Black/White	Score	58.9		69.6		2025	10
1.35	Adult Day Care Spending-to-Income Ratio	Percent	11		11.1	11.9	2025	9
1.35	Female Population 16+ in Civilian Labor Force	Percent	57.5		59.2	58.7	2019-2023	2
1.35	Violent Crime Rate	crimes/ 100,000 population	233		331		2024	18
1.32	Adults Who Vote in Presidential Elections: Always or Sometimes	Percent	85.7		84.9	85.1	2024	8
1.24	People 25+ with a Bachelor's Degree or Higher	Percent	27.9		30.9	35	2019-2023	2
1.24	Persons with an Internet Subscription	Percent	89.4		91.3	92	2019-2023	2
1.24	Population 16+ in Civilian Labor Force	Percent	58		60.1	59.8	2019-2023	2
1.18	Gasoline and Other Fuels Spending-to-Income Ratio	Percent	3.3		3.3	3.1	2025	9
1.18	Households with a Computer	Percent	85.8		85.2	86	2024	8

<b>1.18</b>	People Living Below Poverty Level	Percent	12.8	8	13.2	12.4	2019-2023	2
<b>1.06</b>	Households with a Smartphone	Percent	87.1		87.5	88.2	2024	8
<b>1.06</b>	Voter Turnout: Presidential Election	Percent	72.7	58.4	71.7		2024	20
<b>1.06</b>	Youth not in School or Working	Percent	1.7		1.7	1.7	2019-2023	2
<b>0.97</b>	Digital Distress		1				2022	21
<b>0.97</b>	Total Employment Change	Percent	5.5		2.9	5.8	2021-2022	23
<b>0.91</b>	Age-Adjusted Death Rate due to Firearms	deaths/ 100,000 population	11.1	10.7	13.5	12	2018-2020	6
<b>0.88</b>	Median Household Income	Dollars	70693		69680	78538	2019-2023	2
<b>0.88</b>	People 25+ with a High School Diploma or Higher	Percent	91.5		91.6	89.4	2019-2023	2
<b>0.82</b>	Age-Adjusted Death Rate due to Motor Vehicle Collisions	deaths/ 100,000 population	2.1		2.7	2.6	2016-2020	6
<b>0.79</b>	Adults With Individual Health Insurance	Percent	20.9		20.5	20.2	2024	8
<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	deaths/ 100,000 population	9.3		11.1		2016-2022	10
<b>0.71</b>	Households with One or More Types of Computing Devices	Percent	94.4		93.6	94.8	2019-2023	2
<b>0.62</b>	Digital Divide Index	DDI Score	16.7		40.1	50	2022	21
<b>0.53</b>	Per Capita Income	Dollars	39638		39455	43289	2019-2023	2
<b>0.44</b>	Broadband Quality Score	BQS Score	66.7		53.4	50	2022	21

<b>SCORE</b>	<b>DIABETES</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.41</b>	Age-Adjusted Death Rate due to Diabetes	deaths/ 100,000 population	22.8		26.4	22.6	2018-2020	6
<b>1.24</b>	Adults 20+ with Diabetes	Percent	9.6				2021	6
<b>1.15</b>	Diabetes: Medicare Population	Percent	25		25	24	2023	7

<b>SCORE</b>	<b>ECONOMY</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
--------------	----------------	--------------	----------------------	---------------	-----------	-------------	---------------------------	---------------

<b>2.65</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>Dollars</i>	615	570	612	2019-2023	2
<b>2.41</b>	Households with Cash Public Assistance Income	<i>Percent</i>	3.1	2.5	2.7	2019-2023	2
<b>2.24</b>	Homeowner Spending-to-Income Ratio	<i>Percent</i>	15	14.3	13.5	2025	9
<b>2.12</b>	Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	<i>Percent</i>	59.9	61		2022	26
<b>2.12</b>	Households that are Asset Limited, Income Constrained, Employed (ALICE)	<i>Percent</i>	27.1	25		2022	26
<b>2.12</b>	Mortgaged Owners Median Monthly Household Costs	<i>Dollars</i>	1495	1472	1902	2019-2023	2
<b>2.12</b>	People 65+ Living Below Poverty Level	<i>Percent</i>	10.3	9.5	10.4	2019-2023	2
<b>2.09</b>	Severe Housing Problems	<i>Percent</i>	12.9	12.7		2017-2021	10
<b>2.06</b>	Young Children Living Below Poverty Level	<i>Percent</i>	23.3	20	17.6	2019-2023	2
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	<i>People</i>	6116			2019-2023	2
<b>1.88</b>	Children Living Below Poverty Level	<i>Percent</i>	18.8	18	16.3	2019-2023	2
<b>1.88</b>	Unemployed Veterans	<i>Percent</i>	3.5	2.8	3.2	2019-2023	2
<b>1.85</b>	Income Inequality		0.5	0.5	0.5	2019-2023	2
<b>1.82</b>	Food Insecurity Rate	<i>Percent</i>	15.4	15.3	14.5	2023	11
<b>1.76</b>	Median Household Gross Rent	<i>Dollars</i>	916	988	1348	2019-2023	2
<b>1.71</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>Percent</i>	7.2	7.4	7.1	2025	9
<b>1.71</b>	Health Insurance Spending-to-Income Ratio	<i>Percent</i>	6.8	6.6	5.9	2025	9
<b>1.68</b>	Households Spending 50% or More of Household Income on Housing	<i>Percent</i>	12.1	11.5	14.3	2019-2023	2

<b>1.53</b>	Cigarette Spending-to-Income Ratio	Percent	2.1		2.1	1.9	2025	9
<b>1.53</b>	College Tuition Spending-to-Income Ratio	Percent	12.3		12.6	11.9	2025	9
<b>1.53</b>	Renters Spending 30% or More of Household Income on Rent	Percent	46.3	25.5	45.1	50.4	2019-2023	2
<b>1.53</b>	Utilities Spending-to-Income Ratio	Percent	6.2		6.1	5.6	2025	9
<b>1.47</b>	Child Food Insecurity Rate	Percent	19.3		20.1	18.4	2023	11
<b>1.38</b>	Residential Segregation - Black/White	Score	58.9		69.6		2025	10
<b>1.35</b>	Adult Day Care Spending-to-Income Ratio	Percent	11		11.1	11.9	2025	9
<b>1.35</b>	Families Living Below Poverty Level	Percent	9.1		9.2	8.7	2019-2023	2
<b>1.35</b>	Female Population 16+ in Civilian Labor Force	Percent	57.5		59.2	58.7	2019-2023	2
<b>1.35</b>	Home Renter Spending-to-Income Ratio	Percent	15.6		16.3	17	2025	9
<b>1.35</b>	Households with a 401k Plan	Percent	38.2		38.4	40.8	2024	8
<b>1.35</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	Percent	1.6		1.6	1.5	2025	9
<b>1.29</b>	Unemployed Workers in Civilian Labor Force	Percent	4.5		5.2	4.2	45717	22
<b>1.24</b>	Population 16+ in Civilian Labor Force	Percent	58		60.1	59.8	2019-2023	2
<b>1.18</b>	Gasoline and Other Fuels Spending-to-Income Ratio	Percent	3.3		3.3	3.1	2025	9
<b>1.18</b>	Households Living Below Poverty Level	Percent	13		14		2022	26
<b>1.18</b>	Households with a Savings Account	Percent	71.5		70.9	72	2024	8
<b>1.18</b>	People Living Below Poverty Level	Percent	12.8	8	13.2	12.4	2019-2023	2
<b>1.18</b>	Student Loan Spending-to-Income Ratio	Percent	4.4		4.6	4.5	2025	9

<b>1.09</b>	Gender Pay Gap	<i>cents on the dollar</i>	0.8		0.7	0.8	2023	1
<b>1.06</b>	Children Living Below 200% of Poverty Level	<i>Percent</i>	32.6		38.3	36.1	2023	1
<b>1.06</b>	Size of Labor Force	<i>Persons</i>	156358				45717	22
<b>1.06</b>	Youth not in School or Working	<i>Percent</i>	1.7		1.7	1.7	2019-2023	2
<b>1.03</b>	Mortgaged Owners Spending 30% or More of Household Income on Housing	<i>Percent</i>	20.5	25.5	21.2	28.5	2023	1
<b>1.00</b>	Home Child Care Spending-to-Income Ratio	<i>Percent</i>	3.1		3.2	3.3	2025	9
<b>1.00</b>	Veterans Living Below Poverty Level	<i>Percent</i>	7.1		7.4	7.2	2019-2023	2
<b>0.97</b>	Total Employment Change	<i>Percent</i>	5.5		2.9	5.8	2021-2022	23
<b>0.94</b>	Students Eligible for the Free Lunch Program	<i>Percent</i>	24.4		23.6	43.6	2023-2024	13
<b>0.88</b>	Households with Student Loan Debt	<i>Percent</i>	8.3		9.1	9.8	2024	8
<b>0.88</b>	Median Household Income	<i>Dollars</i>	70693		69680	78538	2019-2023	2
<b>0.88</b>	Median Household Income: Householders 65+	<i>Dollars</i>	52950		51608	57108	2019-2023	2
<b>0.79</b>	Adults who Feel Overwhelmed by Financial Burdens	<i>Percent</i>	32.7		34	33.6	2024	8
<b>0.76</b>	Overcrowded Households	<i>Percent</i>	1.2		1.4	3.4	2019-2023	2
<b>0.74</b>	Families Living Below 200% of Poverty Level	<i>Percent</i>	19.1		22.8	22.3	2023	1
<b>0.74</b>	People 65+ Living Below 200% of Poverty Level	<i>Percent</i>	23.9		28.4	28.1	2023	1
<b>0.74</b>	People Living Below 200% of Poverty Level	<i>Percent</i>	24.8		29.6	28.2	2023	1
<b>0.53</b>	Adults with Disability Living in Poverty	<i>Percent</i>	24.5		28.2	24.6	2019-2023	2
<b>0.53</b>	Per Capita Income	<i>Dollars</i>	39638		39455	43289	2019-2023	2
<b>0.35</b>	Homeowner Vacancy Rate	<i>Percent</i>	0.8		0.9	1	2019-2023	2
<b>0.18</b>	Households that Used Check Cashing, Cash Advance, or Title Loan Shops	<i>Percent</i>	1.8		2	2	2024	8

SCORE	EDUCATION	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.35	Student-to-Teacher Ratio	students/ teacher	17.1		16.6	15.2	2023-2024	13
1.85	High School Graduation	Percent	90.8	90.7	92.5		2022-2023	15
1.71	Day Care Center and Preschool Spending-to-Income Ratio	Percent	7.2		7.4	7.1	2025	9
1.53	4th Grade Students Proficient in English/Language Arts	Percent	63		64.1		2023-2024	15
1.53	College Tuition Spending-to-Income Ratio	Percent	12.3		12.6	11.9	2025	9
1.41	4th Grade Students Proficient in Math	Percent	67.1		67.2		2023-2024	15
1.41	Child Care Centers	per 1,000 population under age 5	7.8		8	7	2022	10
1.35	8th Grade Students Proficient in Math	Percent	46.9		46.3		2023-2024	15
1.35	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	Percent	1.6		1.6	1.5	2025	9
1.32	8th Grade Students Proficient in English/Language Arts	Percent	52		49.4		2023-2024	15
1.24	People 25+ with a Bachelor's Degree or Higher	Percent	27.9		30.9	35	2019-2023	2
1.24	Veterans with a High School Diploma or Higher	Percent	94.2		94.4	95.2	2019-2023	2
1.18	Student Loan Spending-to-Income Ratio	Percent	4.4		4.6	4.5	2025	9
1.00	Home Child Care Spending-to-Income Ratio	Percent	3.1		3.2	3.3	2025	9
0.88	People 25+ with a High School Diploma or Higher	Percent	91.5		91.6	89.4	2019-2023	2
SCORE	ENVIRONMENTAL HEALTH	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source

<b>2.29</b>	Daily Dose of UV Irradiance	<i>Joule per square meter</i>	3701	3384		2020	14
<b>2.12</b>	Proximity to Highways	<i>Percent</i>	7.7	7.2		2020	14
<b>2.09</b>	Severe Housing Problems	<i>Percent</i>	12.9	12.7		2017-2021	10
<b>1.76</b>	Adults with Current Asthma	<i>Percent</i>	11		9.9	2022	5
<b>1.65</b>	Weeks of Moderate Drought or Worse	<i>weeks per year</i>	2			2021	14
<b>1.56</b>	Annual Particle Pollution	<i>Grade</i>	B			2019-2021	3
<b>1.56</b>	Food Environment Index		7.6	7		2025	10
<b>1.53</b>	Utilities Spending-to-Income Ratio	<i>Percent</i>	6.2	6.1	5.6	2025	9
<b>1.50</b>	Asthma: Medicare Population	<i>Percent</i>	7	7	7	2023	7
<b>1.50</b>	Social Vulnerability Index	<i>Score</i>	0.4			2022	6
<b>1.35</b>	Number of Extreme Heat Days	<i>Days</i>	12			2023	14
<b>1.35</b>	Number of Extreme Heat Events	<i>Events</i>	7			2023	14
<b>1.35</b>	PBT Released	<i>Pounds</i>	4376.6			2023	25
<b>1.35</b>	Recognized Carcinogens Released into Air	<i>Pounds</i>	2437.3			2023	25
<b>1.26</b>	Annual Ozone Air Quality	<i>Grade</i>	B			2020-2022	3
<b>1.18</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>Percent</i>	3.3	3.3	3.1	2025	9
<b>1.18</b>	Liquor Store Density	<i>stores/ 100,000 population</i>	7	5.6	10.9	2022	23
<b>1.06</b>	Number of Extreme Precipitation Days	<i>Days</i>	3			2023	14
<b>1.00</b>	Blood Lead Levels in Children (>=10 micrograms per deciliter)	<i>Percent</i>	0.1	0.5		2022	19
<b>1.00</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>Percent</i>	0.9	1.9		2022	19
<b>0.88</b>	Access to Parks	<i>Percent</i>	61.7	59.6		2020	14
<b>0.88</b>	Houses Built Prior to 1950	<i>Percent</i>	19.5	24.9	16.4	2019-2023	2
<b>0.76</b>	Overcrowded Households	<i>Percent</i>	1.2	1.4	3.4	2019-2023	2

<b>0.74</b>	Air Pollution due to Particulate Matter	<i>micrograms per cubic meter</i>	6.8	7.9		2020	10
<b>0.71</b>	Access to Exercise Opportunities	<i>Percent</i>	95	84.2		2025	10
<b>0.62</b>	Digital Divide Index	<i>DDI Score</i>	16.7	40.1	50	2022	21
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	66.7	53.4	50	2022	21

<b>SCORE</b>	<b>HEALTH CARE ACCESS &amp; QUALITY</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.29</b>	Primary Care Provider Rate	<i>providers/ 100,000 population</i>	51.6		75.3	74.9	2021	10
<b>2.03</b>	Preventable Hospital Stays: Medicare Population	<i>discharges/ 100,000 Medicare enrollees</i>	3494		3269	2769	2023	7
<b>1.85</b>	Dentist Rate	<i>dentists/ 100,000 population</i>	49		65.2	73.5	2022	10
<b>1.71</b>	Health Insurance Spending-to-Income Ratio	<i>Percent</i>	6.8		6.6	5.9	2025	9
<b>1.50</b>	Adults With Group Health Insurance	<i>Percent</i>	37.3		37.4	39.8	2024	8
<b>1.47</b>	Adults with Health Insurance: 18+	<i>Percent</i>	75.3		74.7	75.2	2024	8
<b>1.44</b>	Persons with Health Insurance	<i>Percent</i>	92.7	92.4	92.9		2022	24
<b>1.32</b>	Adults who go to the Doctor Regularly for Checkups	<i>Percent</i>	66.4		65.2	65.1	2024	8
<b>1.32</b>	Non-Physician Primary Care Provider Rate	<i>providers/ 100,000 population</i>	92.2		148.7		2024	10
<b>1.29</b>	Adults who Visited a Dentist	<i>Percent</i>	45.6		44.3	45.3	2024	8
<b>1.24</b>	Adults without Health Insurance	<i>Percent</i>	6.3			10.8	2022	5
<b>1.15</b>	Mental Health Provider Rate	<i>providers/ 100,000 population</i>	224		349.4		2024	10

<b>1.09</b>	Adults with Health Insurance	Percent	93.2	91.6	89	2023	1
<b>0.91</b>	Children with Health Insurance	Percent	98.1	95.1	94.6	2023	1
<b>0.88</b>	Adults who have had a Routine Checkup	Percent	79.6		76.1	2022	5
<b>0.79</b>	Adults With Individual Health Insurance	Percent	20.9	20.5	20.2	2024	8
<b>0.74</b>	Persons without Health Insurance	Percent	5.3	6.4	8.6	2019-2023	2

<b>SCORE</b>	<b>HEART DISEASE &amp; STROKE</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.56</b>	Ischemic Heart Disease: Medicare Population	Percent	25		22	21	2023	7
<b>2.56</b>	Stroke: Medicare Population	Percent	7		5	6	2023	7
<b>2.21</b>	Atrial Fibrillation: Medicare Population	Percent	16		15	14	2023	7
<b>2.21</b>	Hyperlipidemia: Medicare Population	Percent	71		67	66	2023	7
<b>1.94</b>	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	deaths/ 100,000 population	40.5	33.4	43.4	37.6	2018-2020	6
<b>1.94</b>	High Blood Pressure Prevalence	Percent	38.2	41.9		32.7	2021	5
<b>1.85</b>	Hypertension: Medicare Population	Percent	70		67	65	2023	7
<b>1.76</b>	Adults who Experienced Coronary Heart Disease	Percent	8.5			6.8	2022	5
<b>1.41</b>	Adults who Experienced a Stroke	Percent	3.9			3.6	2022	5
<b>1.41</b>	High Cholesterol Prevalence	Percent	35.6			35.5	2021	5
<b>1.32</b>	Heart Failure: Medicare Population	Percent	12		12	11	2023	7
<b>1.24</b>	Adults who Have Taken Medications for High Blood Pressure	Percent	81.3			78.2	2021	5
<b>1.24</b>	Cholesterol Test History	Percent	85.3			86.4	2021	5

<b>0.71</b>	Age-Adjusted Death Rate due to Heart Attack	<i>deaths/ 100,000 population 35+ years</i>	42.5		60.9		2021	14
<b>0.35</b>	Age-Adjusted Death Rate due to Coronary Heart Disease	<i>deaths/ 100,000 population</i>	81.9	71.1	101.9	90.2	2018-2020	6

<b>SCORE</b>	<b>IMMUNIZATIONS &amp; INFECTIOUS DISEASES</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.29</b>	Salmonella Infection Incidence Rate	<i>cases/ 100,000 population</i>	12.3	11.5	13.8		2023	16
<b>1.21</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	0.9	1.4	1.6	2.9	2023	16
<b>1.09</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	374		464.2	492.2	2023	16
<b>1.09</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	99.9		168.8	179.5	2023	16
<b>1.03</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	6		16.4	15.8	2023	16
<b>0.91</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	6.8		7.8	7.5	2017-2021	12
<b>0.82</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	12.3		13.9	13.4	2018-2020	6
<b>0.79</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	60.8		59.8	60.4	2024	8
<b>0.76</b>	Overcrowded Households	<i>Percent</i>	1.2		1.4	3.4	2019-2023	2
<b>0.62</b>	Flu Vaccinations: Medicare Population	<i>Percent</i>	53		50	3	2023	7
<b>0.44</b>	Pneumonia Vaccinations: Medicare Population	<i>Percent</i>	10		9	9	2023	7

<b>SCORE</b>	<b>MATERNAL, FETAL &amp; INFANT HEALTH</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.74</b>	Babies with Low Birthweight	<i>Percent</i>	9.7		8.7	8.6	2022	17
<b>2.18</b>	Babies with Very Low Birthweight	<i>Percent</i>	1.8		1.5		2022	17
<b>2.18</b>	Preterm Births	<i>Percent</i>	12.4	9.4	10.8		2022	17

1.62	Infant Mortality Rate	deaths/ 1,000 live births	6.3	5	6.7	5.4	2020	17
1.32	Mothers who Smoked During Pregnancy	Percent	8.1	4.3	7.9	3.7	2022	17
1.09	Teen Birth Rate: 15-17	live births/ 1,000 females aged 15-17	5.5		6.1	5.6	2022	17
0.97	Mothers who Received Early Prenatal Care	Percent	70.3		68.6	75.3	2022	17

SCORE	MENTAL HEALTH & MENTAL DISORDERS	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.29	Adults Ever Diagnosed with Depression	Percent	27.6			20.7	2022	5
2.12	Poor Mental Health: 14+ Days	Percent	19.6			15.8	2022	5
2.09	Poor Mental Health: Average Number of Days	Days	6.3		6.1		2022	10
1.68	Age-Adjusted Death Rate due to Suicide	deaths/ 100,000 population	15.4	12.8	14.7	13.9	2018-2020	6
1.68	Depression: Medicare Population	Percent	18		18	17	2023	7
1.47	Self-Reported General Health Assessment: Good or Better	Percent	85.8		85.4	86	2024	8
1.32	Alzheimer's Disease or Dementia: Medicare Population	Percent	6		6	6	2023	7
1.15	Mental Health Provider Rate	providers/ 100,000 population	224		349.4		2024	10
0.97	Adults who Feel Life is Slipping Out of Control	Percent	23.1		24.1	23.9	2024	8
0.18	Age-Adjusted Death Rate due to Alzheimer's Disease	deaths/ 100,000 population	27.1		35.5	31	2018-2020	6

SCORE	NUTRITION & HEALTHY EATING	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.03	Adults who Frequently Cook Meals at Home	Percent	67.3		67.6	67.7	2024	8

<b>1.56</b>	Food Environment Index		7.6		7		2025	10
<b>1.41</b>	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	Percent	37.6		38.1	38.2	2024	8
<b>0.97</b>	Adults who Drank Soft Drinks: Past 7 Days	Percent	47.7		48.6	47.5	2024	8

<b>SCORE</b>	<b>OLDER ADULTS</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	14.6		10.8	9.8	2018-2020	6
<b>2.56</b>	Chronic Kidney Disease: Medicare Population	Percent	23		19	18	2023	7
<b>2.56</b>	Ischemic Heart Disease: Medicare Population	Percent	25		22	21	2023	7
<b>2.56</b>	Stroke: Medicare Population	Percent	7		5	6	2023	7
<b>2.38</b>	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	Percent	42		39	36	2023	7
<b>2.35</b>	Prostate Cancer Incidence Rate	cases/ 100,000 males	124.7		118.1	113.2	2017-2021	12
<b>2.21</b>	Atrial Fibrillation: Medicare Population	Percent	16		15	14	2023	7
<b>2.21</b>	COPD: Medicare Population	Percent	15		13	11	2023	7
<b>2.21</b>	Hyperlipidemia: Medicare Population	Percent	71		67	66	2023	7
<b>2.12</b>	People 65+ Living Below Poverty Level	Percent	10.3		9.5	10.4	2019-2023	2
<b>2.00</b>	People 65+ Living Alone	Percent	29.9		30.2	26.5	2019-2023	2
<b>1.94</b>	People 65+ Living Alone (Count)	People	18231				2019-2023	2
<b>1.94</b>	People 65+ Living Below Poverty Level (Count)	People	6116				2019-2023	2
<b>1.85</b>	Hypertension: Medicare Population	Percent	70		67	65	2023	7
<b>1.85</b>	Osteoporosis: Medicare Population	Percent	12		11	12	2023	7

<b>1.68</b>	Depression: Medicare Population	Percent	18	18	17	2023	7
<b>1.50</b>	Asthma: Medicare Population	Percent	7	7	7	2023	7
<b>1.50</b>	Cancer: Medicare Population	Percent	12	12	12	2023	7
<b>1.35</b>	Adult Day Care Spending-to-Income Ratio	Percent	11	11.1	11.9	2025	9
<b>1.32</b>	Alzheimer's Disease or Dementia: Medicare Population	Percent	6	6	6	2023	7
<b>1.32</b>	Heart Failure: Medicare Population	Percent	12	12	11	2023	7
<b>1.15</b>	Diabetes: Medicare Population	Percent	25	25	24	2023	7
<b>0.88</b>	Median Household Income: Householders 65+	Dollars	52950	51608	57108	2019-2023	2
<b>0.71</b>	Adults 65+ with Total Tooth Loss	Percent	8.5		12.2	2022	5
<b>0.62</b>	Mammography Screening: Medicare Population	Percent	53	51	39	2023	7
<b>0.18</b>	Age-Adjusted Death Rate due to Alzheimer's Disease	deaths/ 100,000 population	27.1	35.5	31	2018-2020	6

<b>SCORE</b>	<b>ORAL HEALTH</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.85</b>	Dentist Rate	dentists/ 100,000 population	49		65.2	73.5	2022	10
<b>1.82</b>	Oral Cavity and Pharynx Cancer Incidence Rate	cases/ 100,000 population	13.3		12.8	12	2017-2021	12
<b>1.29</b>	Adults who Visited a Dentist	Percent	45.6		44.3	45.3	2024	8
<b>0.71</b>	Adults 65+ with Total Tooth Loss	Percent	8.5			12.2	2022	5

<b>SCORE</b>	<b>OTHER CHRONIC CONDITIONS</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.56</b>	Chronic Kidney Disease: Medicare Population	Percent	23		19	18	2023	7

<b>2.38</b>	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	Percent	42		39	36	2023	7
<b>1.85</b>	Osteoporosis: Medicare Population	Percent	12		11	12	2023	7
<b>1.82</b>	Age-Adjusted Death Rate due to Kidney Disease	deaths/ 100,000 population	14.2		14.2	12.8	2018-2020	6
<b>1.76</b>	Adults with Arthritis	Percent	31.7			26.6	2022	5

<b>SCORE</b>	<b>PHYSICAL ACTIVITY</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.35</b>	Workers who Walk to Work	Percent	1.6		2	2.4	2019-2023	2
<b>1.53</b>	Adults 20+ Who Are Obese	Percent	33.9	36			2021	6
<b>1.18</b>	Adults 20+ who are Sedentary	Percent	20				2021	6
<b>0.88</b>	Access to Parks	Percent	61.7		59.6		2020	14
<b>0.71</b>	Access to Exercise Opportunities	Percent	95		84.2		2025	10

<b>SCORE</b>	<b>PREVENTION &amp; SAFETY</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	14.6		10.8	9.8	2018-2020	6
<b>2.35</b>	Age-Adjusted Death Rate due to Unintentional Poisonings	deaths/ 100,000 population	42.1		40.5	23.5	2018-2020	6
<b>2.09</b>	Severe Housing Problems	Percent	12.9		12.7		2017-2021	10
<b>1.94</b>	Death Rate due to Drug Poisoning	deaths/ 100,000 population	45.5	20.7	44.7		2020-2022	10
<b>1.76</b>	Death Rate due to Injuries	deaths/ 100,000 population	101.7		100.7		2018-2022	10
<b>1.71</b>	Age-Adjusted Death Rate due to Unintentional Injuries	deaths/ 100,000 population	69.9	43.2	69.9	51.6	2018-2020	6
<b>0.91</b>	Age-Adjusted Death Rate due to Firearms	deaths/ 100,000 population	11.1	10.7	13.5	12	2018-2020	6
<b>0.82</b>	Age-Adjusted Death Rate due to Motor Vehicle Collisions	deaths/ 100,000 population	2.1		2.7	2.6	2016-2020	6

<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	<i>deaths/ 100,000 population</i>	9.3		11.1		2016-2022	10
-------------	--	-----------------------------------	-----	--	------	--	-----------	----

<b>SCORE</b>	<b>RESPIRATORY DISEASES</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.21</b>	COPD: Medicare Population	<i>Percent</i>	15		13	11	2023	7
<b>2.12</b>	Proximity to Highways	<i>Percent</i>	7.7		7.2		2020	14
<b>2.06</b>	Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	<i>deaths/ 100,000 population</i>	53.7		46.5	38.1	2018-2020	6
<b>1.76</b>	Adults who Smoke	<i>Percent</i>	18.7	6.1		12.9	2022	5
<b>1.76</b>	Adults with COPD	<i>Percent of adults</i>	9.7			6.8	2022	5
<b>1.76</b>	Adults with Current Asthma	<i>Percent</i>	11			9.9	2022	5
<b>1.50</b>	Asthma: Medicare Population	<i>Percent</i>	7		7	7	2023	7
<b>1.21</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	0.9	1.4	1.6	2.9	2023	16
<b>1.06</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	61.6		64.3	53.1	2017-2021	12
<b>0.82</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	12.3		13.9	13.4	2018-2020	6
<b>0.79</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>Percent</i>	6.4		6.9	6.8	2024	8
<b>0.71</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	35.8	25.1	39.8	32.4	2018-2022	12
<b>0.47</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>Percent</i>	1.4		1.7	1.6	2024	8

<b>SCORE</b>	<b>SEXUALLY TRANSMITTED INFECTIONS</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.09</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	374		464.2	492.2	2023	16
<b>1.09</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	99.9		168.8	179.5	2023	16
<b>1.03</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	6		16.4	15.8	2023	16

SCORE	TOBACCO USE	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
1.76	Adults who Smoke	Percent	18.7	6.1		12.9	2022	5
1.53	Cigarette Spending-to-Income Ratio	Percent	2.1		2.1	1.9	2025	9
1.41	Tobacco Use: Medicare Population	Percent	7		7	6	2023	7
1.06	Lung and Bronchus Cancer Incidence Rate	cases/ 100,000 population	61.6		64.3	53.1	2017-2021	12
0.79	Adults Who Used Electronic Cigarettes: Past 30 Days	Percent	6.4		6.9	6.8	2024	8
0.47	Adults Who Used Smokeless Tobacco: Past 30 Days	Percent	1.4		1.7	1.6	2024	8

SCORE	WEIGHT STATUS	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.29	Obesity: Medicare Population	Percent	31		25	20	2023	7
1.85	Adults Happy with Weight	Percent	41.9		42.1	42.6	2024	8
1.53	Adults 20+ Who Are Obese	Percent	33.9	36			2021	6

SCORE	WELLNESS & LIFESTYLE	UNITS	LORAIN COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.03	Adults who Frequently Cook Meals at Home	Percent	67.3		67.6	67.7	2024	8
1.94	High Blood Pressure Prevalence	Percent	38.2	41.9		32.7	2021	5
1.85	Adults Happy with Weight	Percent	41.9		42.1	42.6	2024	8
1.76	Poor Physical Health: 14+ Days	Percent	14.7			12.7	2022	5
1.76	Self-Reported General Health Assessment: Poor or Fair	Percent	20.7			17.9	2022	5
1.47	Self-Reported General Health Assessment: Good or Better	Percent	85.8		85.4	86	2024	8
1.41	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	Percent	37.6		38.1	38.2	2024	8

<b>1.24</b>	Life Expectancy	<i>Years</i>	76	75.2		2020-2022	10
<b>1.21</b>	Poor Physical Health: Average Number of Days	<i>Days</i>	4.3	4.3		2022	10
<b>0.97</b>	Adults who Feel Life is Slipping Out of Control	<i>Percent</i>	23.1	24.1	23.9	2024	8
<b>0.79</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	60.8	59.8	60.4	2024	8

<b>SCORE</b>	<b>WOMEN'S HEALTH</b>	<b>UNITS</b>	<b>LORAIN COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.53</b>	Breast Cancer Incidence Rate	<i>cases/ 100,000 females</i>	142.9		132.3	129.8	2017-2021	12
<b>2.35</b>	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	22	15.3	20.2	19.3	2018-2022	12
<b>1.41</b>	Mammogram in Past 2 Years: 50-74	<i>Percent</i>	74.4	80.3		76.5	2022	5
<b>1.24</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	82.4			82.8	2020	5
<b>0.91</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	6.8		7.8	7.5	2017-2021	12
<b>0.62</b>	Mammography Screening: Medicare Population	<i>Percent</i>	53		51	39	2023	7

## Medina County Indicators of Concern: Access to Healthcare

As seen below, the topic *Health Care Access and Quality* was ranked as the thirteenth highest scoring health need, with a score of 1.03 out of 3. Those indicators scoring at or above 1.00 were categorized as indicators of concern and are listed below.

SCORE	INDICATOR	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
1.79	Non-Physician Primary Care Provider Rate	<i>providers/ 100,000 population</i>	75.5	..	148.7	..			
1.53	Primary Care Provider Rate	<i>providers/ 100,000 population</i>	62.3	..	75.3	74.9			
1.32	Adults With Individual Health Insurance	<i>percent</i>	20.5	..	20.5	20.2			..
1.32	Mental Health Provider Rate	<i>providers/ 100,000 population</i>	190.7	..	349.4	..			
1.24	Dentist Rate	<i>dentists/ 100,000 population</i>	55.6	..	65.2	73.5			
1.21	Adults with Health Insurance	<i>percent</i>	93.6	..	91.6	89	..		
1.12	Persons without Health Insurance	<i>percent</i>	4.4	..	6.1	7.9	..	..	
1.09	Children with Health Insurance	<i>percent</i>	96.8	..	95.1	94.6	..		
1.06	Adults who have had a Routine Checkup	<i>percent</i>	79	..	..	76.1			..

## Medina County Indicators of Concern: Adult Health

The prioritized health topic *Adult Health* was captured under the following health topics: *Nutrition and Healthy Eating, Wellness and Lifestyle, Cancer, Diabetes, Heart Disease and Stroke, Other Chronic Conditions, and Older Adults*. As seen below, the most concerning of these topics was *Other Chronic Conditions* (Score: 1.75), followed by *Older Adults* (1.32), *Heart Disease and Stroke* (1.21), *Cancer* (1.12), *Diabetes* (0.97), and the least concerning topics were *Wellness and Lifestyle* (0.96) and *Nutrition and Healthy Eating* (0.96). Indicators from these seven topic areas which scored at or above 1.70 were categorized as indicators of concern and are listed below.

SCORE	INDICATOR	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.56	Prostate Cancer Incidence Rate	cases/ 100,000 males	136.4	..	118.1	113.2			
2.47	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	17.2	..	12.1	..		..	
2.35	Breast Cancer Incidence Rate	cases/ 100,000 females	139.2	..	132.3	129.8			
2.35	Oral Cavity and Pharynx Cancer Incidence Rate	cases/ 100,000 population	14.3	..	12.8	12			
2.03	Chronic Kidney Disease: Medicare Population	percent	20	..	19	18			..
2.03	All Cancer Incidence Rate	cases/ 100,000 population	489.1	..	470	444.4			
1.94	Age-Adjusted Death Rate due to Kidney Disease	deaths/ 100,000 population	14.2	..	15.1	..		..	
1.85	Stroke: Medicare Population	percent	6	..	5	6			..
1.85	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	percent	39	..	39	36			..
1.85	Hyperlipidemia: Medicare Population	percent	69	..	67	66			..

1.76	Adults with Cancer (Non-Skin) or Melanoma	percent	9.3	..	..	8.2			..
1.76	Adults who Have Taken Medications for High Blood Pressure	percent	79.3	..	..	78.2			..
1.68	Depression: Medicare Population	percent	18	..	18	17			..
1.65	Age-Adjusted Death Rate due to Alzheimer's Disease	deaths/100,000 population	34.6	..	33.8	..		..	
1.65	People 65+ Living Alone (Count)	people	8358	..	..	..	..	..	
1.65	People 65+ Living Below Poverty Level (Count)	people	1986	..	..	..	..	..	
1.59	Adults who Experienced Coronary Heart Disease	percent	8.4	..	..	6.8			..
1.50	Osteoporosis: Medicare Population	percent	11	..	11	12			..
1.50	Asthma: Medicare Population	percent	7	..	7	7			..
1.50	Cancer: Medicare Population	percent	12	..	12	12			..

## Medina County Indicators of Concern: Community Safety

The prioritized health topic *Community Safety* was captured under the two health topics *Prevention and Safety*, with a score of 0.87, and *Alcohol and Drug Use*, with a score of 1.17. Indicators from these two topic areas which scored at or above 1.50 were categorized as indicators of concern and are listed below.

SCORE	INDICATOR	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	OH Counties	U.S. Counties	Trend
2.47	Age-Adjusted Death Rate due to Falls	deaths/ 100,000 population	17.2	..	12.1	..		..	
2.29	Adults who Binge Drink	percent	19.8	..	..	16.6			..
2.26	Adults who Drink Excessively	percent	23.1	..	21.2	..			
2.00	Substantiated Child Abuse Rate	cases/ 1,000 children	7.8	8.7	6.9	..		..	

## Medina County All Indicator Scores by Topic Area

Below is a complete list of all indicators that were scored as part of the secondary data analysis. Indicators are grouped under their respective health and quality of life topic areas and include information about both the indicator data source and measurement period. Please refer to Table 30 below as a reference key for indicator data sources.

**Table 30: Indicator Scoring Data Source Key**

Key	Data Source
1	American Community Survey 1-Year
2	American Community Survey 5-Year
3	American Lung Association
4	Annie E. Casey Foundation
5	CDC - PLACES
6	Centers for Disease Control and Prevention
7	Centers for Medicare & Medicaid Services
8	Claritas Consumer Profiles
9	Claritas Consumer Spending Dynamix
10	County Health Rankings
11	Feeding America
12	National Cancer Institute
13	National Center for Education Statistics
14	National Environmental Public Health Tracking Network
15	Ohio Department of Education
16	Ohio Department of Health, Infectious Diseases
17	Ohio Department of Health, Vital Statistics
18	Ohio Department of Public Safety, Office of Criminal Justice Services
19	Ohio Public Health Information Warehouse
20	Ohio Secretary of State
21	Purdue Center for Regional Development
22	U.S. Bureau of Labor Statistics
23	U.S. Census - County Business Patterns
24	U.S. Census Bureau - Small Area Health Insurance Estimates
25	U.S. Environmental Protection Agency
26	United For ALICE

Table 31: All Medina County Secondary Data Indicators

SCORE	ALCOHOL & DRUG USE	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.29	Adults who Binge Drink	percent	19.8			16.6	2022	5
2.26	Adults who Drink Excessively	percent	23.1		21.2		2022	10
1.09	Mothers who Smoked During Pregnancy	percent	4.1	4.3	7.9	3.7	2022	17
0.79	Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	Deaths per 100,000 population	21.3		40.4	23.5	2018-2020	6
0.71	Death Rate due to Drug Poisoning	deaths/ 100,000 population	19	20.7	44.7		2020-2022	10
0.59	Liquor Store Density	stores/ 100,000 population	2.7		5.6	10.9	2022	23
0.44	Alcohol-Impaired Driving Deaths	percent of driving deaths with alcohol involvement	23.6		32.1		2018-2022	10
SCORE	CANCER	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.56	Prostate Cancer Incidence Rate	cases/ 100,000 males	136.4		118.1	113.2	2017-2021	12
2.35	Breast Cancer Incidence Rate	cases/ 100,000 females	139.2		132.3	129.8	2017-2021	12
2.35	Oral Cavity and Pharynx Cancer Incidence Rate	cases/ 100,000 population	14.3		12.8	12	2017-2021	12

<b>2.03</b>	All Cancer Incidence Rate	<i>cases/ 100,000 population</i>	489.1		470	444.4	2017-2021	12
<b>1.76</b>	Adults with Cancer (Non-Skin) or Melanoma	<i>percent</i>	9.3			8.2	2022	5
<b>1.50</b>	Cancer: Medicare Population	<i>percent</i>	12		12	12	2023	7
<b>1.38</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	7.1		7.8	7.5	2017-2021	12
<b>1.06</b>	Mammogram in Past 2 Years: 50-74	<i>percent</i>	76.6	80.3		76.5	2022	5
<b>1.00</b>	Colorectal Cancer Incidence Rate	<i>cases/ 100,000 population</i>	36.9		38.9	36.4	2017-2021	12
<b>0.88</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	84.8			82.8	2020	5
<b>0.88</b>	Colon Cancer Screening: USPSTF Recommendation	<i>percent</i>	68.4			66.3	2022	5
<b>0.82</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	56.8		64.3	53.1	2017-2021	12
<b>0.62</b>	Mammography Screening: Medicare Population	<i>percent</i>	52		51	39	2023	7
<b>0.53</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	32.8	25.1	39.8	32.4	2018-2022	12
<b>0.29</b>	Age-Adjusted Death Rate due to Prostate Cancer	<i>deaths/ 100,000 males</i>	16.7	16.9	19.3	19	2018-2022	12
<b>0.18</b>	Age-Adjusted Death Rate due to Cancer	<i>deaths/ 100,000 population</i>	139.9	122.7	161.1	146	2018-2022	12
<b>0.00</b>	Age-Adjusted Death Rate due to Breast Cancer	<i>deaths/ 100,000 females</i>	14.3	15.3	20.2	19.3	2018-2022	12

<b>SCORE</b>	<b>CHILDREN'S HEALTH</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
--------------	--------------------------	--------------	----------------------	---------------	-----------	-------------	---------------------------	---------------

<b>2.00</b>	Substantiated Child Abuse Rate	<i>cases/ 1,000 children per 1,000 population under age 5</i>	7.8	8.7	6.9		2021	4
<b>1.59</b>	Child Care Centers		7.6		8	7	2022	10
<b>1.12</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>percent</i>	0.3		1.9		2022	19
<b>1.09</b>	Children with Health Insurance	<i>percent</i>	96.8		95.1	94.6	2023	1
<b>0.71</b>	Child Mortality Rate: Under 20	<i>deaths/ 100,000 population under 20</i>	32.4		59.2		2019-2022	10
<b>0.59</b>	Child Food Insecurity Rate	<i>percent</i>	12.3		20.1	18.4	2023	11
<b>0.29</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	2.4		3.2	3.3	2025	9
<b>SCORE</b>	<b>COMMUNITY</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>dollars</i>	638		570	612	2019-2023	2
<b>2.47</b>	Median Household Gross Rent	<i>dollars</i>	1090		988	1348	2019-2023	2
<b>2.47</b>	Mortgaged Owners Median Monthly Household Costs	<i>dollars</i>	1681		1472	1902	2019-2023	2
<b>2.41</b>	Workers who Walk to Work	<i>percent</i>	1		2	2.4	2019-2023	2
<b>2.35</b>	Workers Commuting by Public Transportation	<i>percent</i>	0.1	5.3	1.1	3.5	2019-2023	2
<b>2.26</b>	Social Associations	<i>membership associations/</i>	8.4		10.8		2022	10

		<i>10,000 population</i>						
<b>2.15</b>	Solo Drivers with a Long Commute	<i>percent</i>	42.9		30.5		2019-2023	10
<b>2.00</b>	Substantiated Child Abuse Rate	<i>cases/ 1,000 children</i>	7.8	8.7	6.9		2021	4
<b>1.88</b>	Mean Travel Time to Work	<i>minutes</i>	26.8		23.6	26.6	2019-2023	2
<b>1.74</b>	Grandparents Who Are Responsible for Their Grandchildren	<i>percent</i>	39.8		41.3	32	2019-2023	2
<b>1.65</b>	People 65+ Living Alone (Count)	<i>people</i>	8358				2019-2023	2
<b>1.41</b>	Linguistic Isolation	<i>percent</i>	0.8		1.5	4.2	2019-2023	2
<b>1.41</b>	Workers who Drive Alone to Work	<i>percent</i>	78.5		76.6	70.2	2019-2023	2
<b>1.32</b>	Adults With Individual Health Insurance	<i>percent</i>	20.5		20.5	20.2	2024	8
<b>1.24</b>	Residential Segregation - Black/White	<i>Score</i>	56.1		69.6		2025	10
<b>1.18</b>	Total Employment Change	<i>percent</i>	4.1		2.9	5.8	2021-2022	23
<b>1.12</b>	Violent Crime Rate	<i>crimes/ 100,000 population</i>	79		331		2024	18
<b>0.97</b>	Digital Distress		1				2022	21
<b>0.97</b>	Social Vulnerability Index	<i>Score</i>	0				2022	6
<b>0.94</b>	Adults with Internet Access	<i>percent</i>	84.1		80.9	81.3	2024	8
<b>0.94</b>	Female Population 16+ in Civilian Labor Force	<i>percent</i>	61.2		59.2	58.7	2019-2023	2
<b>0.94</b>	People 25+ with a High School Diploma or Higher	<i>percent</i>	94.5		91.6	89.4	2019-2023	2
<b>0.94</b>	Population 16+ in Civilian Labor Force	<i>percent</i>	64.6		60.1	59.8	2019-2023	2

<b>0.88</b>	Persons with Health Insurance	<i>percent</i>	94	92.4	92.9		2022	24
<b>0.82</b>	Voter Turnout: Presidential Election	<i>percent</i>	80.5	58.4	71.7		2024	20
<b>0.79</b>	Adults Who Vote in Presidential Elections: Always or Sometimes	<i>percent</i>	88.2		84.9	85.1	2024	8
<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	<i>deaths/100,000 population</i>	7.5		11.1		2016-2022	10
<b>0.65</b>	Households with a Computer	<i>percent</i>	89.1		85.2	86	2024	8
<b>0.65</b>	Households with One or More Types of Computing Devices	<i>percent</i>	95.7		93.6	94.8	2019-2023	2
<b>0.65</b>	Persons with an Internet Subscription	<i>percent</i>	93.7		91.3	92	2019-2023	2
<b>0.59</b>	People Living Below Poverty Level	<i>percent</i>	6.1	8	13.2	12.4	2019-2023	2
<b>0.59</b>	Young Children Living Below Poverty Level	<i>percent</i>	8.9		20	17.6	2019-2023	2
<b>0.47</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	5.8		7.4	7.1	2025	9
<b>0.47</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	2.8		3.3	3.1	2025	9
<b>0.44</b>	Adults With Group Health Insurance	<i>percent</i>	44.5		37.4	39.8	2024	8
<b>0.44</b>	Alcohol-Impaired Driving Deaths	<i>percent of driving deaths with alcohol involvement</i>	23.6		32.1		2018-2022	10
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	64.9		53.4	50	2022	21
<b>0.44</b>	Children in Single-Parent Households	<i>percent</i>	15.1		26.1	24.8	2019-2023	2

<b>0.44</b>	Children Living Below Poverty Level	<i>percent</i>	7.4		18	16.3	2019-2023	2
<b>0.44</b>	Digital Divide Index	<i>DDI Score</i>	11.1		40.1	50	2022	21
<b>0.44</b>	People 65+ Living Alone	<i>percent</i>	23.7		30.2	26.5	2019-2023	2
<b>0.35</b>	Households with a Smartphone	<i>percent</i>	89.5		87.5	88.2	2024	8
<b>0.35</b>	Households with an Internet Subscription	<i>percent</i>	91.8		89	89.9	2019-2023	2
<b>0.35</b>	Youth not in School or Working	<i>percent</i>	0.9		1.7	1.7	2019-2023	2
<b>0.29</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	8.3		11.1	11.9	2025	9
<b>0.26</b>	Age-Adjusted Death Rate due to Firearms	<i>deaths/100,000 population</i>	8.2	10.7	13.5	12	2018-2020	6
<b>0.18</b>	People 25+ with a Bachelor's Degree or Higher	<i>percent</i>	36.2		30.9	35	2019-2023	2
<b>0.18</b>	Per Capita Income	<i>dollars</i>	46652		39455	43289	2019-2023	2
<b>0.00</b>	Median Household Income	<i>dollars</i>	92660		69680	78538	2019-2023	2

<b>SCORE</b>	<b>DIABETES</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.12</b>	Age-Adjusted Death Rate due to Diabetes	<i>deaths/100,000 population</i>	19.8		28.4		2020-2022	19
<b>0.97</b>	Diabetes: Medicare Population	<i>percent</i>	23		25	24	2023	7
<b>0.82</b>	Adults 20+ with Diabetes	<i>percent</i>	7.4				2021	6

<b>SCORE</b>	<b>ECONOMY</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.82</b>	Median Monthly Owner Costs for Households without a Mortgage	<i>dollars</i>	638		570	612	2019-2023	2

<b>2.47</b>	Median Household Gross Rent	<i>dollars</i>	1090		988	1348	2019-2023	2
<b>2.47</b>	Mortgaged Owners Median Monthly Household Costs	<i>dollars</i>	1681		1472	1902	2019-2023	2
<b>2.29</b>	Gender Pay Gap	<i>cents on the dollar</i>	0.6		0.7	0.8	2023	1
<b>1.88</b>	Households with Student Loan Debt	<i>percent</i>	9.5		9.1	9.8	2024	8
<b>1.65</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	1986				2019-2023	2
<b>1.59</b>	Renters Spending 30% or More of Household Income on Rent	<i>percent</i>	43.7	25.5	45.1	50.4	2019-2023	2
<b>1.50</b>	Households that are Asset Limited, Income Constrained, Employed (ALICE)	<i>percent</i>	24.5		25	29.4	2023	26
<b>1.35</b>	Size of Labor Force	<i>persons</i>	98842				45748	22
<b>1.29</b>	Unemployed Veterans	<i>percent</i>	2.5		2.8	3.2	2019-2023	2
<b>1.24</b>	Residential Segregation - Black/White	<i>Score</i>	56.1		69.6		2025	10
<b>1.18</b>	Homeowner Spending-to-Income Ratio	<i>percent</i>	12.4		14.3	13.5	2025	9
<b>1.18</b>	Total Employment Change	<i>percent</i>	4.1		2.9	5.8	2021-2022	23
<b>1.15</b>	Households Living Below Poverty Level	<i>percent</i>	7.6		13.5	12.7	2023	26
<b>1.15</b>	Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	<i>percent</i>	67.9		61.5	58	2023	26
<b>1.03</b>	Mortgaged Owners Spending 30% or More of Household Income on Housing	<i>percent</i>	19.9	25.5	21.2	28.5	2023	1

<b>0.94</b>	Female Population 16+ in Civilian Labor Force	<i>percent</i>	61.2	59.2	58.7	2019-2023	2
<b>0.94</b>	Population 16+ in Civilian Labor Force	<i>percent</i>	64.6	60.1	59.8	2019-2023	2
<b>0.94</b>	Unemployed Workers in Civilian Labor Force	<i>percent</i>	4.3	5.4	4.5	April 2025	22
<b>0.88</b>	Children Living Below 200% of Poverty Level	<i>percent</i>	28.3	38.3	36.1	2023	1
<b>0.85</b>	Families Living Below 200% of Poverty Level	<i>Percent</i>	14.1	22.8	22.3	2023	1
<b>0.85</b>	People 65+ Living Below 200% of Poverty Level	<i>percent</i>	19.8	28.4	28.1	2023	1
<b>0.85</b>	People Living Below 200% of Poverty Level	<i>percent</i>	20.5	29.6	28.2	2023	1
<b>0.82</b>	Health Insurance Spending-to-Income Ratio	<i>percent</i>	6	6.6	5.9	2025	9
<b>0.79</b>	Adults who Feel Overwhelmed by Financial Burdens	<i>percent</i>	31.2	34	33.6	2024	8
<b>0.79</b>	Income Inequality		0.4	0.5	0.5	2019-2023	2
<b>0.76</b>	Households with Cash Public Assistance Income	<i>percent</i>	1.5	2.5	2.7	2019-2023	2
<b>0.65</b>	Households with a Savings Account	<i>percent</i>	76.7	70.9	72	2024	8
<b>0.62</b>	Students Eligible for the Free Lunch Program	<i>percent</i>	21.3	23.6	43.6	2023-2024	13
<b>0.59</b>	Child Food Insecurity Rate	<i>percent</i>	12.3	20.1	18.4	2023	11
<b>0.59</b>	Families Living Below Poverty Level	<i>percent</i>	4	9.2	8.7	2019-2023	2
<b>0.59</b>	Food Insecurity Rate	<i>percent</i>	12.1	15.3	14.5	2023	11
<b>0.59</b>	People 65+ Living Below Poverty Level	<i>percent</i>	5.8	9.5	10.4	2019-2023	2

<b>0.59</b>	People Living Below Poverty Level	<i>percent</i>	6.1	8	13.2	12.4	2019-2023	2
<b>0.59</b>	Veterans Living Below Poverty Level	<i>percent</i>	4.3		7.4	7.2	2019-2023	2
<b>0.59</b>	Young Children Living Below Poverty Level	<i>percent</i>	8.9		20	17.6	2019-2023	2
<b>0.47</b>	Cigarette Spending-to-Income Ratio	<i>percent</i>	1.8		2.1	1.9	2025	9
<b>0.47</b>	College Tuition Spending-to-Income Ratio	<i>percent</i>	9.9		12.6	11.9	2025	9
<b>0.47</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	5.8		7.4	7.1	2025	9
<b>0.47</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	2.8		3.3	3.1	2025	9
<b>0.47</b>	Home Renter Spending-to-Income Ratio	<i>percent</i>	12.5		16.3	17	2025	9
<b>0.47</b>	Utilities Spending-to-Income Ratio	<i>percent</i>	5.2		6.1	5.6	2025	9
<b>0.44</b>	Children Living Below Poverty Level	<i>percent</i>	7.4		18	16.3	2019-2023	2
<b>0.44</b>	Severe Housing Problems	<i>percent</i>	9.4		12.7		2017-2021	10
<b>0.35</b>	Youth not in School or Working	<i>percent</i>	0.9		1.7	1.7	2019-2023	2
<b>0.29</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	8.3		11.1	11.9	2025	9
<b>0.29</b>	Adults with Disability Living in Poverty	<i>percent</i>	13.2		28.2	24.6	2019-2023	2
<b>0.29</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	2.4		3.2	3.3	2025	9
<b>0.29</b>	Homeowner Vacancy Rate	<i>percent</i>	0.3		0.9	1	2019-2023	2
<b>0.29</b>	Households with a 401k Plan	<i>percent</i>	45.1		38.4	40.8	2024	8

<b>0.29</b>	Overcrowded Households	<i>percent</i>	0.8	1.4	3.4	2019-2023	2
<b>0.29</b>	Student Loan Spending-to-Income Ratio	<i>percent</i>	3.5	4.6	4.5	2025	9
<b>0.29</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	<i>percent</i>	1.2	1.6	1.5	2025	9
<b>0.18</b>	Median Household Income: Householders 65+	<i>dollars</i>	60602	51608	57108	2019-2023	2
<b>0.18</b>	Per Capita Income	<i>dollars</i>	46652	39455	43289	2019-2023	2
<b>0.00</b>	Households that Used Check Cashing, Cash Advance, or Title Loan Shops	<i>percent</i>	1.6	2	2	2024	8
<b>0.00</b>	Median Household Income	<i>dollars</i>	92660	69680	78538	2019-2023	2

<b>SCORE</b>	<b>EDUCATION</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.06</b>	Student-to-Teacher Ratio	<i>students/teacher</i>	17.8		16.6	15.2	2023-2024	13
<b>2.00</b>	Veterans with a High School Diploma or Higher	<i>percent</i>	92.9		94.4	95.2	2019-2023	2
<b>1.59</b>	Child Care Centers	<i>per 1,000 population under age 5</i>	7.6		8	7	2022	10
<b>1.00</b>	High School Graduation	<i>percent</i>	97.5	90.7	92.5		2022-2023	15
<b>0.97</b>	8th Grade Students Proficient in English/Language Arts	<i>percent</i>	68.6		49.4		2023-2024	15
<b>0.94</b>	People 25+ with a High School Diploma or Higher	<i>percent</i>	94.5		91.6	89.4	2019-2023	2
<b>0.82</b>	4th Grade Students Proficient in English/Language Arts	<i>percent</i>	79.1		64.1		2023-2024	15
<b>0.53</b>	4th Grade Students Proficient in Math	<i>percent</i>	83.9		67.2		2023-2024	15

<b>0.53</b>	8th Grade Students Proficient in Math	<i>percent</i>	65	46.3			2023-2024	15
<b>0.47</b>	College Tuition Spending-to-Income Ratio	<i>percent</i>	9.9	12.6	11.9		2025	9
<b>0.47</b>	Day Care Center and Preschool Spending-to-Income Ratio	<i>percent</i>	5.8	7.4	7.1		2025	9
<b>0.29</b>	Home Child Care Spending-to-Income Ratio	<i>percent</i>	2.4	3.2	3.3		2025	9
<b>0.29</b>	Student Loan Spending-to-Income Ratio	<i>percent</i>	3.5	4.6	4.5		2025	9
<b>0.29</b>	Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	<i>percent</i>	1.2	1.6	1.5		2025	9
<b>0.18</b>	People 25+ with a Bachelor's Degree or Higher	<i>percent</i>	36.2	30.9	35		2019-2023	2

<b>SCORE</b>	<b>ENVIRONMENTAL HEALTH</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.29</b>	Daily Dose of UV Irradiance	<i>Joule per square meter</i>	3665		3384		2020	14
<b>1.74</b>	Annual Particle Pollution	<i>grade</i>	D				2021-2023	3
<b>1.65</b>	Weeks of Moderate Drought or Worse	<i>weeks per year</i>	2				2021	14
<b>1.59</b>	Proximity to Highways	<i>percent</i>	5.5		7.2		2020	14
<b>1.56</b>	Annual Ozone Air Quality	<i>grade</i>	C				2021-2023	3
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7		7	7	2023	7
<b>1.35</b>	Number of Extreme Heat Days	<i>days</i>	15				2023	14
<b>1.35</b>	Number of Extreme Heat Events	<i>events</i>	11				2023	14
<b>1.35</b>	Recognized Carcinogens Released into Air	<i>pounds</i>	82				2023	25

<b>1.24</b>	Access to Parks	<i>percent</i>	53.5	59.6		2020	14
<b>1.24</b>	Adults with Current Asthma	<i>percent</i>	10.5		9.9	2022	5
<b>1.12</b>	Blood Lead Levels in Children (>=5 micrograms per deciliter)	<i>percent</i>	0.3	1.9		2022	19
<b>1.06</b>	Number of Extreme Precipitation Days	<i>days</i>	3			2023	14
<b>0.97</b>	Social Vulnerability Index	<i>Score</i>	0			2022	6
<b>0.85</b>	Food Environment Index		8.6	7		2025	10
<b>0.71</b>	Access to Exercise Opportunities	<i>percent</i>	92.7	84.2		2025	10
<b>0.71</b>	Air Pollution due to Particulate Matter	<i>micrograms per cubic meter</i>	6.5	7.9		2020	10
<b>0.59</b>	Liquor Store Density	<i>stores/ 100,000 population</i>	2.7	5.6	10.9	2022	23
<b>0.47</b>	Gasoline and Other Fuels Spending-to-Income Ratio	<i>percent</i>	2.8	3.3	3.1	2025	9
<b>0.47</b>	Utilities Spending-to-Income Ratio	<i>percent</i>	5.2	6.1	5.6	2025	9
<b>0.44</b>	Broadband Quality Score	<i>BQS Score</i>	64.9	53.4	50	2022	21
<b>0.44</b>	Digital Divide Index	<i>DDI Score</i>	11.1	40.1	50	2022	21
<b>0.44</b>	Severe Housing Problems	<i>percent</i>	9.4	12.7		2017-2021	10
<b>0.29</b>	Overcrowded Households	<i>percent</i>	0.8	1.4	3.4	2019-2023	2
<b>0.18</b>	Houses Built Prior to 1950	<i>percent</i>	10.5	24.9	16.4	2019-2023	2

<b>SCORE</b>	<b>HEALTH CARE ACCESS &amp; QUALITY</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.79</b>	Non-Physician Primary Care Provider Rate	<i>providers/ 100,000 population</i>	75.5		148.7		2024	10

<b>1.53</b>	Primary Care Provider Rate	<i>providers/ 100,000 population</i>	62.3	75.3	74.9	2021	10
<b>1.32</b>	Adults With Individual Health Insurance	<i>percent</i>	20.5	20.5	20.2	2024	8
<b>1.32</b>	Mental Health Provider Rate	<i>providers/ 100,000 population</i>	190.7	349.4		2024	10
<b>1.24</b>	Dentist Rate	<i>dentists/ 100,000 population</i>	55.6	65.2	73.5	2022	10
<b>1.21</b>	Adults with Health Insurance	<i>percent</i>	93.6	91.6	89	2023	1
<b>1.12</b>	Persons without Health Insurance	<i>percent</i>	4.4	6.1	7.9	2023	1
<b>1.09</b>	Children with Health Insurance	<i>percent</i>	96.8	95.1	94.6	2023	1
<b>1.06</b>	Adults who have had a Routine Checkup	<i>percent</i>	79		76.1	2022	5
<b>0.94</b>	Adults with Health Insurance: 18+	<i>percent</i>	79.5	74.7	75.2	2024	8
<b>0.88</b>	Persons with Health Insurance	<i>percent</i>	94	92.4	92.9	2022	24
<b>0.82</b>	Health Insurance Spending-to-Income Ratio	<i>percent</i>	6	6.6	5.9	2025	9
<b>0.79</b>	Adults who go to the Doctor Regularly for Checkups	<i>percent</i>	69	65.2	65.1	2024	8
<b>0.71</b>	Adults without Health Insurance	<i>percent</i>	4.3		10.8	2022	5
<b>0.62</b>	Preventable Hospital Stays: Medicare Population	<i>discharges/ 100,000 Medicare enrollees</i>	2377	3269	2769	2023	7
<b>0.59</b>	Adults who Visited a Dentist	<i>percent</i>	50.1	44.3	45.3	2024	8
<b>0.44</b>	Adults With Group Health Insurance	<i>percent</i>	44.5	37.4	39.8	2024	8

SCORE	HEART DISEASE & STROKE	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
1.85	Hyperlipidemia: Medicare Population	percent	69		67	66	2023	7
1.85	Stroke: Medicare Population	percent	6		5	6	2023	7
1.76	Adults who Have Taken Medications for High Blood Pressure	percent	79.3			78.2	2021	5
1.59	Adults who Experienced Coronary Heart Disease	percent	8.4			6.8	2022	5
1.32	Atrial Fibrillation: Medicare Population	percent	15		15	14	2023	7
1.24	Adults who Experienced a Stroke	percent	3.7			3.6	2022	5
1.15	Hypertension: Medicare Population	percent	66		67	65	2023	7
1.12	Age-Adjusted Death Rate due to Coronary Heart Disease	deaths/ 100,000 population	85.1	71.1	101.6		2020-2022	19
1.06	Cholesterol Test History	percent	86.1			86.4	2021	5
1.06	High Blood Pressure Prevalence	percent	33.2	41.9		32.7	2021	5
0.97	Heart Failure: Medicare Population	percent	11		12	11	2023	7
0.97	Ischemic Heart Disease: Medicare Population	percent	21		22	21	2023	7
0.88	High Cholesterol Prevalence	percent	33.7			35.5	2021	5
0.82	Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	deaths/ 100,000 population	34.9	33.4	46		2020-2022	19
0.56	Age-Adjusted Death Rate due to Heart Attack	deaths/ 100,000	44.6		60.9		2021	14

population 35+  
years

SCORE	IMMUNIZATIONS & INFECTIOUS DISEASES	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.00	Salmonella Infection Incidence Rate	<i>cases/ 100,000 population</i>	16.3	11.5	13.8		2023	16
1.38	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	7.1		7.8	7.5	2017-2021	12
0.97	Pneumonia Vaccinations: Medicare Population	<i>percent</i>	9		9	9	2023	7
0.85	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	2.7		16.4	15.8	2023	16
0.79	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	62.6		59.8	60.4	2024	8
0.62	Flu Vaccinations: Medicare Population	<i>percent</i>	53		50	3	2023	7
0.56	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	0	1.4	1.6	2.9	2023	16
0.53	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	6.5		12.3		2020-2022	19
0.29	Overcrowded Households	<i>percent</i>	0.8		1.4	3.4	2019-2023	2
0.26	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	147.1		464.2	492.2	2023	16
SCORE	MATERNAL, FETAL & INFANT HEALTH	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
1.56	Mothers who Received Early Prenatal Care	<i>percent</i>	70.8		68.6	75.3	2022	17
1.47	Preterm Births	<i>percent</i>	9.9	9.4	10.8		2022	17

<b>1.29</b>	Babies with Very Low Birthweight	<i>percent</i>	1.1		1.5		2022	17
<b>1.09</b>	Mothers who Smoked During Pregnancy	<i>percent</i>	4.1	4.3	7.9	3.7	2022	17
<b>1.03</b>	Infant Mortality Rate	<i>deaths/ 1,000 live births</i>	4.4	5	6.7	5.4	2020	17
<b>0.88</b>	Babies with Low Birthweight	<i>percent</i>	7.3		8.7	8.6	2022	17
<b>0.56</b>	Teen Birth Rate: 15-17	<i>live births/ 1,000 females aged 15-17</i>	0.3		6.1	5.6	2022	17

<b>SCORE</b>	<b>MENTAL HEALTH &amp; MENTAL DISORDERS</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.68</b>	Depression: Medicare Population	<i>percent</i>	18		18	17	2023	7
<b>1.65</b>	Age-Adjusted Death Rate due to Alzheimer's Disease	<i>deaths/ 100,000 population</i>	34.6		33.8		2020-2022	19
<b>1.59</b>	Adults Ever Diagnosed with Depression	<i>percent</i>	24.8			20.7	2022	5
<b>1.38</b>	Poor Mental Health: Average Number of Days	<i>days</i>	5.7		6.1		2022	10
<b>1.32</b>	Alzheimer's Disease or Dementia: Medicare Population	<i>percent</i>	6		6	6	2023	7
<b>1.32</b>	Mental Health Provider Rate	<i>providers/ 100,000 population</i>	190.7		349.4		2024	10
<b>1.24</b>	Poor Mental Health: 14+ Days	<i>percent</i>	16.9			15.8	2022	5
<b>0.94</b>	Self-Reported General Health Assessment: Good or Better	<i>percent</i>	88.2		85.4	86	2024	8
<b>0.79</b>	Adults who Feel Life is Slipping Out of Control	<i>Percent</i>	22.2		24.1	23.9	2024	8

<b>0.53</b>	Age-Adjusted Death Rate due to Suicide	<i>deaths/100,000 population</i>	11.5	12.8	14.5		2020-2022	19
-------------	--	----------------------------------	------	------	------	--	-----------	----

<b>SCORE</b>	<b>NUTRITION &amp; HEALTHY EATING</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.15</b>	Adults who Frequently Cook Meals at Home	<i>Percent</i>	69.7		67.6	67.7	2024	8
<b>1.06</b>	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	<i>Percent</i>	36.1		38.1	38.2	2024	8
<b>0.85</b>	Food Environment Index		8.6		7		2025	10
<b>0.79</b>	Adults who Drank Soft Drinks: Past 7 Days	<i>percent</i>	46.2		48.6	47.5	2024	8

<b>SCORE</b>	<b>OLDER ADULTS</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.56</b>	Prostate Cancer Incidence Rate	<i>cases/100,000 males</i>	136.4		118.1	113.2	2017-2021	12
<b>2.47</b>	Age-Adjusted Death Rate due to Falls	<i>deaths/100,000 population</i>	17.2		12.1		2020-2022	19
<b>2.03</b>	Chronic Kidney Disease: Medicare Population	<i>percent</i>	20		19	18	2023	7
<b>1.85</b>	Hyperlipidemia: Medicare Population	<i>percent</i>	69		67	66	2023	7
<b>1.85</b>	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	<i>percent</i>	39		39	36	2023	7
<b>1.85</b>	Stroke: Medicare Population	<i>percent</i>	6		5	6	2023	7
<b>1.68</b>	Depression: Medicare Population	<i>percent</i>	18		18	17	2023	7

<b>1.65</b>	Age-Adjusted Death Rate due to Alzheimer's Disease	<i>deaths/ 100,000 population</i>	34.6	33.8		2020-2022	19
<b>1.65</b>	People 65+ Living Alone (Count)	<i>people</i>	8358			2019-2023	2
<b>1.65</b>	People 65+ Living Below Poverty Level (Count)	<i>people</i>	1986			2019-2023	2
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7	7	7	2023	7
<b>1.50</b>	Cancer: Medicare Population	<i>percent</i>	12	12	12	2023	7
<b>1.50</b>	Osteoporosis: Medicare Population	<i>percent</i>	11	11	12	2023	7
<b>1.32</b>	Alzheimer's Disease or Dementia: Medicare Population	<i>percent</i>	6	6	6	2023	7
<b>1.32</b>	Atrial Fibrillation: Medicare Population	<i>percent</i>	15	15	14	2023	7
<b>1.15</b>	COPD: Medicare Population	<i>percent</i>	12	13	11	2023	7
<b>1.15</b>	Hypertension: Medicare Population	<i>percent</i>	66	67	65	2023	7
<b>0.97</b>	Diabetes: Medicare Population	<i>percent</i>	23	25	24	2023	7
<b>0.97</b>	Heart Failure: Medicare Population	<i>percent</i>	11	12	11	2023	7
<b>0.97</b>	Ischemic Heart Disease: Medicare Population	<i>percent</i>	21	22	21	2023	7
<b>0.71</b>	Adults 65+ with Total Tooth Loss	<i>percent</i>	9.9		12.2	2022	5
<b>0.62</b>	Mammography Screening: Medicare Population	<i>percent</i>	52	51	39	2023	7
<b>0.59</b>	People 65+ Living Below Poverty Level	<i>percent</i>	5.8	9.5	10.4	2019-2023	2
<b>0.44</b>	People 65+ Living Alone	<i>percent</i>	23.7	30.2	26.5	2019-2023	2
<b>0.29</b>	Adult Day Care Spending-to-Income Ratio	<i>percent</i>	8.3	11.1	11.9	2025	9
<b>0.18</b>	Median Household Income: Householders 65+	<i>dollars</i>	60602	51608	57108	2019-2023	2

SCORE	ORAL HEALTH	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.35	Oral Cavity and Pharynx Cancer Incidence Rate	<i>cases/ 100,000 population</i>	14.3		12.8	12	2017-2021	12
1.24	Dentist Rate	<i>dentists/ 100,000 population</i>	55.6		65.2	73.5	2022	10
0.71	Adults 65+ with Total Tooth Loss	<i>percent</i>	9.9			12.2	2022	5
0.59	Adults who Visited a Dentist	<i>percent</i>	50.1		44.3	45.3	2024	8

SCORE	OTHER CHRONIC CONDITIONS	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.03	Chronic Kidney Disease: Medicare Population	<i>percent</i>	20		19	18	2023	7
1.94	Age-Adjusted Death Rate due to Kidney Disease	<i>deaths/ 100,000 population</i>	14.2		15.1		2020-2022	19
1.85	Rheumatoid Arthritis or Osteoarthritis: Medicare Population	<i>percent</i>	39		39	36	2023	7
1.50	Osteoporosis: Medicare Population	<i>percent</i>	11		11	12	2023	7
1.41	Adults with Arthritis	<i>percent</i>	30.4			26.6	2022	5

SCORE	PHYSICAL ACTIVITY	UNITS	MEDINA COUNTY	HP2030	OH	U.S.	MEASUREMENT PERIOD	Source
2.41	Workers who Walk to Work	<i>percent</i>	1		2	2.4	2019-2023	2
2.12	Adults 20+ Who Are Obese	<i>percent</i>	34.4	36			2021	6
1.32	Adults 20+ who are Sedentary	<i>percent</i>	20.2				2021	6
1.24	Access to Parks	<i>percent</i>	53.5		59.6		2020	14

<b>0.71</b>	Access to Exercise Opportunities	<i>percent</i>	92.7		84.2		2025	10
-------------	----------------------------------	----------------	------	--	------	--	------	----

<b>SCORE</b>	<b>PREVENTION &amp; SAFETY</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.47</b>	Age-Adjusted Death Rate due to Falls	<i>deaths/100,000 population</i>	17.2		12.1		2020-2022	19
<b>0.82</b>	Age-Adjusted Death Rate due to Unintentional Poisonings	<i>deaths/100,000 population</i>	21		46.5		2020-2022	19
<b>0.71</b>	Death Rate due to Drug Poisoning	<i>deaths/100,000 population</i>	19	20.7	44.7		2020-2022	10
<b>0.71</b>	Death Rate due to Injuries	<i>deaths/100,000 population</i>	68.6		100.7		2018-2022	10
<b>0.71</b>	Death Rate due to Motor Vehicle Collisions	<i>deaths/100,000 population</i>	7.5		11.1		2016-2022	10
<b>0.44</b>	Severe Housing Problems	<i>percent</i>	9.4		12.7		2017-2021	10
<b>0.26</b>	Age-Adjusted Death Rate due to Firearms	<i>deaths/100,000 population</i>	8.2	10.7	13.5	12	2018-2020	6

<b>SCORE</b>	<b>RESPIRATORY DISEASES</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.76</b>	Adults with COPD	<i>Percent of adults</i>	9.4			6.8	2022	5
<b>1.59</b>	Proximity to Highways	<i>percent</i>	5.5		7.2		2020	14
<b>1.50</b>	Asthma: Medicare Population	<i>percent</i>	7		7	7	2023	7
<b>1.41</b>	Adults who Smoke	<i>percent</i>	17	6.1		12.9	2022	5
<b>1.24</b>	Adults with Current Asthma	<i>percent</i>	10.5			9.9	2022	5

<b>1.15</b>	COPD: Medicare Population	<i>percent</i>	12		13	11	2023	7
<b>0.82</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>percent</i>	1.7		1.7	1.6	2024	8
<b>0.82</b>	Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	<i>deaths/ 100,000 population</i>	35.3		42.8		2020-2022	19
<b>0.82</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	56.8		64.3	53.1	2017-2021	12
<b>0.56</b>	Tuberculosis Incidence Rate	<i>cases/ 100,000 population</i>	0	1.4	1.6	2.9	2023	16
<b>0.53</b>	Age-Adjusted Death Rate due to Influenza and Pneumonia	<i>deaths/ 100,000 population</i>	6.5		12.3		2020-2022	19
<b>0.53</b>	Age-Adjusted Death Rate due to Lung Cancer	<i>deaths/ 100,000 population</i>	32.8	25.1	39.8	32.4	2018-2022	12
<b>0.44</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>percent</i>	5.8		6.9	6.8	2024	8

<b>SCORE</b>	<b>SEXUALLY TRANSMITTED INFECTIONS</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>0.85</b>	Syphilis Incidence Rate	<i>cases/ 100,000 population</i>	2.7		16.4	15.8	2023	16
<b>0.26</b>	Chlamydia Incidence Rate	<i>cases/ 100,000 population</i>	147.1		464.2	492.2	2023	16
<b>0.26</b>	Gonorrhea Incidence Rate	<i>cases/ 100,000 population</i>	25.6		168.8	179.5	2023	16

<b>SCORE</b>	<b>TOBACCO USE</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.41</b>	Adults who Smoke	<i>percent</i>	17	6.1		12.9	2022	5
<b>1.41</b>	Tobacco Use: Medicare Population	<i>percent</i>	7		7	6	2023	7

<b>0.82</b>	Adults Who Used Smokeless Tobacco: Past 30 Days	<i>percent</i>	1.7		1.7	1.6	2024	8
<b>0.82</b>	Lung and Bronchus Cancer Incidence Rate	<i>cases/ 100,000 population</i>	56.8		64.3	53.1	2017-2021	12
<b>0.47</b>	Cigarette Spending-to-Income Ratio	<i>percent</i>	1.8		2.1	1.9	2025	9
<b>0.44</b>	Adults Who Used Electronic Cigarettes: Past 30 Days	<i>percent</i>	5.8		6.9	6.8	2024	8

<b>SCORE</b>	<b>WEIGHT STATUS</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.12</b>	Adults 20+ Who Are Obese	<i>percent</i>	34.4	36			2021	6
<b>1.94</b>	Obesity: Medicare Population	<i>percent</i>	27		25	20	2023	7
<b>0.79</b>	Adults Happy with Weight	<i>Percent</i>	43.5		42.1	42.6	2024	8

<b>SCORE</b>	<b>WELLNESS &amp; LIFESTYLE</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>1.24</b>	Poor Physical Health: 14+ Days	<i>percent</i>	13.4			12.7	2022	5
<b>1.15</b>	Adults who Frequently Cook Meals at Home	<i>Percent</i>	69.7		67.6	67.7	2024	8
<b>1.06</b>	Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	<i>Percent</i>	36.1		38.1	38.2	2024	8
<b>1.06</b>	High Blood Pressure Prevalence	<i>percent</i>	33.2	41.9		32.7	2021	5
<b>1.06</b>	Insufficient Sleep	<i>percent</i>	35.1	26.7		36	2022	5
<b>0.94</b>	Self-Reported General Health Assessment: Good or Better	<i>percent</i>	88.2		85.4	86	2024	8
<b>0.88</b>	Life Expectancy	<i>years</i>	79		75.2		2020-2022	10
<b>0.88</b>	Self-Reported General Health Assessment: Poor or Fair	<i>percent</i>	17.3			17.9	2022	5

<b>0.85</b>	Poor Physical Health: Average Number of Days	<i>days</i>	3.8	4.3		2022	10
<b>0.79</b>	Adults Happy with Weight	<i>Percent</i>	43.5	42.1	42.6	2024	8
<b>0.79</b>	Adults who Agree Vaccine Benefits Outweigh Possible Risks	<i>Percent</i>	62.6	59.8	60.4	2024	8
<b>0.79</b>	Adults who Feel Life is Slipping Out of Control	<i>Percent</i>	22.2	24.1	23.9	2024	8

<b>SCORE</b>	<b>WOMEN'S HEALTH</b>	<b>UNITS</b>	<b>MEDINA COUNTY</b>	<b>HP2030</b>	<b>OH</b>	<b>U.S.</b>	<b>MEASUREMENT PERIOD</b>	<b>Source</b>
<b>2.35</b>	Breast Cancer Incidence Rate	<i>cases/ 100,000 females</i>	139.2		132.3	129.8	2017-2021	12
<b>1.38</b>	Cervical Cancer Incidence Rate	<i>cases/ 100,000 females</i>	7.1		7.8	7.5	2017-2021	12
<b>1.06</b>	Mammogram in Past 2 Years: 50-74	<i>percent</i>	76.6	80.3		76.5	2022	5
<b>0.88</b>	Cervical Cancer Screening: 21-65	<i>Percent</i>	84.8			82.8	2020	5
<b>0.62</b>	Mammography Screening: Medicare Population	<i>percent</i>	52		51	39	2023	7

## Additional Demographic Data

The following tables detail the demographic, social, and economic characteristics of the LTACH community described in the body of this CHNA report. All data are sourced from Claritas Pop-Facts® (2024 population estimates), unless otherwise noted.

**Table 32: Population Size of LTACH Community**

Zip Code	Population	Zip Code	Population	Zip Code	Population
44001	21,057	44105	32,344	44132	14,346
44011	25,690	44106	25,926	44133	30,594
44012	25,714	44107	49,191	44134	37,610
44017	17,872	44108	18,700	44135	25,792
44022	17,009	44109	37,444	44136	25,526
44028	9,550	44110	17,069	44137	23,002
44035	62,843	44111	39,791	44138	22,582
44039	37,266	44112	17,532	44139	24,698
44044	14,273	44113	21,091	44140	15,561
44050	7,164	44114	7,489	44141	13,893
44052	29,360	44115	10,323	44142	18,043
44053	21,336	44116	21,278	44143	24,149
44054	12,624	44117	10,534	44144	20,879
44055	19,552	44118	39,323	44145	33,573
44057	19,354	44119	11,541	44146	29,305
44060	59,837	44120	33,198	44147	19,304
44070	31,764	44121	31,296	44149	20,003
44074	11,764	44122	36,554	44212	45,872
44077	58,771	44123	17,271	44253	3,382
44081	6,864	44124	39,419	44256	66,016
44090	11,157	44125	28,805	44273	7,021
44092	16,709	44126	16,603	44275	3,163
44094	37,700	44127	3,857	44280	5,810
44095	32,163	44128	26,872	44281	34,040
44102	41,880	44129	27,801		
44103	13,419	44130	49,467		
44104	19,808	44131	20,272		
<b>LTACH Community (Total)</b>	<b>1,937,655</b>				

**Table 33: Age Profile of LTACH Community and Surrounding Geographies**

<b>Age Category</b>	<b>LTACH Community</b>	<b>Ohio</b>
0-4	5.2%	5.6%
5-9	5.3%	5.7%
10-14	5.7%	6.1%
15-17	3.6%	3.8%
18-20	3.9%	4.4%
21-24	4.9%	5.3%
25-34	12.5%	12.4%
35-44	12.4%	12.2%
45-54	11.7%	11.7%
55-64	13.6%	13.0%
65-74	12.3%	11.6%
75-84	6.5%	6.1%
85+	2.6%	2.2%
<b>Median Age</b>	42.5 years	40.5 years

**Table 34: Racial/Ethnic Profile of LTACH Community and Surrounding Geographies**

	<b>LTACH Community</b>	<b>Ohio</b>	<b>U.S.</b>
<b>White</b>	66.6%	75.7%	63.4%
<b>Black/African American</b>	20.7%	12.8%	12.4%
<b>American Indian/Alaskan Native</b>	0.3%	0.3%	0.9%
<b>Asian</b>	2.8%	2.7%	5.8%
<b>Native Hawaiian/Pacific Islander</b>	<0.1%	0.1%	0.2%
<b>Another Race</b>	2.9%	2.1%	6.6%
<b>Two or More Races</b>	6.8%	6.4%	10.7%
<b>Hispanic or Latino (any race)</b>	7.4%	5.0%	19.0%

*U.S. value: American Community Survey (2019-2023)*

**Table 35: Population Age 5+ by Language Spoken at Home, LTACH Community and Surrounding Geographies**

	<b>LTACH Community</b>	<b>Ohio</b>	<b>U.S.</b>
<b>Only English</b>	90.4%	92.8%	78.0%
<b>Spanish</b>	3.9%	2.3%	13.4%
<b>Asian/Pacific Islander Language</b>	1.1%	1.0%	3.5%
<b>Indo-European Language</b>	3.6%	2.8%	3.8%
<b>Other Language</b>	1.1%	1.1%	1.2%

*U.S. value: American Community Survey (2019-2023)*

**Table 36: Household Income of LTACH Community and Surrounding Geographies**

<b>Income Category</b>	<b>LTACH Community</b>	<b>Ohio</b>
Under \$15,000	10.7%	9.5%
\$15,000 - \$24,999	8.1%	7.8%
\$25,000 - \$34,999	8.1%	8.0%
\$35,000 - \$49,999	12.2%	12.2%
\$50,000 - \$74,999	16.5%	17.0%
\$75,000 - \$99,999	12.6%	13.0%
\$100,000 - \$124,999	9.4%	9.9%
\$125,000 - \$149,999	6.6%	7.0%
\$150,000 - \$199,999	7.1%	7.2%
\$200,000 - \$249,999	3.5%	3.5%
\$250,000 - \$499,999	3.6%	3.4%
\$500,000+	1.7%	1.6%
<b>Median Household Income</b>	<b>\$69,759</b>	<b>\$68,488</b>

**Table 37: Families Living Below Federal Poverty Level, LTACH Community and Surrounding Geographies**

<b>Zip Code</b>	<b>Families Below Poverty</b>	<b>Zip Code</b>	<b>Families Below Poverty</b>	<b>Zip Code</b>	<b>Families Below Poverty</b>
44001	3.0%	44105	26.1%	44132	20.6%
44011	3.6%	44106	19.3%	44133	2.5%
44012	3.1%	44107	8.4%	44134	6.1%
44017	5.9%	44108	27.5%	44135	19.6%
44022	2.7%	44109	21.0%	44136	3.0%
44028	4.7%	44110	28.7%	44137	20.1%
44035	14.9%	44111	16.8%	44138	1.9%
44039	4.5%	44112	24.1%	44139	3.2%
44044	4.4%	44113	20.3%	44140	2.6%
44050	4.4%	44114	18.2%	44141	2.6%
44052	25.3%	44115	58.5%	44142	6.5%
44053	12.2%	44116	2.9%	44143	4.1%
44054	4.8%	44117	7.4%	44144	11.5%
44055	25.7%	44118	9.6%	44145	4.8%
44057	4.8%	44119	18.2%	44146	8.3%
44060	3.8%	44120	16.8%	44147	0.8%
44070	7.0%	44121	12.0%	44149	2.2%
44074	5.9%	44122	6.1%	44212	3.1%
44077	5.1%	44123	15.4%	44253	1.7%
44081	3.6%	44124	3.5%	44256	4.2%
44090	3.0%	44125	15.2%	44273	3.4%
44092	4.1%	44126	6.3%	44275	2.9%
44094	3.2%	44127	32.6%	44280	1.9%
44095	3.3%	44128	21.9%	44281	4.1%
44102	25.7%	44129	7.7%		
44103	32.5%	44130	7.4%		
44104	48.8%	44131	3.0%		
<b>LTACH Community (Total)</b>	10.0%				
<b>Ohio</b>	9.4%				
<b>U.S.</b>	8.8%				

*U.S. value: American Community Survey (2019-2023)*

**Table 38: Educational Attainment, LTACH Community and Surrounding Geographies**

	LTACH Community	Ohio	U.S.
<b>Less than High School Graduate</b>	8.2%	8.6%	10.6%
<b>High School Graduate</b>	28.8%	32.8%	26.2%
<b>Some College, No Degree</b>	20.8%	19.6%	19.4%
<b>Associate Degree</b>	9.0%	8.9%	8.8%
<b>Bachelor's Degree</b>	20.1%	18.6%	21.3%
<b>Master's, Doctorate, or Professional Degree</b>	13.1%	11.5%	13.7%

*U.S. value: American Community Survey (2019-2023)*

**Table 39: Renters Spending at Least 30% of Household Income on Rent, LTACH Community and Surrounding Geographies**

Zip Code	Renters Spending 30% or More of Income on Rent	Zip Code	Renters Spending 30% or More of Income on Rent	Zip Code	Renters Spending 30% or More of Income on Rent
44001	49.5%	44105	51.8%	44132	54.4%
44011	31.8%	44106	47.5%	44133	32.2%
44012	37.0%	44107	37.0%	44134	39.7%
44017	41.9%	44108	61.6%	44135	53.0%
44022	56.2%	44109	50.6%	44136	41.9%
44028	68.1%	44110	61.6%	44137	45.4%
44035	44.1%	44111	46.3%	44138	29.8%
44039	35.6%	44112	64.0%	44139	48.7%
44044	38.7%	44113	38.7%	44140	40.0%
44050	36.6%	44114	48.4%	44141	35.0%
44052	53.7%	44115	44.6%	44142	46.2%
44053	50.0%	44116	41.6%	44143	47.3%
44054	29.2%	44117	62.0%	44144	40.7%
44055	56.0%	44118	54.8%	44145	49.5%
44057	38.0%	44119	53.8%	44146	51.6%
44060	39.1%	44120	49.6%	44147	24.2%
44070	44.1%	44121	41.4%	44149	44.3%
44074	50.5%	44122	42.2%	44212	46.8%
44077	48.7%	44123	45.7%	44253	74.3%
44081	65.8%	44124	41.9%	44256	43.8%
44090	45.7%	44125	61.7%	44273	26.4%
44092	41.7%	44126	42.0%	44275	41.5%
44094	48.5%	44127	57.1%	44280	33.7%
44095	51.4%	44128	49.3%	44281	43.1%
44102	50.1%	44129	39.0%		
44103	53.6%	44130	48.1%		
44104	51.3%	44131	31.7%		
<b>Cuyahoga County</b>	47.5%				
<b>Lake County</b>	46.0%				
<b>Lorain County</b>	46.3%				
<b>Medina County</b>	43.7%				
<b>Ohio</b>	45.1%				
<b>U.S.</b>	50.4%				

All values: American Community Survey (2019-2023)

**Table 40: Households with an Internet Subscription, LTACH Community and Surrounding Geographies**

<b>Zip Code</b>	<b>Households with Internet</b>	<b>Zip Code</b>	<b>Households with Internet</b>	<b>Zip Code</b>	<b>Households with Internet</b>
44001	91.0%	44105	78.8%	44132	84.6%
44011	94.0%	44106	84.6%	44133	93.7%
44012	90.7%	44107	91.6%	44134	90.3%
44017	94.3%	44108	73.3%	44135	85.2%
44022	97.9%	44109	85.0%	44136	92.0%
44028	89.9%	44110	75.5%	44137	88.0%
44035	83.8%	44111	87.8%	44138	89.9%
44039	93.4%	44112	72.8%	44139	95.5%
44044	87.0%	44113	87.5%	44140	92.0%
44050	86.4%	44114	81.8%	44141	95.3%
44052	79.0%	44115	74.6%	44142	87.9%
44053	81.8%	44116	91.1%	44143	88.9%
44054	91.3%	44117	78.2%	44144	86.6%
44055	79.1%	44118	92.3%	44145	93.3%
44057	89.2%	44119	84.6%	44146	87.1%
44060	93.6%	44120	78.9%	44147	93.6%
44070	91.3%	44121	90.6%	44149	91.9%
44074	90.0%	44122	92.8%	44212	91.7%
44077	91.9%	44123	84.4%	44253	93.0%
44081	91.8%	44124	92.2%	44256	92.8%
44090	89.9%	44125	86.7%	44273	93.1%
44092	92.2%	44126	93.2%	44275	90.9%
44094	92.1%	44127	70.3%	44280	89.3%
44095	89.5%	44128	83.4%	44281	91.8%
44102	83.7%	44129	90.3%		
44103	73.3%	44130	89.8%		
44104	69.3%	44131	94.3%		
<b>Cuyahoga County</b>	87.5%				
<b>Lake County</b>	91.9%				
<b>Lorain County</b>	86.9%				
<b>Medina County</b>	91.8%				
<b>Ohio</b>	89.0%				
<b>U.S.</b>	89.9%				

*All values: American Community Survey (2019-2023)*

## Appendix C: Environmental Scan and Key Findings

An environmental scan was conducted to supplement quantitative data and further contextualize health needs across the LTACH community. This scan involved a review of recent community health assessments, needs reports, and partner studies across healthcare, public health, and social service sectors. Findings from local efforts, including reports from the community organizations, hospital systems, and regional health collaboratives, corroborated the relevance of the three prioritized needs in this 2025 CHNA process.

Across communities, consistent themes emerged: cost barriers and provider shortages limit healthcare access; behavioral health treatment gaps remain significant; chronic disease management is challenged by food insecurity and inadequate recreational infrastructure; Community Safety concerns arising from issues such as poverty, housing insecurity, and gun violence, impact all other areas of health.

- 2023 Ohio State Health Assessment<sup>19</sup>
- 2023 City of Cleveland Parks and Recreation Community Needs Assessment<sup>20</sup>
- 2024 Cuyahoga County ADAMHS Board Needs Assessment<sup>21</sup>
- 2023 Cuyahoga County Planning Commission Data Book<sup>22</sup>
- 2022 Greater Cleveland LGBTQ+ Community Needs Assessment<sup>23</sup>
- Joint 2022 Cuyahoga County CHNA (Collaborating Organizations: University Hospital, Cuyahoga County Board of Health, and the City of Cleveland Department of Health)<sup>24</sup>

---

<sup>19</sup> Ohio Department of Health. (2023). *Ohio State Health Assessment 2023*. Ohio University; Ohio Department of Health. Retrieved from Ohio Department of Health website.

<sup>20</sup> Cleveland Parks & Recreation Plan Team. (2024). *Community needs assessment report* [PDF]. City of Cleveland Department of Parks & Recreation. [https://cleparksrecplan.com/wp-content/uploads/240102\\_Community-Needs-Assessment-Report\\_web.pdf](https://cleparksrecplan.com/wp-content/uploads/240102_Community-Needs-Assessment-Report_web.pdf)

<sup>21</sup> Alcohol, Drug Addiction and Mental Health Services (ADAMHS) Board of Cuyahoga County (2024). *Community health needs assessment* [PDF]. <https://www.adamhsc.org/about-us/budgets-reports/needs-assessments>

<sup>22</sup> Cuyahoga County Planning Commission. (December 2023). *Our County: The 2023 data book* [PDF]. Cuyahoga County Planning Commission. <https://s3.countyplanning.us/wp-content/uploads/2023/12/Our-County-2023-reduced.pdf?>

<sup>23</sup> Kent State University College of Public Health. (2024). *Greater Cleveland LGBTQ+ community needs assessment* [PDF]. The Greater Cleveland LGBTQ+ Community Needs Assessment Research Team. [https://www.lgbtqohio.org/sites/default/files/docs/KSU-028\\_CommunityReport\\_102124\\_FA.pdf](https://www.lgbtqohio.org/sites/default/files/docs/KSU-028_CommunityReport_102124_FA.pdf)

<sup>24</sup> Cuyahoga County CHNA Steering Committee. (2022). *2022 Cuyahoga County community health needs assessment* [PDF]. Conduent Healthy Communities Institute & Cuyahoga County Community Partners. <https://www.healthyneo.org/content/sites/cuyahoga/Resources/CHNA-Cuy-Cty-11.22.pdf>

- 2023 Livable Cuyahoga Needs Assessment<sup>25</sup>
- 2023 United Way of Greater Cleveland Community Needs Assessment<sup>26</sup>
- 2022 Lake County Community Health Needs Assessment<sup>27</sup>
- 2025 Lorain County Community Health Needs Assessment<sup>28</sup>
- 2023 Medina County Community Development Needs Assessment<sup>29</sup>
- 2024 Medina County Community Health Assessment<sup>30</sup>

---

<sup>25</sup> Cuyahoga County Department of Health and Human Services, Division of Senior & Adult Services. (2023). *Livable Cuyahoga needs assessment report*. Cuyahoga County. Retrieved June 2025, from [https://hhs.cuyahogacounty.gov/docs/default-source/default-document-library/reports/livable-cuyahoga-needs-assessment-report.pdf?sfvrsn=b1f65b31\\_1](https://hhs.cuyahogacounty.gov/docs/default-source/default-document-library/reports/livable-cuyahoga-needs-assessment-report.pdf?sfvrsn=b1f65b31_1)

<sup>26</sup> United Way of Greater Cleveland. (2023). *Cuyahoga County community needs assessment* [PDF]. <https://www.unitedwaycleveland.org/our-work/publications/community-needs-assessment/#cc-assessment>

<sup>27</sup> Lake County General Health District. (2022). *2022 Lake County, Ohio Community Health Needs Assessment*. Lake County General Health District. [https://www.lcghd.org/wp-content/uploads/2022/10/FINAL-2022-Lake-County-Ohio-CHNA-Report\\_09\\_30\\_22.pdf](https://www.lcghd.org/wp-content/uploads/2022/10/FINAL-2022-Lake-County-Ohio-CHNA-Report_09_30_22.pdf)

<sup>28</sup> Lorain County Public Health. (2025). *Community Health Assessment* [PDF]. Lorain County. <https://www.loraincountyhealth.com/cha>

<sup>29</sup> Ohio State University Extension Medina County. (2023). *Community Development Needs Assessment Report*. The Ohio State University. Retrieved from <https://medina.osu.edu/program-areas/community-development/community-initiatives>

<sup>30</sup> Medina County Health Department. (2024). *Community Health Assessment*. Medina County Health Department. Retrieved from <https://medinahealth.org/community/data-reports/community-health-assessment/>

# Appendix D: Community Input Assessment Tools and Key Findings

## Community Stakeholder Facilitation Guide



**WELCOME:** Cleveland Clinic is in the process of conducting our 2025 comprehensive Community Health Needs Assessment (CHNA) to understand and plan for the current and future health needs of our community. You have been invited to take part in this interview because of your experience working in [XXXX] County. During this interview, we will ask a series of questions related to health issues in your community. Our goal is to gain various perspectives on the major issues affecting the population that your organization serves and how to improve health in your community. We hope to get through as many questions as possible and hear your perspective as much as time allows.

**TRANSCRIPTION:** For today's call we are using the transcription feature in MS Teams. This feature produces a live transcript and makes meetings more inclusive for those who are deaf, hard of hearing, or have different levels of language proficiency. Our primary purpose for using this feature is to assist with note taking.

**CONFIDENTIALITY:** For this conversation, I will invite you to share as much or little as you feel comfortable sharing. The results of this assessment will be made available to the public. Although we will take notes on your responses, your name will not be associated with any direct quotes. Your identity will be kept confidential, so please share your honest opinions.

**FORMAT:** We anticipate that this conversation will last ~45 minutes to an hour.

### **Section #1: Introduction**

- **What community or geographic area does your organization serve (or represent)?**
  - How does your organization serve the community?

### **Section #2: Community Health Questions and Probes**

- **From your perspective, what does a community need to be healthy?**
  - What are your community's strengths?
- **What are the top health-related issues that residents are facing in your community that you would change or improve?**
  - What makes them the most important health issues?
  - What do you think is the cause of these problems in your community?

- **From the health issues and challenges we've just discussed, which do you think are the most difficult to overcome?**
  - Which of these issues are more urgent or important than others?
  - Which groups in your community face particular health issues or challenges?
  - What health challenges are different if the person is a particular age, or gender, race, or ethnicity?
  
- **What do you think causes residents to be healthy or unhealthy in your community?**
  - What types of things influence their health, to make it better or worse?
  - What might prevent someone from accessing care for these health challenges? Examples could include lack of transportation, lack of health insurance coverage, doctor's office hours, language, or cultural barriers, etc.
  
- **What could be done to promote equal access to care? (The idea that everyone should have the same chance to be healthy, regardless of their circumstances)**
  
- **What are some possible solutions to the problems that we have discussed?**
  - How can organizations such as hospitals, health departments, government, and community-based organizations work together to address some of the problems that have been mentioned?
  - What specific community organizations or agencies can you see taking a strong leadership role in improving the health of your community?
  - What resources does your community have that can be used to improve community health?
  
- **How can we make sure that community voices are heard when decisions are made that affect their community?**
  - What would be the best way to communicate with community members about progress organizations are making to improve health and quality of life?
  
- **What community health changes have you seen over the past three years (since 2022)?**
  
- **Is there anything else that you think would be important for us to know as we conduct this community health needs assessment?**

**CLOSURE SCRIPT:** Thank you again for taking time out of your busy day to share your experiences with us. We will include the key themes from today's discussion in our assessment. Please remember, your name will not be connected to any of the comments you made today. Please let us know if you have any questions or concerns about this.

## Community Input Key Findings

A total of 15 organizations provided feedback for the population served by LTACH facilities. Interviews with each stakeholder varied by individual and the amount of feedback they provided. They generally ranged from thirty to sixty minutes. A full write up of qualitative data findings and the community stakeholder facilitation guide can be found in Appendix D.

Individuals from the following organizations participated as key informants:

- ADAHMS Board
- ASIA (Asian Services In Action)
- Benjamin Rose Institute on Aging
- Cleveland Department of Public Health
- Cleveland Metropolitan Housing Authority
- Cuyahoga County Board of Health
- Esperanza
- Greater Cleveland Food Bank
- NAMI Greater Cleveland
- LGBTQ+ Assessment Greater Cleveland / Cleveland Clinic
- Neighborhood Family Practice
- City of Cleveland Division of Fire
- Towards Employment
- Positive Education Program
- Lead Safe

The following are summary findings for each of the three prioritized health needs identified in the 2025 Community Health Needs Assessment.

### Access to Healthcare

The following highlights key insights from stakeholder interviews regarding Access to Healthcare in the community. Access to healthcare was consistently identified as a critical issue across stakeholder interviews. While the region has substantial healthcare infrastructure, barriers such as affordability, transportation, provider shortages, and systemic mistrust continue to limit access to services. Participants emphasized that addressing these barriers requires more integrated, community-based approaches that bring services closer to where people live and ensure culturally and linguistically appropriate care.

The following are highlights of participant feedback regarding Access to Healthcare:

- Affordability remains a significant obstacle, even for those with insurance, with co-pays, prescriptions, and follow-up visits often described as unaffordable.
- Transportation and geographic isolation were repeatedly cited as barriers, particularly for individuals with mobility challenges or those living in outlying neighborhoods.

- Convenience and time play a critical role in healthcare utilization; many residents avoid care when scheduling is complex or requires long wait times.
- Limited representation in the healthcare workforce and lack of services that are culturally aware contribute to mistrust and deter engagement with care.
- Stakeholders called for integrated, co-located services that combine medical, behavioral, and social supports in community-based settings.
- Digital access barriers, including lack of internet, limited literacy, and complicated systems, prevent many residents from navigating healthcare efficiently.

The following are a few select quotes illustrating feedback about healthcare access by key informants:

*“People really need safe environments, safe institutions. They need their basic needs to be met and to have access to the resources they need in order to meet their basic needs.”*

*“Transportation and access to reliable, safe, and warm public transit is one of our community’s big challenges. Caregivers are often forced to make difficult choices when trying to access care for themselves or their children.”*

*“When healthcare providers are willing and able to engage community members in a more egalitarian way at the neighborhood clinic level, rather than having to go to the big campus, it creates a sense of connection and belonging.”*

Overall, stakeholders stressed that healthcare access cannot be achieved through clinical care alone. Affordability, transportation, cultural awareness, and trust are critical to enabling residents to seek preventive and routine care. Building integrated, community-based services that are responsive to local needs was consistently described as essential to ensuring that all residents can access timely, affordable, and culturally appropriate healthcare.

## **Adult Health**

Stakeholders described Adult Health as shaped by a combination of chronic disease burdens, preventive care gaps, and the challenges of aging. Diabetes, hypertension, and obesity were frequently mentioned as persistent concerns. Participants also emphasized that cancer risks, including breast and prostate cancer, remain high in the community. Food insecurity, reliance on fast food, and limited opportunities for physical activity were linked directly to these health outcomes. Older adults were noted as a particularly vulnerable group, with isolation, falls, and the high costs of adult day care making it difficult to maintain health and independence.

The following are highlights of participant feedback regarding adult health:

- High prevalence of chronic diseases such as diabetes, hypertension, and obesity
- Differences in cancer outcomes, especially for breast and prostate cancer

- Food insecurity and dietary habits contributing to poor health outcomes
- Preventive care is underutilized due to barriers such as cost, transportation, and trust
- Older adults are facing isolation, injury risks, and limited affordable support services

The following are a few select quotes illustrating feedback about nutrition and healthy eating and wellness and lifestyle by key informants:

*“Families in food deserts struggle to buy affordable healthy food, and this drives up chronic disease.”*

*“Diabetes and kidney disease are major problems in our community.”*

*“Our older adults are often isolated, and when they live alone it becomes a safety issue, especially with falls and no one there to help.”*

*“People avoid preventive visits because of the costs and because they do not trust that it will make a difference if they are not already sick.”*

Stakeholder conversations reinforced that Adult Health outcomes are closely tied to both medical and social conditions. Chronic disease, food insecurity, and differences in cancer outcomes highlight the need for culturally relevant prevention, education, and screenings. At the same time, aging-related challenges such as isolation, falls, and financial barriers to care require expanded supports for older adults and investments in community infrastructure. Participants consistently underscored that without coordinated strategies to address these challenges, Adult Health outcomes will continue to lag behind.

## Community Safety

Stakeholder conversations emphasized Community Safety as a critical concern affecting health and quality of life. Participants described how violence, crime, and exposure to unsafe environments create daily stress for families and limit opportunities for safe recreation and community connection. Gun violence and overdoses were repeatedly cited as major drivers of fear and instability, particularly in neighborhoods already facing poverty and systemic disinvestment. Alcohol-impaired driving was also mentioned as a recurring challenge. In addition to safety concerns, participants underscored that stigma, limited culturally relevant services, and gaps in harm reduction approaches restrict access to effective prevention and recovery resources.

The following are highlights of participant feedback regarding prevention and safety:

- Housing instability, homelessness, and environmental risks such as lead exposure were identified as significant threats to health and development.
- Neighborhood safety, exposure to violence, and lack of secure recreational spaces negatively impact both mental and physical health.
- Gun violence and crime create fear and chronic stress
- Opioid and fentanyl overdoses remain pressing safety issues

- Alcohol-impaired driving is noted as a significant public health concern
- Unsafe environments limit outdoor activity and community engagement

The following are a selection of quotes illustrating feedback about Prevention and Safety by key informants:

*“In order to be healthy, a community needs an investment in the people and the places where they live and so investment in the built environment so that there are fewer traffic accidents and less air pollution. Easier access to healthy food. Investment in the people... so that they’re not affected by lead poisoning, homelessness, and hypothermia on cold days.”*

*“Our community strengths are the people and the sense of identity and the kind of sense of community here, but those strengths need to be supported with investment in housing, schools, and safe environments.”*

*“Gun violence and overdoses are what we see most, and they create constant fear for families in these neighborhoods.”*

*“People are scared to be outside, and that takes a toll on mental health as much as physical health.”*

*“We need more prevention, not just treatment, so kids have safe spaces and do not fall into the same cycles.”*

Stakeholders consistently highlighted that Community Safety is inseparable from public health. Violence, substance use, and unsafe environments compound the effects of poverty and systemic inequities, eroding trust and undermining wellbeing. Respondents stressed the need for comprehensive prevention strategies, expanded recovery resources, and strong community partnerships that engage schools, healthcare systems, and local organizations. By addressing both safety risks and their root causes, communities can create safer, healthier environments that support residents across the lifespan.

# Appendix E: Impact Evaluation

## Actions Taken Since Previous CHNA

Cleveland Fairhill's previous Implementation Strategy outlined a plan for addressing the following priorities identified in the 2022 CHNA. Access to Healthcare, Adult Health, and Community Safety were identified as needs within the 2022 CHNA for Cleveland Fairhill. The table below describes the strategies completed and modifications made to the action plans for each health priority area.

### Access to Healthcare

#### Actions:

- Cleveland Fairhill supports the concept of seamless care as an important aspect of the continuum of care.

#### Highlighted Impacts:

- An initial assessment to determine appropriateness for admission was conducted by a Clinical Liaison, upon referral by a healthcare professional including physicians, registered nurses, and/or external case managers to encourage appropriate referrals.
- A smooth transition to the LTACH was facilitated by the Clinical Liaison who oversees the patient referred, meets with the family when possible, and determines the ongoing need for acute care.
- Cleveland Fairhill concentrated efforts on assessing all patients upon admission for any differences in healthcare outcomes around barriers with transportation at discharge that could impact the ability to access services necessary for continued recovery and healing.
- Cleveland Fairhill provided medically necessary services to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. Financial assistance was also provided to patients on a case-by-case basis under certain medical circumstances.

### Adult Health

#### Actions:

- Cleveland Fairhill employs clinical personnel and contracts with credentialed consulting practitioners including but not limited to cardiology, pulmonology, wound care specialists, infectious disease, nephrology, adult psychiatry and neurology for all medically complex care provided as post-acute hospital services.
- As a specialty hospital, Cleveland Fairhill provided rehabilitative treatment to patients as a component of its care provision with the goal of returning a patient to his/her highest possible functioning level, with the greatest independence, to continue as a productive community resident.

### Highlighted Impacts:

- Each patient was evaluated on numerous measures to ensure the most appropriate plan of care is put into action to address patients' current care needs.
- Each patient's cognitive status was a component of the interdisciplinary plan of care. The utilization of available community resources to support a patient's well-being is key to ensuring continued recovery.
- Cleveland Fairhill provided respiratory therapy coverage 24/7 for its patient population which includes patients requiring mechanical ventilation, tracheostomy care, and Continuous Positive Airway Pressure (CPAP); Bilevel Positive Airway Pressure (BiPAP) therapies.
- Cleveland Fairhill ensured all patients' nutritional requirements were assessed and addressed by Registered Dietitians.

## **Community Safety**

### Actions:

- The hospital provides patient and family education to enhance their knowledge, skills, and behaviors necessary to fully benefit from the healthcare interventions provided.

### Highlighted Impacts:

- Cleveland Fairhill continued to encourage family members and caregivers to participate in local caregiver support programs to promote optimal mental and physical health.
- Cleveland Fairhill facilitated all home going needs and coordinated in home resources at the time of discharge. Areas such as home safety, durable medical equipment, home oxygen, and immediate follow up appointments with appropriate medical services are in place for successful transitions home.

## Appendix F: Acknowledgements

Conduent Healthy Communities Institute (HCI) supported report preparation. HCI collaborates with clients across the nation to drive community health outcomes by assessing needs, developing focused strategies, identifying appropriate intervention programs, establishing monitoring systems, and implementing performance evaluation processes. To learn more about Conduent HCI, please visit [conduent.com/community-population-health](https://conduent.com/community-population-health).

Authors for this report include:

Ashley Wendt, MPH, Director of Public Health Consulting  
Era Chaudry, MPH, Public Health Consultant  
Adrian Zongrone, MPH, Senior Public Health Analyst  
Sarah Jameson, MPH, Public Health Analyst  
Dari Goldman, MPH Public Health Analyst





**Cleveland Clinic**



# Select Specialty Hospital – Cleveland Fairhill

## Implementation Strategy Report

2025

**SELECT SPECIALTY HOSPITAL- CLEVELAND FAIRHILL  
2025 Community Health Needs Assessment  
Implementation Strategy Report for Years 2026 – 2028**

**Table of Contents**

**Select Specialty Hospital- Cleveland Fairhill .....210**  
**Implementation Strategy Report.....210**  
**I. Introduction and Purpose .....210**  
    A. Description of Hospital .....210  
**II. Long Term Acute Care Hospitals Community Definition.....210**  
**III. How Implementation Strategy was Developed .....213**  
**IV. Summary of the Community Health Needs Identified.....213**  
**V. Needs Hospital Will Address .....213**  
    A. Access to Healthcare .....213  
    B. Adult Health.....214  
    C. Community Safety .....215

# Select Specialty Hospital- Cleveland Fairhill Implementation Strategy Report

## I. Introduction and Purpose

This written plan is intended to satisfy the requirements set forth in Internal Revenue Code Section 501(r)(3) regarding community health needs assessments and implementation strategies. The overall purpose of the Implementation Strategy is to align the hospital's limited resources, program services, and activities with the Select Specialty Hospital – Cleveland Fairhill (“Fairhill” or “the hospital”) findings of the Community Health Needs Assessment (“CHNA”). The Implementation Strategy Report (ISR) includes the priority community health needs identified during the 2025 CHNA for Fairhill. This report includes strategies for years 2026 through 2028.

### A. Description of Hospital

Cleveland Fairhill is a Long Term Acute Care hospital (LTACH), designed to provide comprehensive, specialized care for high-acuity patients who need more time to recover, typically after critical care. Additional information on the hospital and its services is available at [regencyhospital.com/cleveland-fairhill/](https://regencyhospital.com/cleveland-fairhill/).


The hospital is a joint venture between Cleveland Clinic health system and Select Medical. As part of the broader Cleveland Clinic health system, Fairhill upholds the tripartite mission of clinical care, research, and education. Cleveland Clinic includes its flagship academic medical center near downtown Cleveland, fifteen regional hospitals in Northeast Ohio, a children's hospital and children's rehabilitation hospital, and additional hospitals and facilities in Florida and Nevada. Each hospital, including Fairhill, contributes to the system-wide advancement of clinical research and medical innovation. Patients at Fairhill benefit from access to novel treatments, clinical trials, and evidence-based practices developed and shared across the Cleveland Clinic network.

Select Medical is one of the largest providers of post-acute care encompassing three areas of expertise: critical illness recovery, inpatient medical rehabilitation, and outpatient physical therapy, all of which are delivered and supported by talented healthcare professionals across the U.S. Additional information about Select Medical is available at [selectmedical.com/](https://selectmedical.com/).

## II. Long Term Acute Care Hospitals Community Definition

The community definition describes the zip codes where approximately 75% of discharges from Long Term Acute Care hospital (LTACH) facilities originated in 2024. Figure 1 shows the specific geography for this community that served as a guide for data collection and analysis for this CHNA. Table 1 lists zip codes and associated neighborhoods that comprise the community definition.

Figure 1: LTACH Community Definition



**Table 1: LTACH Community Definition**

Zip Code	Municipality	Zip Code	Municipality	Zip Code	Municipality
44001	Amherst	44104	Cleveland (Kinsman)	44131	Independence
44011	Avon	44105	Garfield Heights	44132	Euclid
44012	Avon Lake	44106	Cleveland Heights	44133	North Royalton
44017	Berea	44107	Lakewood	44134	Parma
44022	Chagrin Falls	44108	Bratenahl	44135	Cleveland
44028	Columbia Station	44109	Brooklyn Heights	44136	Strongsville
44035	Elyria	44110	Bratenahl	44137	Maple Heights
44039	North Ridgeville	44111	Cleveland (Jefferson)	44138	Olmsted Falls
44044	Grafton	44112	East Cleveland	44139	Solon
44050	Lagrange	44113	Cleveland (Tremont)	44140	Bay Village
44052	Lorain	44114	Cleveland (Downtown)	44141	Brecksville
44053	Lorain	44115	Cleveland (Industrial Valley)	44142	Brookpark
44054	Sheffield Lake	44116	Rocky River	44143	Euclid
44055	Lorain	44117	Euclid	44144	Brooklyn
44057	Madison	44118	Shaker Heights	44145	Westlake
44060	Mentor	44119	Euclid	44146	Bedford
44070	North Olmsted	44120	Shaker Heights	44147	Broadview Heights
44074	Oberlin	44121	South Euclid	44149	Strongsville
44077	Painesville	44122	Beachwood	44212	Brunswick
44081	Perry	44123	Euclid	44253	Litchfield
44090	Wellington	44124	Lyndhurst	44256	Medina
44092	Wickliffe	44125	Garfield Heights	44273	Seville
44094	Willoughby	44126	Fairview Park	44275	Spencer
44095	Eastlake	44127	Cuyahoga Heights	44280	Valley City
44101	Cleveland (Downtown)	44128	Bedford Heights	44281	Wadsworth
44102	Cleveland (Detroit-Shoreway)	44129	Parma		
44103	Cleveland (Hough)	44130	Middleburg Heights		

### III. How Implementation Strategy was Developed

This Implementation Strategy was developed by members of senior leadership at Cleveland Fairhill and Cleveland Clinic representing several departments of these organizations. Leadership at Cleveland Fairhill will utilize this Implementation Strategy to determine whether changes should be made to better address the health needs of its communities.

### IV. Summary of the Community Health Needs Identified

Cleveland Fairhill's 2025 Community Health Needs Assessment reaffirms its commitment to addressing the three core health priorities based on a synthesis of primary data in the form of community stakeholder interviews, secondary indicators from national and state data sources, and a regional environmental scan. The following three prioritized health needs will help shape the hospital's Implementation Strategy Reports (ISR) for the subsequent three years:

- Access to Healthcare
- Adult Health
- Community Safety

It should be noted that no one organization can address all the health needs identified in its community. Cleveland Fairhill is committed to serving the community by adhering to its mission and using its skills, expertise, and resources to provide a range of community benefit programs to address critical illness recovery hospital services for adults.

### V. Needs Hospital Will Address

Each Cleveland Clinic – Select Medical hospital provides services and programs in efforts to address the health needs of the community. Implementation of our services focuses on addressing structural factors important for community health, strengthening trust with residents and stakeholders, ensuring community voice in developing strategies, and evaluating our strategies and programs. Cleveland Fairhill is a critical illness recovery hospital, with a specialized patient population. In alignment with the community health needs identified during the 2025 CHNA process, the following health needs will be addressed in this ISR:

- Access to Healthcare
- Adult Health
- Community Safety

#### A. Access to Healthcare

Access to Healthcare data analysis results describe community needs related to consumer expenditures for insurance, medical expenses, medicines, and other supplies. More expansive parameters include limitations to accessing healthcare described in terms

of transportation challenges, resource limitations, and availability of primary care and other prevention services in local neighborhoods.

Access to Healthcare Initiatives for 2026-2028 include:

1. Cleveland Fairhill supports the concept of seamless care as an important aspect of the continuum of health care. An initial assessment to determine appropriateness for admission is conducted by a Clinical Liaison, upon referral by a healthcare professional including physicians, registered nurses, and/or external case managers. A smooth transition to the LTACH is facilitated by the Clinical Liaison who oversees the referred patient, meets with the family, and determines the ongoing need for acute care.
2. Cleveland Fairhill provides medically necessary care to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. Cleveland Fairhill has a financial assistance policy that provides free or discounted care based on financial need. Through regular communication and collaboration, Cleveland Fairhill educates other facilities in the community on the financial assistance policy. The financial assistance policy can be found here: [Cleveland Fairhill Financial Assistance](#).
3. Cleveland Fairhill concentrates efforts on assessing all patients for transportation barriers at discharge that could impact the ability to access services necessary for continued recovery and healing.

## **B. Adult Health**

Adult Health encompasses several subtopics where information is available including Older Adult Health; Other Conditions; and Chronic Disease Prevention and Management including Nutrition and Healthy Eating. By addressing these issues in concert, Cleveland Fairhill hopes to impact concerns for older adult mental health from isolation, chronic conditions, and access to healthy food.

Adult Health Initiatives for 2026-2028 include:

1. Cleveland Fairhill contracts credentialed consulting practitioners including but not limited to cardiology, pulmonology, wound care specialists, Infectious Disease, nephrology, Adult Psychiatry, and neurology for all medically complex care provided as post-acute hospital services.
2. Each patient's current cognitive status is considered as a component of the interdisciplinary plan of care. All care plans and programs focus on chronic disease prevention and management, with specific emphasis around a recovery plan centered on regaining the ability to walk, talk, eat, breathe, and think again independently. The utilization of available community resources to support a patient's well-being is key to ensuring continued recovery.

3. Cleveland Fairhill provides respiratory therapy coverage 24/7 for its patient population which includes patients requiring mechanical ventilation, tracheostomy care, and Continuous Positive Airway Pressure (CPAP); Bilevel Positive Airway Pressure (BiPAP) therapies. The utilization of services is assessed prior to admission, at admission, as well as throughout each patient's stay.
4. Cleveland Fairhill ensures all patients' nutritional requirements are assessed and addressed by Registered Dietitians.

## C. Community Safety

Community Safety issues, though related to social drivers, stands apart as a health topic intended to describe community health needs related to the following subtopics: Prevention & Safety and Alcohol & Drug Use.

Community Safety Initiatives for 2026-2028 include:

1. As a specialty hospital, Cleveland Fairhill provides rehabilitative treatment to patients as a component of its care provision with the goal of returning a patient to his/her highest possible functioning level, with the greatest independence, to continue as a productive community resident. The hospital will continue providing patient and family education to enhance their knowledge, skills, and behaviors necessary to fully benefit from the healthcare interventions provided.
2. Cleveland Fairhill encourages family members and caregivers to participate in local caregiver support programs in order to promote optimal mental and physical health.
3. Cleveland Fairhill facilitates all home going needs and coordinates in home resources at the time of discharge. Areas such as home safety, durable medical equipment, home oxygen, and immediate follow up appointments with appropriate medical services is in place for successful transitions home.

While this ISR outlines specific strategies and programs identified to address the 2025 CHNA prioritized areas of Access to Healthcare, Adult Health, and Community Safety, it does not reflect all the work being done by Cleveland Fairhill to improve community health. Through this iterative process, opportunities are identified to grow and expand existing work in prioritized areas as well as implement additional programming in new areas. These ongoing strategic conversations will allow Cleveland Fairhill to build stronger community collaborations in the future.

For more information regarding Cleveland Clinic Community Health Needs Assessments and Implementations Strategy Reports, please visit [www.clevelandclinic.org/CHNAREports](http://www.clevelandclinic.org/CHNAREports) or contact [CHNA@ccf.org](mailto:CHNA@ccf.org).

